CANTERBURY

Wetland and river/stream margin native plants

Grown from seed collected from Motukarara and Christchurch native vegetation remnants

Cover photo: Ōtukaikino Wetland

Published by:

Department of Conservation Mahaanui/Sockburn Office PO Box 11089, Sockburn 844 Christchurch, New Zealand

Further information:

Waihora Domain, Motukarara, RD 2, Christchurch 7672

PHONE: 03 329 7846

www.doc.govt.nz/ conservationnursery www.doc.govt.nz

Motukarara Conservation Nursery

EMAIL: motukarara@doc.govt.nz

Editing and design: DOC Creative Services Conservation House Wellington

May 2021

This publication is produced using paper sourced from well-managed renewable and legally logged fore

ත ක New Zealand Government



Department of Conservation *Te Papa Atawbai* The Christchurch natural vegetation pattern in pre-human times was diverse. Between the floodplains of the northern rivers, the estuary and coastal dunes in the east and the loesscapped basalt of the Port Hills to the south, there was a huge mosaic of open swampland, swamp forest, woodland and tussock grassland.

Riccarton Bush is a fine example of the tall podocarp/ hardwood forest that once thrived on the poorly drained alluvial sediments of the Waimakariri River and its tributaries.

The species represented in the display garden are a sample of the Christchurch and Motukarara wetlands, and river- and stream-margin plants. Other plant species appropriate to Christchurch can be found in our Coastal, Banks Peninsula and Canterbury Plains gardens.

Consult the Motukarara Nursery catalogue or other recommended literature for the height and spread of species, environmental preferences and tolerances.

For the selection of the native plants natural to different areas of Christchurch, see the *Ecosystem Maps of Christchurch* published by Christchurch Otautahi Agenda 21 Committee or the *Streamside Planting Guide*, published by the Water Services Unit of the Christchurch City Council. M = moist soils S = swamp/boggy areas WE = water's edge SM = salt marsh FD = Free draining areas

Apodasmia similis, oioi, jointed wire rush (S) Austroderia richardii. toetoe (M) Baumea rubiginosa, New Zealand sedge (S) Bolboschoenus caldwellii, purua, sedge (M/S) Bulbinella angustifolia, Māori onion (FD) *Carex buchananii*, matirewa, cutty grass (S/WE) Carex flagellifera, mānia, tussock grass (FD) Carex flaviformis, pūrei, yellow sedge (S/WE) *Carex geminata*, rautahi, cutty grass (S/WE) Carex maorica (S) Carex secta, pūkio (S/WE) Carex solandri (M/S/WE) Carex virgata, swamp sedge (S) Coprosma propingua, mingimingi (M/S) Coprosma robusta, karamū (M/S) Cordyline australis, tī kōuka, cabbage tree (M)

Cyperus ustulatus, toetoewhatu, giant umbrella sedge (M/S) Dacrycarpus dacrydioides, kahikatea, white pine (M) Elaeocarpus hookerianus, pōkākā (M) *Eleocharis acuta*, sharp spike sedge (M/S/WE) *Hebe salicifolia,* koromiko **(M)** Juncus caespiticius, wī, grass-leaved rush (S) Juncus edgariae, wī, leafless rush (M/S) Juncus pallidus, wī, giant rush, leafless rush (S/WE) Juncus planifolius, wī (S/WE) Juncus sarophorus, wī (S/WE) Leptospermum scoparium, mānuka, tea tree (M) Lophomyrtus obcordata, rohutu, New Zealand myrtle (M) Mazus novae-zelandiae subsp. impolitus mazus (M/S) Microlaena avenacea Phormium tenax, harakeke, New Zealand flax (M/S) Pittosporum tenuifolium, kōhūhu (M) Schoenoplectus pungens, three square (M/S) Schoenoplectus validus, lake clubrush (S/WE) Schoenus pauciflorus (S) Zotovia avenacea, pātītī, bush rice grass (M)

