

## 8. References

- Abbott, D. (unpub.). Unpublished records of fish from the Poor Knights Islands, 1999 to 2006.
- Abbott, D.; Rousseau, J. (2002). Eye on the Sea. <http://www.eyeonthesea.co.nz/coastal/?reg=northland&yes=1> (Accessed June 2008).
- Acosta, H. (2001). The parchment tubeworm *Chaetopterus* in northeastern New Zealand. MSc thesis. University of Auckland, Auckland. 157pp.
- Anthoni, J.F. (2007). The Poor Knights Marine Reserve. <http://www.seafriends.org.nz/issues/res/pk/index.htm> (Accessed May 2008).
- Ayling, A.M. (1968). The ecology of sublittoral rocky surfaces in northern New Zealand. BSc (Hons) thesis. University of Auckland, Auckland.
- Ayling, A.M. (1974a). Coastal caves and overhangs. *NZ's Nature Heritage* 2(28): 776-780.
- Ayling, A.M. (1974b). Offshore caves and overhangs. *NZ's Nature Heritage* 2(30): 841-844.
- Ayling, A.M. (1974c). Offshore kelp forests. *New Zealand's Nature Heritage* 2(22): 605-609.
- Ayling, A.M. (1978). Okakari Point to Cape Rodney Marine Reserve: a biological survey. University of Auckland, 115pp.
- Ayling, A.M. (1981). The role of biological disturbance in temperate subtidal encrusting communities. *Ecology* 62: 830-847.
- Ayling, A.M.; Cox, G.J. (1982). Collins guide to the sea fishes of New Zealand. Collins, Auckland. 343p.
- Ayling, A.M.; Russell, B.C. (1977). The labrid fish genus *Pseudojuloides*, with description of a new species. *The Australian Zoologist* 19(2): 169-178.
- Ayling, T.; Schiel, D.R. (2003). Poor Knights Islands. In: Andrew, N.; Francis, M.P. (eds). *The Living Reef*, p.210-223. Craig Potton Publishing, Nelson.
- Battershill, C.N. (1986). The marine benthos of caves, archways and vertical reef walls of the Poor Knights Islands. Leigh Marine Laboratory, University of Auckland, 179pp.

- Beentjes, M.P.; Francis, M.P. (1999). Movement of hapuku (*Polyprion oxygeneios*) determined from tagging studies. *New Zealand Journal of Marine and Freshwater Research* 33: 1-12.
- Biosecurity New Zealand (2008). Pests & Diseases List. <http://www.biosecurity.govt.nz/> (Accessed June 2008).
- Brook, F.J. (2002). Biogeography of near-shore reef fishes in northern New Zealand. *Journal of the Royal Society of New Zealand* 32(2): 243-274.
- Brook, F.J. (unpub.). Unpublished records of fish from the Poor Knights Islands, 1990 to 1993.
- Brook, F.J.; Grenfell, H.R.; Hayward, B.W. (2001). Preliminary report on the biota of shallow (20-65 m) sediment substrata in the Poor Knights Islands Marine Reserve, Northeastern Northland. *Unpublished report for the Department of Conservation*. Whangarei. 17pp.
- Castle, P.H.J.; Randall, J.E. (1999). Revision of Indo-Pacific garden eels (Congridae: Heterocongrinae), with descriptions of five new species. *Indo-Pacific Fishes* 30: 52p.
- Choat, J.H.; Ayling, A.M. (1987). The relationship between habitat structure and fish faunas on New Zealand reefs. *Journal of Experimental Marine Biology and Ecology* 110: 257-284.
- Choat, J.H.; Ayling, A.M.; Schiel, D.R. (1988). Temporal and spatial variation in an island fish fauna. *Journal of Experimental Marine Biology and Ecology* 121: 91-111.
- Choat, J.H.; Schiel, D.R. (1982). Patterns of distribution and abundance of large brown algae and invertebrate herbivores in subtidal regions of northern New Zealand. *Journal of Experimental Marine Biology and Ecology* 60: 129-162.
- Conmee, M. (unpub.). Unpublished fish records from the Poor Knights Islands, oarfish sighting made during the 1980's.
- Cranwell, L.M.; Moore, L.B. (1938). Intertidal communities of the Poor Knights Islands, New Zealand. *Transactions and Proceedings of the Royal Society of NZ* 67(4): 375-407.
- Creese, R.G.; Ballantine, W.J. (1986). Rocky shores of exposed islands in north-eastern New Zealand. *New Zealand Department of Lands and Survey Information Series* 16: 85-102.

- Denny, C.M. (2008). The effect of alternative management strategies on reef fish populations in northeastern New Zealand. *Report of Northland Conservancy, Department of Conservation*. 53pp.
- Denny, C.M.; Shears, N. (2004). Effects of five years of no-take marine reserve protection on reef fish populations at the Poor Knights Islands. *Department of Conservation, vol 40*. Whangarei.
- Denny, C.M.; Willis, T.J.; Babcock, R.C. (2003). Effects of Poor Knights Islands Marine Reserve on demersal fish populations. *DOC Science Internal Series 142*. Department of Conservation, Wellington. 34pp.
- Denny, C.M.; Willis, T.J.; Babcock, R.C. (2004). Rapid recolonisation of snapper *Pagrus auratus*: Sparidae within an offshore island marine reserve after implementation of no-take status. *Marine Ecology Progress Series 272*: 183-190.
- Dive Tutukaka (2008). Giant Frogfish at the Poor Knights. [http://diving.co.nz/about/dive\\_blog/entry/frog\\_fish\\_at\\_the\\_poor\\_knights/](http://diving.co.nz/about/dive_blog/entry/frog_fish_at_the_poor_knights/) (Accessed 24 November 2008).
- Doak, W. (1971). The cliff dwellers: An undersea community. Hodder and Stoughton Ltd, Auckland. 80pp.
- Doak, W. (1991). Wade Doak's World of New Zealand Fishes. Hodder & Stoughton, Auckland. 222pp.
- Doak, W. (2001a). City Under the Sea: Portrait of a reef fish community at the Poor Knights Islands. Electronic Book. Available from [www.wadedoak.com](http://www.wadedoak.com)
- Doak, W. (2001b). Poor Knights Dolphin Encounters. Electronic Book. Available from [www.wadedoak.com](http://www.wadedoak.com)
- Doak, W. (2001c). A year at the Poor Knights. Electronic Book. Available from [www.wadedoak.com](http://www.wadedoak.com)
- Doak, W. (2003). A photographic guide to sea fishes of New Zealand. New Holland Publishers (NZ) Ltd, Auckland.
- Doak, W. (2008). Wade's World - Bulletin Board. <http://www.wadedoak.com/bulletin.htm> (Accessed May 2008).
- Doak, W. (unpub.). Unpublished fish records from the Poor Knights Islands.

- Dodgshun, T.; Taylor, M.; Forrest, B.M. (2007). Human-mediated pathways of spread for non-indigenous marine species in New Zealand. *DOC Research and Development Series 266*. Department of Conservation, Wellington. 44pp.
- Duffy, C.A.J. (2002). Distribution, seasonality, lengths, and feeding behaviour of whale sharks (*Rhincodon typus*) observed in New Zealand waters. *New Zealand Journal of Marine and Freshwater Research* 36: 565-570.
- Duffy, C.A.J.; Abbott, D. (2003). Sightings of mobulid rays from northern New Zealand, with confirmation of the occurrence of *Manta birostris* in New Zealand waters. *New Zealand Journal of Marine and Freshwater Research* 37: 715-721.
- Eade, J.V. (1967). Marine geology of the Poor Knights area. *NZ Marine Sciences Society Newsletter* 10: 64-65.
- Edney, G. (2001). Poor Knights Wonderland. Sea Tech Ltd, Auckland. 64pp.
- Edney, G.; White, P.; Kuitert, R. (2006). *The Northern Advocate*, 18 February.
- Francis, M.P. (1988). Confirmation of *Parma polylepis*, a pomacentrid teleost, in New Zealand waters (Note). *New Zealand Journal of Marine and Freshwater Research* 22: 143-145.
- Francis, M.P. (1993). Checklist of the coastal fishes of Lowd Howe, Norfolk, and Kermadec Islands, Southwest Pacific Ocean. *Pacific Science* 47: 136-170.
- Francis, M.P. (2002). Coastal Fishes of New Zealand. An Identification Guide. Reed Publishing Ltd, Auckland.
- Francis, M.P.; Evans, J. (1992). Immigration of subtropical and tropical animals into north-eastern New Zealand. In: Battershill, C.N.; Schiel, D.R.; Jones, G.P.; Creese, R.G.; MacDiarmid, A.B. (eds). Proceedings of the Second International Temperate Reef Symposium. Auckland, New Zealand, 7-10 January, 1992. p.131-136.
- Francis, M.P.; Worthington, C.J.; Saul, P.; Clements, K.D. (1999). New and rare tropical and subtropical fishes from northern New Zealand. *New Zealand Journal of Marine and Freshwater Research* 33: 571-586.
- Froese, R.; Pauly, D. (2008). Fishbase. [www.fishbase.org](http://www.fishbase.org) (Accessed June 2008).
- Gill, B.J. (1997). Records of turtles and sea snakes in New Zealand, 1837-1996. *New Zealand Journal of Marine and Freshwater Research* 31: 477-486.

- Grace, R.V. (1983). Sea and shore. *In: The story of the Hauraki Gulf Maritime Park*, p.29-53. Hauraki Gulf Maritime Park Board, Auckland.
- Grace, R.V. (2006). The amazing Poor Knights - Now totally protected, and showing it!  
[http://www.marinenz.org.nz/index.php/the\\_undersea\\_world/roger\\_grace\\_archive](http://www.marinenz.org.nz/index.php/the_undersea_world/roger_grace_archive) (Accessed June 2008).
- Gregory, A. (2008). Knights not so poor for these damsels. *New Zealand Herald*, October 20.
- Harris, T.F.W. (1985). North Cape to East Cape: aspects of the physical oceanography. University of Auckland, Auckland. 178pp.
- Hawkes, M.W. (1983). The genus *Pedobesia* (Chlorophyta, Derbesiales) with observations on the distribution and habitat of *P. clavaeformis* in New Zealand. *New Zealand Journal of Botany* 21: 209-210.
- Kelly, M. (1983). A bibliography and literature review for the Poor Knights Islands Marine Reserve. Department of Conservation, 117pp.
- Kingsford, M.J. (1989). Distribution patterns of planktivorous reef fish along the coast of northeastern New Zealand. *Marine Ecology Progress Series* 54: 13-24.
- Kingsford, M.J.; MacDiarmid, A.B. (1988). Interrelations between planktivorous reef fish and zooplankton in temperate waters. *Marine Ecology Progress Series* 48: 103-117.
- Le Port, A.; Sippel, T.; Montgomery, J.C. (2008). Observations of mesoscale movements in the short-tailed stingray, *Dasyatis brevicaudata* from New Zealand using a novel PSAT tag attachment method. *Journal of Experimental Marine Biology and Ecology* 359(2): 110-117.
- Lutzen, J. (1999). *Styela clava* Herdman (Urochordata, Ascidiacea), a successful immigrant to north-west Europe: ecology, propagation and chronology of spread. *Helgolander Meeresuntersuchungen* 52: 383-391.
- Morrison, M.; Taylor, R.; Walker, J.; Parsons, D. (2007). Marine recreation and coastal ecosystems. *Water and Atmosphere* 15(2): 18-19.
- Nelson, W.A.; Adams, N.M. (1987). Marine algae of the Bay of Islands area. *National Museum of New Zealand Miscellaneous Series* 16. 47pp.
- Nelson, W.A.; Adams, N.M. (1996). *Nesophila hoggardii* gen. et sp. nov. (Rhizophyllidaceae, Rhodophyta) from offshore islands of northern New Zealand. *Tuhinga: Records of the Museum of New Zealand Te Papa Tongarewa* 5: 1-8.

- Nelson, W.A.; Knight, G.A.; Falshaw, R.; Furneaux, R.H.; Falshaw, A.; Lynds, S.M. (1994). Characterisation of the enigmatic, endemic red alga *Gelidium allanii* (Gelidiales) from northern New Zealand - morphology, distribution, agar chemistry. *Journal of Applied Phycology* 6(5-6): 497-507.
- Nelson, W.A.; Ryan, K.G. (1986). *Palmophyllum umbracola* sp. nov. (Chlorophyta) from offshore islands of northern New Zealand. *Phycologia* 25(2): 168-177.
- Neumann, D.R.; Orams, M.B. (2003). Feeding behaviours of short-beaked common dolphins, *Delphinus delphis*, in New Zealand. *Aquatic Mammals* 29(1): 137-149.
- Northland Regional Council (2003). Northland marine oil spill contingency plan (tier 2 plan). Whangarei. 31pp.
- Parsons, D.; Babcock, R.C.; Hankin, R.K.S.; Willis, T.J.; Aitken, J.P.; O'Dor, R.K.; Jackson, G.D. (2003). Snapper *Pagrus auratus* (Sparidae) home range dynamics: acoustic tagging studies in a marine reserve. *Marine Ecology Progress Series* 262: 253-265.
- Patenaude, N.J. (2003). Sightings of souther right whales around 'mainland' New Zealand. *Science for Conservation* 225. Department of Conservation, Wellington. 47pp.
- Paul, L.J. (2002). A description of the New Zealand fisheries for the two groper species, hapuku (*Polyprion oxygeneios*) and bass (*P. americanus*). *New Zealand Fisheries Assessment Report 2002/13*. Ministry of Fisheries, 47pp.
- Randall, J.E.; Gueze, P. (1992). *Upeneus francisi*, a new goatfish (Perciformes: Mullidae) from Norfolk Island and New Zealand. *Cybium* 16: 21-29.
- Roberts, C.D. (1986). Systematics of the percomorph fish genus *Polyprion* Oken. 1817. PhD Dissertation. Victoria University of Wellington, Wellington. 283pp.
- Russell, B.C. (1971). A preliminary checklist of fishes of the Poor Knights Islands. *Tane* 17: 81-90.
- Russell, B.C. (1983). The food and feeding habits of rocky reef fish on north-eastern New Zealand. *New Zealand Journal of Marine and Freshwater Research* 17: 121-145.
- Saul, P.; Holdsworth, J. (1992). Cooperative gamefish tagging in New Zealand waters, 1975-90. *New Zealand Fisheries Technical Report*, vol. 33. 24pp.

- Schiel, D.R. (1984). Poor Knights Islands Marine Reserve: A biological survey of subtidal reefs. *Leigh Laboratory Bulletin 15*. University of Auckland, Auckland. 93pp.
- Sharples, J. (1997). Cross-shelf intrusion of subtropical water into the coastal zone of northeast New Zealand. *Continental Shelf Research 17*(7): 835-857.
- Sharples, J.; Greig, M.J.N. (1998). Tidal currents, mean flows, and upwelling on the north-east shelf of New Zealand. *New Zealand Journal of Marine and Freshwater Research 32*: 215-231.
- Shears, N. (2007). Shallow subtidal reef communities at the Poor Knights Islands Marine Reserve after eight years of no-take protection. Department of Conservation, Northland Conservancy, Whangarei. 48pp.
- Shears, N.; Babcock, R.C. (2002). Marine reserves demonstrate top-down control of community structure on temperate reefs. *Oecologia 132*: 131-142.
- Shears, N.; Babcock, R.C. (2004). Community composition and structure of shallow subtidal reefs in northeastern New Zealand. *Science for Conservation 245*. Department of Conservation, 65pp.
- Shears, N.; Babcock, R.C.; Duffy, C.A.J.; Walker, J. (2004). Validation of qualitative habitat descriptors commonly used to classify subtidal reef assemblages in northeastern New Zealand. *New Zealand Journal of Marine and Freshwater Research 38*: 743-752.
- Stevens, C.L.; Abraham, E.R. (2005). Observations of small-scale processes associated with the internal tide encountering an island. *Journal of Physical Oceanography 35*: 1553-1567.
- Stewart, C.L. (2001). Aspects of the Physical Oceanography of the Poor Knights Region, North-east New Zealand. MSc thesis. University of Auckland, Auckland. 160pp.
- Survey Seahorse 2000 (2005). Pygmy seahorse found at the Poor Knights Islands, New Zealand. <http://www.seahorse2000.org.nz/Pages/News.html> (Accessed June 2008).
- Tricklebank, K.A.; Nesbit, G.; Read, G.B.; Acosta, H. (2001). The distribution of the parchment tubeworm *Chaetopterus* off the coast of northeastern New Zealand. *Auckland Uniservices Limited report for Ministry of Fisheries, Wellington*. 47pp.
- Ward, C.; Roberts, L. (1986). The East Auckland Current: one explanation for the distribution patterns of the coastal and offshore island fish faunas of north-

eastern New Zealand. *New Zealand Department of Lands and Survey Information Series 16*: 211-216.

Whitaker, A.H. (2002). Sea snakes and turtles in New Zealand waters. *Forest and Bird* 306: 14-17.

Willis, T.J.; Parsons, D.M.; Babcock, R.C. (2001). Evidence for long-term site fidelity of snapper (*Pagrus auratus*) within a marine reserve. *New Zealand Journal of Marine and Freshwater Research* 35: 581-590.

Zeldis, J.; Davis, C.S.; James, M.R.; Ballara, S.L.; Booth, W.E.; Chang, F.H. (1995). Salp grazing: effects on phytoplankton abundance, vertical distribution and taxonomic composition in a coastal habitat. *Marine Ecology Progress Series* 126(1-3): 267-283.

## 9. Poor Knights Islands bibliography from Kelly (1983)

- Allen, A.R. (1975). *Damsel fish of the South Seas*. TFH Publications. 238 p.
- Allo, A. (1970). Some shells found in shell sand taken at 90' off the Poor Knights Islands. *Poirieria* 5 (3): 52-53.
- Anon, (1980). Dive the Poor Knights: New Zealand's No. 1 dive location. *N.Z. Dive Magazine*, 13: 37.
- Armitage, R.O. (1981). *Guide Book to New Zealand Commercial Fish Species*. N.Z. Fishing Industry Board, Wellington. 216 p.
- Atkinson, I.A.E. (1973). Protection and use of the islands in Hauraki Gulf Maritime Park. *Proceedings N.Z. Ecological Society*, 20: 103—114.
- Atkinson, I.A.E. & Bell, B.D. (1973). Offshore and outlying islands. In: Williams, G. (ed.) *The Natural History of New Zealand*. Reed. 434 p.
- Ayling, A.M. (1968). The ecology of sublittoral rocky surfaces in northern New Zealand. B.Sc. (Hons) thesis, University of Auckland.
- Ayling, A.M. (1972). In: Application of the Environmental Defence Society Inc. for declaration of a Marine Reserve around the Poor Knights Islands.
- Ayling, A.M. (1974a). Coastal caves and overhangs. *NZ's Nature Heritage* 2 (28): 777-780.
- Ayling, A.M.. (1974b). Offshore caves and overhangs. *NZ's Nature Heritage* 2 (30): 841-844.
- Ayling, A.M. (1974c). Mixed marine habitats. *NZ's Nature Heritage* 3 (36): 997-999.
- Ayling, A.M. (1974d). Offshore kelp forests. *NZ's Nature Heritage* 2 (22): 605-609.
- Ayling, A.M.. (1975a). The sublittoral fringe. *NZ's Nature Heritage* 5 (71):1980-1985.

- Ayling, A.M. (1976a). The deadly leatherjacket. *In: Guide to New Zealand's Marine World. A Dive/Mag. Publication, Pt 1: 28-31.*
- Ayling, A.M. (1976b). Fish personalities. *In: Guide to New Zealand's Marine World. A Dive/Mag. Publication, Pt 1: 23-27.*
- Ayling, A.M.. (1982). *Collins Guide to the Sea Fishes of New Zealand.* Collins, Auckland. 343 p.
- Ayling, A.M.; GRACE, R.V. (1971). Cleaning symbiosis among New Zealand fishes. *N.Z. Journal Marine and Freshwater Research 5 (2): 205-218.*
- Baker, A.N. (1965). Additional specimens of the giant heart-urchin *Brissus gigas* (Fell) from New Zealand. *Transactions of the Royal Society of NZ, (Zoology) 6 (7): 69-73.*
- Baker, A.N. (1966). Food of marlins from New Zealand waters. *Copeia 4: 818-822.*
- Baker, A.N. (1967). Two new echinoids from northern New Zealand, including a new species of *Diadema*. *Transactions of the Royal Society of NZ, (Zoology) 8 (23): 239-245.*
- Baker, A.N. (1968a). A new eidarid echinoid from northern New Zealand. *Transactions of the Royal Society of NZ (Zoology) 10 (21): 199-203.*
- Baker, A.N. (1968b). The echinoid fauna of north-eastern New Zealand. *Transactions of the Royal Society of NZ, (Biology) 11 (1): 1-7.*
- Baker, A.N. (1970). *Pyrosorna spinuosum* (Herdman), a giant pelagic tunicate new to New Zealand waters. *Records of the Dominion Museum 7 (12): 107-117.*
- Baker, A.N. (1980). Euryalinid ophiuroidea. *NZ Journal of Zoology 7: 11-83.*
- Baker, P.H.; Kibblewhite, A.C. (1965). Physical oceanographic data from the Tui cruise 1962. *NZ Journal of Science 8: 604-634.*
- Bartle, J.A. (1968). Observations of the breeding habits of Pycroft's petrel. *Notornis 15 (2): 70-99.*

- Bartle, J.A. (1972). In: Application of the Environmental Defence Society Inc. for declaration of a Marine Reserve around the Poor Knights Islands.
- Bartrum, J.A. (1936). Notes on the geology of the Three Kings and other outlying islands of northern New Zealand. *NZ Journal of Science & Technology* 18 (6): 520-530.
- Battershill, C.N. (1983). A quantitative analysis of patterns in encrusting fauna and flora of Riko Riko Cave, Poor Knights Islands. Abstract for Northern Offshore Islands Symposium, May 1983. p. 4.
- Beaglehole, J.C. (1955). *The Journals of Captain James Cook on his voyages of discovery. Vol. 1. The Voyage of the Endeavour 1768-1771*. Published for the Hakluyt Society at the Cambridge University Press, Cambridge. 696 p.
- Bell, B.D. (1958). Poor Knights Islands, August 4-7, 1958. Report to Dept Internal Affairs, Wellington. File 46/29/30, Pt 1.
- Bell, L.C. (1953). Report on a visit to the Poor Knights Islands or Tawhiti Rahi. Report to Dept Internal Affairs, Wellington. File 36/29/30, Pt 1.
- Bennett, E.W. (1964). The marine fauna of New Zealand. Crustacea Brachyura. NZ Oceanographic Institute Memoir 22.
- Bergquist, P.R. (1968). The marine fauna of New Zealand. Porifera : Demospongiae Part 1 (Tetractinomorpha and Lithistida). NZ Oceanographic Institute Memoir 37.
- Bergquist, P.R. (1970). The marine fauna of New Zealand. Porifera : Demospongiae Part 2 (Axinellida and Halichondrida). NZ Oceanographic Institute Memoir 51.
- Bergquist, P.R. (1972). In Application of the Environmental Defence Society Inc. for declaration of a Marine Reserve around the Poor Knights Islands.
- Bergquist, P.R.; WARNE, K.P. (1980). The marine fauna of New Zealand. Porifera : Demospongiae Part 3 (Haplosclerida and Nepheliospongiae). NZ Oceanographic Institute Memoir 87.
- Bollard, E.A. (1972). Fifty years in the Field Club, 1922-1972. Auckland University Field Club.

- Brodie, J.W. (1960). Coastal surface currents around New Zealand. *NZ Journal of Geology and Geophysics* 3: 235-252.
- Brodie, J.W. (1973). The ocean environment. In: Williams, G. (ed.) *The Natural History of New Zealand*. Reed. 434 p.
- Buddle, G.A. (1941). Birds of the Poor Knights. *Emu* 41: 56-68.
- Buddle, G.A. (1946). A second visit to the Poor Knights. *Emu* 45: 315-318.
- Buddle, G.A. (1948). Gannetries north of Auckland, season 1947-48. *NZ Bird Notes* 3: 40-42.
- Buddle, G.A. (1951). *Bird Secrets*. A.H. & A.W. Reed, Wellington. 71 p.
- Bull, P.C.; Gaze, P.P.; Robertson, C.J.R. (1978). *Bird distribution in New Zealand. A provisional atlas 1969-1976*. Ornithological Society of NZ.
- Cernohorsky, W.O. (1970). The taxonomy of some Austral-Neozelanic Cymatiidae (Mollusca: Gastropoda). *Records of the Auckland Institute and Museum* 7: 187-191.
- Cernohorsky, W.O. (1980). Revision of the Australian and New Zealand tertiary and recent temperate species of the family Costellariidae (Mollusca: Gastropoda). *Records of the Auckland Institute and Museum* 16: 109-169.
- Cernohorsky, W.O. (1981). Revision of the Australian and New Zealand tertiary and recent species of the family Nassariidae (Mollusca: Gastropoda). *Records of the Auckland Institute and Museum* 18: 137-192.
- Chambers, B.S. (1956). Birds of the Poor Knights Islands. *Tane* 7: 66-67.
- Choat, J.H.; Schiel, D.R. (1982a). Patterns of distribution and abundance of large brown algae and invertebrate herbivores in subtidal regions of northern New Zealand. *Journal of Experimental Marine Biology and Ecology* 60: 129-162.
- Choat, J.H.; Schiel, D.R. (1982b). Proposed research project to conduct a comprehensive marine biological survey of the Poor Knights Islands. Submission to the Golden Kiwi Distribution Committee for Scientific Research.

- Clark, H.E.S. (1972). *Knightaster*, a new genus of asteroid from northern New Zealand. *Journal of the Royal Society of NZ* 2 (2): 147-150.
- Cockayne, L. (1906). Notes on a brief botanical visit to the Poor Knights Islands. *Transactions and Proceedings of the NZ Institute* 38: 351-360.
- Crane, B. (1970). Northland's hapuka bonanza. *Dive, South Pacific Underwater Magazine*, 9 (2): 7-9.
- Cranwell, L.M.; Moore, L.B. (1938). Intertidal communities of the Poor Knights Islands, New Zealand. *Transactions and Proceedings of the Royal Society of NZ* 67 (4): 375-407.
- Croxall, J.P. (1972). A checklist of New Zealand ascidians, with preliminary notes on their distribution. *Tane* 18: 177-185.
- Cushman, J.A. (1919). Recent Foraminifera from off New Zealand. *Proceedings of the US National Museum* 56: 593-640.
- Dawson, E.W. (1979). Catalogue of type and figured specimens in the NZ Oceanographic Institute. NZ Oceanographic Institute Memoir 76.
- Dell, R.K. (1968). Notes on New Zealand crabs. *Records of the Dominion Museum* 6 (3): 13-28.
- Dell, R.K. (1975). Molluscs, an introduction. *NZ's Nature Heritage* 5 (61):1703-707.
- Dellow, V. (1955). Marine algal ecology of the Hauraki Gulf, New Zealand. *Transactions of the Royal Society of NZ* 83 (1): 1-91.
- Doak, W.T. (1966). Submarine survey at Poor Knights. *In: Man in the Sea Down Under* 1: 10-15.
- Doak, W.T. (1971). *Beneath New Zealand Seas*. Reed, Auckland. 113 p.
- Doak, W.T. (1972a). New fishes. *Dive, South Pacific Underwater Magazine*, 11 (6): 17-19.

- Doak, W.T. (1972b). In: Application of the Environmental Defence Society Inc. for declaration of a Marine Reserve around the Poor Knights Islands.
- Doak, W.T. (1973a). New fishes. *Dive, South Pacific Underwater Magazine*, 12 (1): 18-19.
- Doak, W.T. (1973b). New fishes. *Dive, South Pacific Underwater Magazine*, 12 (2):18-19.
- Doak, W.T. (1974a). Serranids 1. *NZ's Nature Heritage* 3 (41):1131-1136.
- Doak, W.T. (1974b). Serranids 2. *NZ's Nature Heritage* 3 (42):1160-1164.
- Doak, W.T. (1974c). Labrids 1. *NZ's Nature Heritage* 3 (45): 1259.
- Doak, W.T. (1974d). Corals, anemones and gorgonians. *NZ's Nature Heritage* 3 (44): 1224.
- Doak, W.T. (1974e). "El Torito" films, the Poor Knights. *Dive, South Pacific Underwater Magazine*, 13 (3): 12-16.
- Doak, W.T. (1975a). *Sharks and other ancestors. Patterns of survival in the South Seas*. Hodder & Stoughton, Auckland. 333 p.
- Doak, W.T. (1975b). Echinoderms. *NZ's Nature Heritage* 5 (75): 2093-2097.
- Doak, W.T. (1976a). The giant sea sock. *Dive, South Pacific Underwater Magazine*, 9 (5): 14-15.
- Doak, W.T. (1976b). Mind grooving - sea tree. *Dive, South Pacific Underwater Magazine*, 9 (4): 32-33.
- Doak, W.T. (1978). *Fishes of the New Zealand Region*. Hodder & Stoughton. 135p.
- Doak, W.T. (1979). *Cliff dwellers - an undersea community*. Reed, Auckland. 80 p.
- Doak, W.T. (1981). *Dolphin, Dolphin*. Hodder & Stoughton. 295 p.
- Doak, W.T.; Tarlton, K. (1968). Strange catch. *NZ Weekly News*, July 1st, p. 7.

- Eade, J.V. (1967). Marine geology of the Poor Knights area. *NZ Marine Sciences Society Newsletter 10*: 64-65.
- Edmund, N.W. (1969). Fish havens. *Skin diver 18 (3)*: 56-58.
- Environmental Defence Society Inc. (1972). Application of the Environmental Defence Society Inc. for a declaration of a Marine Reserve around the Poor Knights Islands.
- Falla, R.A. (1924). Discovery of the breeding place of the Buller's shearwater. *Emu 24*: 37-43.
- Falla, R.A. (1934). The distribution and breeding habits of petrels in northern New Zealand. *Records of the Auckland Institute and Museum 1 (5)*: 245-260.
- Falla, R.A. (1948). Island sanctuaries. Address at the Annual General Meeting of the Forest and Bird Protection Society.
- Fields, P. (1972). In: Application of the Environmental Defence Society Inc. for a declaration of a Marine Reserve around the Poor Knights Islands.
- Finlay, H.J. (1925). Some modern conceptions applied to the study of the Cainozoic Mollusca of New Zealand. Dr R.D.M. Verbeek Memorial Birthday Volume 3 - Gravenhage, Mouton & Co. p. 161-172.
- Fleming, C.A. (1944). Molluscan evidence of Pliocene climatic change in New Zealand environments. *Transactions of the Royal Society of NZ 74 (3)*: 207-220.
- Fleming, C.A.; Wodzicki, K.A. 1952. A census of the gannet (*Sula serrator*) in New Zealand. *Notornis 5 (2)*:39-78.
- Foster, B.A. (1978). The Marine Fauna of New Zealand. Barnacles (Cirripedia: Thoracica). NZ Oceanographic Institute Memoir 69.
- Fraser, W.M. (1924). Destruction of wild pigs on the Poor Knights. Report to the Dept of Internal Affairs, Wellington. File 46/29/30 Pt 1.
- Fraser, W.M. (1925). The Poor Knights - a brief account of the Maori occupation. *NZ Journal of Science and Technology 8 (1)*:8-14.

- Garner, D.M. (1969). The geopotential topography of the ocean surface around New Zealand. *NZ Journal of Marine and Freshwater Research* 3: 209-219.
- Garner, D.M. (1970). Hydrological studies in the New Zealand region (1966-1967): Oceanic hydrology northwest of New Zealand; northeast Tasman Sea. NZ Department of Scientific and Industrial Research Bulletin 202.
- Goady, P. (1970). *Big fish, blue water gamefishing in the Pacific*. Angus & Robertson, Sydney. 334 p.
- Grace, R.V. (1970). Four days at the Knights. *Dive, South Pacific Underwater Magazine*, 9 (3).
- Grace, R.V.. (1971). Giant *Pyrosoma* seen in New Zealand seas. *Australian Natural History* 17 (4): 118-119.
- Grace, R.V. (1972). In: Application of the Environmental Defence Society Inc. for declaration of a Marine Reserve around the Poor Knights Islands.
- Grace, R.V. (1981). A note on terrestrial foraging by the crab *Leptograpsus variegatus*. *Tane* 27: 67.
- Grace, R.V. (1983). Zonation of sublittoral rocky bottom marine life and its changes from the outer to the inner Hauraki Gulf, northeastern New Zealand. *Tane* 29: 97-108.
- Gurr, L.; Kinsky, F.C. (1965). The distribution of breeding colonies and status of the red-billed gull in New Zealand and its outlying islands. *Notornis* 12: 233-240.
- Hamilton, H. (1925). Birds of the Poor Knights and Hen Islands. *NZ Journal of Science & Technology* 8: 15-18.
- Harper, P.C. (1974). Mutton birds (titi, sooty shearwater). *NZ's Nature Heritage* 1 (11): 323-329.
- Harper, P.C. (1975). The Poor Knights. *NZ's Nature Heritage* 4 (52):1449-1454.
- Harper, P.C. (1976). The breeding biology of the fairy prion (*Pachyptila turtur*) at the Poor Knights Islands, New Zealand. *NZ Journal of Zoology* 3: 351-371.

- Harper, P.C. (1979). The Poor Knights. In: *Offshore and outlying islands of New Zealand*. Collins, Auckland. p. 15-20.
- Harper, P.C. (1983). Biology and conservation of the Buller's shear-water (*Puffinus bulleri*) at the Poor Knights Islands, New Zealand. Abstract for Northern Offshore Islands Symposium, May 1983. p. 19.
- Harper, P.C.; Bartle, J.A.; Cuthbertson, L.; Whittaker, A.H.; Stephenson, A. (1964a). An account of a study expedition to the Poor Knights, New Zealand. Report to the Commissioner of Crown Lands, Auckland.
- Harper, P.C.; Bartle, J.A.; Whittaker, A.H.; Barker, A.E.; Cato, S.M.; Warren, V.A. (1964b). Report on a visit to the Poor Knights Islands, November 1964. Report to the Commissioner of Crown Lands, Auckland.
- Hayward, B.W. (1981). Stone wall defences and stone faced pits. In: Newsletter of the NZ Archaeological Association.
- Hayward, B.W. (1983). The origin of the offshore islands of northern New Zealand and their landform development. Abstract for Northern Offshore Islands Symposium, May 1983. p. 20.
- Hayward, B.W.; McCallum, J. (1980). Offshore Islands Research Group expedition to Tawhiti Rahi, Poor Knights Islands, 1980. Report to the Commissioner of Crown Lands, Auckland.
- Hedley, R.H.; Hurdle, C.M.; Burdett, I.D.J. (1967). Marine Fauna of New Zealand. Intertidal Foraminifera of the *Corallina officinalis* zone. NZ Oceanographic Institute Memoir 38.
- Illingworth, N. (1961). *Fighting fins, big gamefishing in New Zealand waters*. Reed. 250 p.
- Jenkins, J. (1974). A note on the local distribution of Buller's shearwater. *Notornis* 16: 220.
- Jones, G.P. (1980a). Contribution to the biology of the red-banded perch *Ellerkeldia huntii* (Hector), with a discussion on hermaphroditism. *Journal of Fish Biology* 17: 197-207.

- Jones, G.P. (1980b). Interrelationships between ecology, behaviour and life history in the protogynous hermaphrodite *Pseudolabrus celidotus* (Pisces: Labridae). PhD thesis, University of Auckland.
- Jones, P. (1972). Green dive, blue dive. *Dive, South Pacific Underwater Magazine*, 12 (1):24-25.
- Kelly, C.T. (1982). *Collins hand guide to the birds of New Zealand*. Collins, Auckland. 127 p.
- Kibblewhite, AC. (1972). In Application of the Environmental Defence Society Inc. for declaration of a Marine Reserve around the Poor Knights Islands.
- Kingsford, M.J. (1980). Interrelationships between spawning and recruitment of *Chromis dispilus* (Pisces: Pomacentridae). M.Sc. thesis, University of Auckland.
- Kingsford, M.J.; McDiarmid, A.B. (1980). The effect of planktivorous temperate reef fish on zooplankton densities. Appendix in Kingsford (1980).
- Kinsky, F.C.; Sibson, R.B. (1959). Notes on the birds of the Poor Knights Islands. *Notornis* 8 (5): 132-142.
- Knox, G.A. (1963). The biogeography and intertidal ecology of the Australasian coasts. *Annual Review of Oceanography and Marine Biology* 1: 341-464.
- Larcombe, M. (1971). Netting new fish. *Dive, South Pacific Underwater Magazine*, 10 (4): 11-12.
- Lawlor, I.T. (1977). An archeological survey of Aorangi Island, Poor Knights Islands. Report to the Commissioner of Crown Lands, Auckland.
- Leahy, A.; Nichols, E.M. (1964). The Poor Knights. *NZ Archeological Association Newsletter* 7 (2): 99-109.
- Luckens, P.A. (1972). Distribution of *Nemocardium (Pratulium) pulchellum* (Gray 1843) (Mollusca: Bivalvia: Cardiidae) in the New Zealand region. *NZ Oceanographic Institute Records* 1 (4): 47-66.

- Marshall, B.A. (1978). Cerithiopsidae (Mollusca Gastropoda) of New Zealand, and a provisional classification of the family. *NZ Journal of Zoology* 5: 47-120.
- Merton, D.V. (1967). Sooty shearwater and grey-faced petrel use common nesting burrow. *Notornis* 14 (2): 81-82.
- Miller, M.C. (1974). Aeolid nudibranchs (Gastropoda: Opisthobranchia) of the family Glaucidae from New Zealand waters. *Zoological Journal of the Linnean Society, London*, 54 (1): 31-61.
- Moreland, J.M. (1959). The composition, distribution and origin of the New Zealand fish fauna. *Proceedings of the NZ Ecological Society* 6: 28-30.
- Moreland, J.M. (1975). New records of fish from northern New Zealand waters. *Records of the Dominion Museum* 8 (17): 277-294.
- Morton, J.E. (1972). In: Application of the Environmental Defence Society Inc. for declaration of a Marine Reserve around the Poor Knights Islands.
- Morton, J.E.; Miller, M.C. (1973). *The New Zealand Sea Shore*. Collins, London and Auckland (2nd edition). 653 p.
- McCallum, J. (1981). Birds of Tawhiti Rahi Island, Poor Knights Group, Northland, New Zealand. *Tane* 27: 59-66.
- McCallum, J. (1983). A review of Field Club Research on the northern offshore islands. *Tane* 29: 223-245.
- Nelson, J.B. (1978). *The Gannet*. T. & A.D. Poyser, Berkhamstead 336 p.
- Oliver, W.R.B. (1925). Vegetation of the Poor Knights Islands. *NZ Journal of Science & Technology* 7 (6): 376-384.
- Oliver, W.R.B. (1934). Visit to the Three Kings and other island sanctuaries. Report to the Dept of Internal Affairs, Wellington. File 46/29/30, Pt 1.
- Oliver, W.R.B.; Hamilton, H.; Fraser, W.M. (1925). Report on Museum expedition to Poor Knights Islands and other northern localities. Report to the Dept of Internal Affairs, Wellington. File 20/1/1925.

- Ornithological Society of NZ Inc. (1970). Annotated checklist of the birds of New Zealand. (Compiled by Checklist Committee, F.C. Kinsky, convener). A.H. & A.W. Reed, Wellington, for the Society. 96 p.
- Pawson, D.L. (1965). The distribution of echinoderms along the east coast of New Zealand. *Transactions of the Royal Society of NZ, Zoology*, 6 (4): 245-252.
- Pawson, D.L. (1970). The Marine Fauna of New Zealand. Sea cucumbers (Echinodermata: Holothuroidea). NZ Oceanographic Institute Memoir 52.
- Penniket, A.S.W. (1981). Population studies of land snails of the genus *Placostylus* in the north of New Zealand. M.Sc. thesis, University of Auckland.
- Pickmere, N. (1960). Poor Knights. *Northland magazine* 11: 40.
- Pickmere, N. (1963). Chief glories of the Poor Knights Islands. *NZ Weekly News* 5220: 26.
- Ponder, W.F. (1965a). A revision of the New Zealand recent species previously known as *Notosetia* Iredale 1915. (Rissoiidae: Gastropoda). *Records of the Auckland Institute and Museum* 6 (2):101-131.
- Ponder, W.F. (1965b). A revision of the New Zealand recent and fossil species of *Estea* Iredale 1915. *Records of the Auckland Institute and Museum* 6 (2): 131-161.
- Ponder, W.F. (1965c). The family Eatoniellidae in New Zealand. *Records of the Auckland Institute and Museum* 6 (2): 47-99.
- Ponder, W.F. (1966). The New Zealand species previously known as *Zelaxitas* (Finlay 1927) (Mollusca Gastropoda). *Records of the Dominion Museum* 5 (17): 163-176.
- Ponder, W.F. (1968). Three commensal bivalves in New Zealand. *Records of the Dominion Museum* 6 (9): 125-131.
- Powell, A.W.B. (1938). A new *Cleidopus* and four other new fishes to New Zealand. *Records of the Auckland Institute and Museum* 2 (3): 151-156.
- Powell, A.W.B. (1961). New Zealand biotic provinces. *Tuatara* 9 (1): 1-8.

- Powell, A.W.B. (1965). New Zealand molluscan systematics with descriptions of new species. Part 5. *Records of the Auckland Institute and Museum* 6 (2): 161-168.
- Powell, A.W.B. (1967). New Zealand molluscan systematics with descriptions of new species. Part 6. *Records of the Auckland Institute and Museum* 6 (3): 185-196.
- Powell, A.W.B. (1971). New Zealand molluscan systematics with descriptions of new species. *Records of the Auckland Institute and Museum* 8: 209-228.
- Powell, A.W.B. (1974). New Zealand molluscan systematics with descriptions of new species. Part 8. *Records of the Auckland Institute and Museum* 11: 197-207.
- Powell, A.W.B. (1976a). On the considerable influx of warm-water molluscs that have invaded northern New Zealand waters within recent years. *Records of the Auckland Institute and Museum* 13: 141-166.
- Powell, A.W.B. (1976b). *Shells of New Zealand*. Fifth revised edition. Whitcoulls Ltd. 154 p.
- Powell, A.W.B. (1979). *New Zealand Mollusca. Marine, Land and Freshwater Shells*. Collins Ltd. 500 p.
- Richards, A.M. (1974). Wetas. *NZ's Nature Heritage* 2 (20): 554-558.
- Rippon, P.C. (1981). *The New Zealand Divers' Handbook*. A.H. & A.W. Reed, Wellington. 116 p.
- Ritchie, L. (1980). Cool Knights - are the seas around the Poor Knights Islands cooling down? *NZ Dive Magazine* 14:22-23.
- Ritchie, L.; Mason, R.; Saul, P.; Bradstock, M. (1979). Environmental Impact Report for the Poor Knights Islands Marine Reserve. Ministry of Agriculture and Fisheries, Fisheries Management Division, Wellington. 66 p.
- Russell, B.C. (1971a). Underwater observations on the reproductive activity of the demoiselle *Chromis dispilus* (Pisces: Pomacentridae). *Marine Biology* 10 (1): 22-29.

- Russell, B.C. (1971b). A preliminary annotated checklist of fishes of the Poor Knights Islands. *Tane 17*: 81-90.
- Russell, B.C. (1972). In: Application of the Environmental Defence Society Inc. for declaration of a Marine Reserve around the Poor Knights Islands.
- Russell, B.C.; Ayling, A.M. (1976). New records of fishes from northeastern New Zealand. *Journal of the Royal Society, NZ*, 6 (3): 277-286.
- Schilder, F.A. (1967). Cypraeidae from New Zealand. *Records of the Auckland Institute and Museum 6 (3)*: 201-202.
- Skinner, D.N.B. (1983). Some geochemical parameters for basaltic and rhyolitic rocks of islands east of the Coromandel Peninsula. Abstract for Northern Offshore Islands Symposium, May 1983. p. 39.
- Somerfield, K.G. (1973). Insects from the Poor Knights Islands, New Zealand. *Proceedings of the NZ Ecological Society 20*: 53-58.
- Squires, D.F. (1964). New stony corals (Scleractinia) from northeastern New Zealand. *Records of the Auckland Institute and Museum 6 (1)*: 1-10.
- Stanton, B.R. (1969). Hydrological observations across the tropical convergence north of New Zealand. *NZ Journal of Marine and Freshwater Research 3*:124-146.
- Stephenson, A.B. (1970a). Some new records of fish in New Zealand waters. *Records of the Auckland Institute and Museum 7*: 197-200.
- Stephenson, A.B. (1970b). *Ebalia tuberculosa* (Oxystomata: Leucosiidae). Two further records for New Zealand waters. *Records of the Auckland Institute and Museum 7*: 193-195.
- Stephenson, A.B. (1971). Further new records of fish in New Zealand waters. *Records of the Auckland Institute and Museum 8*: 235-241.
- Stephenson, G.; Bartle J.; Connor, T.; Cooper, R.; Dare, P.; Middleton, B. (1966). Report on a visit to the Poor Knights Islands, December 1965 - January 1966. Report to the Dept of Internal Affairs, Wellington. File 46/24/30 Part 2.

- Sumich, J.J. (1956). Notes on the geology of the Poor Knights Islands. *Tane* 7: 64-65.
- Tarlton, K. (1965). Diving in search of the unknown. *Dive, South Pacific Underwater Magazine*, 5 (4): 4-8.
- Tarlton, K. (1966). Black coral. *Man in the Sea Down Under* 1: 16-18.
- Thompson, B.N. (1961). Sheet 2A. Whangarei. Geological Map of New Zealand 1 250,000. Dept of Scientific and Industrial Research, Wellington.
- Thompson, R.M.C. (1977). A bibliography of offshore islands of New Zealand. NZ Oceanographic Institute. Misc. publications 80.
- Turbott, E.G. (1947). *New Zealand Bird Life*. Reed. 101 pp.
- Turbott, E.G. (1949). Problems relating to the birds of the New Zealand offshore islands. *Transactions of the Royal Society of NZ* 77: 235-237.
- Turbott, E.G. (1952). Island ecology. *NZ Science Review* 10 (6): 84-85.
- Turbott, E.G. (1953). Distribution and speciation of landbirds on offshore islands in northern New Zealand. *Proceedings of Seventh Pacific Science Congress* 4: 53-58.
- Vine, P.V. (1977). The Marine Fauna of New Zealand. Spirorbinae (Polychaeta: Serpulidae). NZ Oceanographic Institute Memoir 68.
- Ward, C.; Roberts, L.I.N. (1983). Affinities of northeastern New Zealand fish faunas. Abstract for Northern Offshore Islands Symposium, May 1983. p. 35.
- Watkins, J.M. (1974). *The Pickmere Atlas of Northland's East Coast*. 82 p.
- Wendelken, W.J. (1979). Poor Knights Islands Marine Reserve Environmental Impact Report Audit. NZ Commission for the Environment, Wellington.
- Westerskov, K.; Probert, K. (1981). *The Seas Around New Zealand*. A.H. & A.W. Reed Ltd. Wellington, 181 p.
- Wilkin, F.; Sale, E.V. (1982). *Salt-water gamefishing in New Zealand*. A.H. & A.W. Reed. 231 p.

- Wilson, R.A. (1959). *Bird Islands of New Zealand*. Whitcombe & Tombs, Christchurch. 202 p.
- Wodzicki, A.; Bowen, F.E. (1979). The petrology of Poor Knights Islands: a fossil geothermal field. *NZ Journal of Geology and Geophysics*. 22 (6): 751-754.
- Wodzicki, K.A.; Fleming, C.A. (1946). Census of gannets in New Zealand. *NZ Bird Notes* 2 (2): 17-18.
- Wodzicki, K.A.; Moreland, J. (1966). A note on the food of New Zealand gannets. *Notornis* 13 (2): 98-99.
- Wodzicki, K.A.; Robertson, J.R. (1974). The gannet. *NZ's Nature Heritage* 2 (22): 593-597.
- Wormald, C. (1969). Molluscs from recent prawn trawls. *Poirieria* 5 (1): 9-12.
- Wright, A. (1961). Fairy prion attacked by a tuatara. *Notornis* 9 (4): 133.
- Wright, A. (1963). Predation on fairy prions. *Notornis* 10 (4): 187.
- Wyrтки, K. (1962). Geopotential topographies and associated circulation in the western South Pacific Ocean. *Australian Journal of Marine and Freshwater Research* 13 (2): 89-105.
- Yaldwyn, J.C. (1968). Records and observations on the coral shrimp genus *Stenopus* in Australia, New Zealand and the Southwest Pacific. *Australian Zoologist* 14 (3): 277-289.
- Yaldwyn, J.C. (1974). Shrimps and prawns. *NZ's Nature Heritage* 3 (38): 1041-1046.
- Yerex, G.F. (1936). Poor Knights Islands pig extermination expedition. Report to the Dept of Internal Affairs, Wellington. File 46/29/30 Part 1.