R TRAPS Doc series trapping systems



Stoats Doc 200 Rats Hedgehogs








Department of Conservation Te Papa Atawhai

The Doc 200 has passed 'draft' NAWAC (National Animal Welfare Advisory Committee) guidelines as a humane kill trap for stoats, rats and hedgehogs. These setting instructions must be followed to meet these guidelines.



Drawings, Phil Waddington

PREDATOR TRAPS

Trap Purchase

Traps are available direct from the manufacturer, Curtis Metal Products.



CMI Springs Ltd. T|09 579 4089 F|09 579 2595 E|sales@cmisprings.co.nz A|7A Carmount Place, Auckland


Trap box Purchase Traps in boxes can be purchased direct from Haines Pallet Co.

| Haines Pallet Co. Ltd. T| 04 568 6898 F| 04 5686480 E| haines.pallets@xtra.co.nz A| 111 Hutt Park Road, Seaview.

Advice and contacts

Predator control advice, trap development contacts and feedback.

Safety clip application (one clip per order)



A 111 Hutt Park Road, Seaview.



Department of Conservation Te Papa Atawhai

Wellington.

Darren Peters Department of Conservation National Predator Control Research Development & Improvement T| 04 471 3256 F| 04 471 3279 E| dpeters@doc.govt.nz A| P.O. Box 10-420 65 Victoria Street

Phil Waddington
Trap Development
T| 04 934 5201
E| joyphill@paradise.net.nz
A| 5 Collins Street, Petone.

Further trap information

www.predatortraps.com

PREDATOR TRAPS









Department of Conservation Te Papa Atawhai

These Department of Conservation 'current best practice' tunnel designs must be used with DOC 200 traps.

These tunnels are designed to exclude non target species, guide target species and provide public safety.

Single set tunnel design.

In areas where weka are present, the tunnel length is 525mm, the distance from the end mesh to the internal mesh increases from 130mm to 255mm.

Materials All timber H4 treated radiata or similar. Ends and baffles 20mm galvanised weld mesh. 60mm galvanised decking nails. Lid labelled with project information Lid and base 400 x 250 x 25mm All traps must have hazard warning on lid Lid pivots on 60mm decking nail Ends and baffle 20mm weld mesh Lid secured by 40mm screw or coach screw. Saw grooves Sides 400 x 200 x 25mm Spacer 200 x 40 x 25mm Internal baffle hole 3 x 4 meshes, aligned just off the centre of the treadle see setting diagram 60mm decking nails External end hole 3x3 meshes

Drawings, Phil Waddington

PREDATOR TRAPS









Department of Conservation Te Papa Atawhai

These Department of Conservation 'current best practice' tunnel designs must be used with DOC 200 traps.

These tunnels are designed to exclude non target species, guide target species and provide public safety.

Double set tunnel design.

In areas where weka are present, the tunnel length is 950mm, the distance from the end mesh to the internal mesh increases from 130mm to 255mm.

Materials

All timber H4 treated radiata or similar.Ends and baffles 20mm galvanised weld mesh.60mm galvanised decking nails.

