**General Information** 

Information supplied to:Living Water: DOC-Fonterra PartnershipContact person:Robin Smith (rsmith@doc.govt.nz)Project's consultant:CAREX - University of Canterbury

**Consultant's contact person:** Chris Meijer (christopher.meijer@canterbury.ac.nz)

**Project name:** Powells Road Restoration Resampling - 2 years post baseline

Methodologies

Site selection: Sites were selected by representatives of DOC and Boffa Miskell Ltd in November 2017

Riparian and in-stream habitat was assessed in accordance with: Protocol 2 (P2) Quantitative Protocol of Harding et al. (2009); and

**Habitat:** Sediment Assessment Methods 2 and 6 of Clapcott et al. (2001).

The macroinvertebrate community was assessed using Protocols C3 and C4 of Stark et al. (2001).

Macroinvertebrates were processed using a full count with subsample and rare scan method. Entered data is raw and needs to be multiplied up by the

**Macroinvertebrates:** subsample amount.

**Fish:** The fish community was assessed using single-pass electric fishing.

Water Quality: Water quality was assessed by Hill Laboratories.

For full methodologies refer to:

Protocol 2 of Harding et al. (2009); Sediment Assessment Methods 2 and 6 of Clapcott et al. (2001)

Site name	Site location	Waterway name	Easting: upstream extent	Northing: upstream extent	Easting: downstream extent	Northing: downstream extent	Date surveyed: macroinverte brates & fish	
Downstream	Powells Downstream	Powells Road Waterway	1554135.85	5163398.27	1554168.24	5163343.88	27/11/2019	5/12/2019
Treatment	Powells Treatment	Powells Road Waterway	1554037.66	5163545.99	1554062.52	5163512.53	27/11/2019	5/12/2019
Reference	Powells Reference	Powells Road Waterway	1553959.25	5163682.74	1553975.60	5163648.92	27/11/2019	5/12/2019

**R J Hill Laboratories Limited** 28 Duke Street Frankton 3204 Private Bag 3205 **Hamilton 3240 New Zealand** T 0508 HILL LAB (44 555 22) T +64 7 858 2000

E mail@hill-labs.co.nz

W www.hill-laboratories.com

Lab No: 2288025 **Date Received:** 5-Dec-19 Date Reported: 10-Dec-19 **Quote No:** 102783 667323 Order No: **Submitted By: Hayley Devlin** 

**University of Canterbury** 


Site name		Downstream	Treatment	Reference
Date		5/12/2019	5/12/2019	5/12/2019
Time		9:45	11:30	12:20
Individual Tests	<u>Unit</u> s			
	_			
out of scope				
Dissolved Inorganic Nitrogen	g/m-3	7.6	7.7	7.7
Total Nitrogen	g/m-3	7.8	7.9	7.9
Total Kjeldahl Nitrogen (TKN)	g/m-3	0.27	0.17	0.20
out of scope				
Echerichia coli	MPN/100mL	517	613	272
Nutrient Profile				
Total Ammoniacal-N	g/m-3	0.020	0.010	<0.010
Nitrite-N	g/m-3	0.013	0.011	0.011
Nitrate-N	g/m-3	7.5	7.7	7.7
Nitrate-N + Nitrite-N	g/m-3	7.5	7.7	<u>7.7</u>
out of scope				•



# out of scope Released under the Official Information Act

# out of scope ethe official Information Act

\*Ko Official Information Act



out of scope

SCOPE

SCOPE

Leased under the Official Informs

MationAct

