



# New Zealand Threat Classification System lists

2002

THREATENED SPECIES OCCASIONAL PUBLICATION 23



Department of Conservation  
*Te Papa Atawhai*

# New Zealand Threat Classification System lists

2002

Rod Hitchmough (compiler)

Biodiversity Recovery Unit  
Department of Conservation  
P.O. Box 10420  
Wellington, New Zealand

This publication was compiled by Rod Hitchmough<sup>1</sup>. It was prepared for publication by DOC Science Publishing, Science & Research Unit; editing by Jaap Jasperse and layout by Jeremy Rolfe. Publication was approved by the Manager, Biodiversity Recovery Unit, Science Technology and Information Services, Department of Conservation, Wellington.

© October 2002 Department of Conservation, Wellington, New Zealand

ISBN 0-478-22319-6

This publication may be cited as: Hitchmough, R. (comp.) 2002: New Zealand Threat Classification System lists—2002. *Threatened species occasional publication* 23, 210 p.

Cover photo: The coxella weevil, *Hadramphus spinipennis*, is restricted to the Chatham Islands. This species' host plant is coxella speargrass, *Aciphylla dieffenbachii*, which is also endemic to the Chatham Islands. The speargrass (Nationally Vulnerable, with CD, HI, EF and OL qualifiers) is threatened by stock browsing on Chatham and Pitt Islands, and the weevil (Range Restricted, with HI and EF qualifiers) is confined to rodent-free islands such as Mangere Island. Photo by John Marris.

---

<sup>1</sup>Biodiversity Recovery Unit, Department of Conservation, PO Box 10 420, Wellington.

# Foreword

New Zealand has some of the most ancient and fascinating species in the world (e.g. the tuatara). Many of our plants and animals are found nowhere else. But we are also world leaders in our rates of extinctions (particularly of land and freshwater birds, where nearly one-third have been lost), and in our levels of threatened species—a legacy of a history of unsustainable harvest, habitat destruction and alien species introduction.

Preventing the extinction of New Zealand's unique plant and animal species is a critical element in the Government's New Zealand Biodiversity Strategy: a responsibility we owe to the rest of the world. But this is not a small task.

A vital step in doing this is to identify those species that are at risk of extinction, and to measure the level and nature of that risk. This information will allow us to focus our resources on the highest priority actions necessary to prevent extinction.

Since 1992 the Department of Conservation has been using a system (generally known as the Molloy-Davis system) which ranks species according to their priority for recovery action. While that system has served us well, it was not without its weaknesses. With the subsequent recognition of the importance of integrated prioritising, and focusing on places, it became clear that we should separate the process of classifying the threats to species from prioritising species recovery actions. We also recognised the need for a threat classification system that could be used for all New Zealand's species groups, including marine species. A process to develop a new threat classification system was therefore initiated in 1999.

The companion volume<sup>1</sup>, by Janice Molloy and others, contains the result of that process. I would like to congratulate all those who have developed the new system. The quality of their work is shown by the fact that neither the final independent testing stage of development nor the actual application of the system identified the need for any significant changes. I would also like to place on record my appreciation for the willingness of experts from within and outside the Department to devote their valuable time to this exercise, and for the constructive approach they took to a sometimes controversial exercise. I believe that the product will be a major contribution to our efforts to prevent biodiversity loss.

This document, compiled by Rod Hitchmough, presents the results of applying the system to classify all those species for which we have sufficient information. We are now able for the first time to provide an accurate threat classification for all those taxa for which information is available, ensuring that all those which are threatened receive the necessary attention to secure their future. I greatly appreciate the willingness of experts from within and outside the Department to share their knowledge and devote often substantial amounts of their valuable time to compiling this information, and their positive attitude to the threat classification system.

Hugh Logan  
Director-General of Conservation.

---

<sup>1</sup> Molloy, J.; Bell, B.; Clout, M.; de Lange, P.; Gibbs, G.; Given, D.; Norton, D.; Smith, N.; Stephens, T. 2002: Classifying species according to threat of extinction. A system for New Zealand. *Threatened species occasional publication* 22, 26 p.



## CONTENTS

<b>Foreword</b>	<b>3</b>
<b>Introduction</b>	<b>7</b>
<b>Interpreting these lists—the importance of qualifiers</b>	<b>7</b>
<b>The process</b>	<b>7</b>
<b>Additional information available in spreadsheet but not published form</b>	<b>8</b>
<b>Coverage</b>	<b>9</b>
<b>Listing at one taxonomic level only</b>	<b>10</b>
<b>Distribution of listings</b>	<b>11</b>
<b>Conservancy distributions</b>	<b>11</b>
<b>Updating listings</b>	<b>11</b>
<b>Acknowledgements</b>	<b>16</b>
<b>Appendix 1</b>	<b>17</b>
<b>Taxonomic lists by Threat Class</b>	
Nationally Critical	19
Nationally Endangered	40
Nationally Vulnerable	54
Serious Decline	58
Gradual decline	63
Sparse	73
Range Restricted	89
Data Deficient	157
<b>Appendix 2</b>	
Data Deficient fungi	187
<b>Appendix 3</b>	
Questionnaire	203
<b>Appendix 4</b>	
New Zealand Threat Classification System expert panel membership	209



# Introduction

The New Zealand Threat Classification System developed by Molloy *et al.* (2002: companion volume) was used to list nominated New Zealand taxa according to threat of extinction. These lists are provided in Appendices 1 and 2.

## Interpreting these lists—the importance of qualifiers

The qualifiers listed for many species provide additional information which adds meaning to the threat classification. The qualifiers are an integral part of the classification of each taxon. When using these listings to inform management decisions, these factors should be taken into account.

### Example

All taxa listed ‘Nationally Critical’ have a very high risk of extinction in New Zealand because of extremely small known populations or areas of occupancy, and/or very high rates of decline. However, some of the listings carry qualifiers which indicate that they are likely to be of lower priority for recovery action, e.g. SO (Secure Overseas), ST (Stable), or RC (Recovering). Among marine mammals, four taxa are listed as Nationally Critical: southern elephant seal, orca/killer whale, Bryde’s whale, and North Island Hector’s dolphin. All have New Zealand populations of fewer than 250 breeding adults. However, they differ very significantly in the associated qualifiers. North Island Hector’s dolphin is CD (Conservation Dependent) and HI (Human Induced loss of range), and the absence of an SO or TO (Threatened Overseas) qualifier means that it is endemic. The southern elephant seal has TO and HI qualifiers; it is declining throughout its world range. On the other hand the Bryde’s and killer whales both have SO qualifiers, and the killer whale also has ST, and Bryde’s whale OL (One Location—northeastern coastal waters of the North Island).

## The process

1. Questionnaires (Appendix 3) requesting information on numbers, population trends and geographic range of potentially threatened taxa (i.e. species, subspecies, and undescribed and tag-named taxa) were sent to many experts both within and outside the New Zealand Department of Conservation (DOC).

2. The taxa were divided into broad taxonomic groups (e.g. birds, terrestrial invertebrates, vascular plants). An expert panel for each taxonomic group met for one or more days, depending on the number of species to be discussed. (Members of the expert panels are listed in Appendix 4.) Each taxon for which information was available in the form of a completed questionnaire, a recent publication on its status, or unpublished information known to panel members was assessed by the panel according to the Molloy *et al.* (2002) criteria. Rod Hitchmough facilitated all meetings to ensure that as far as possible the criteria were applied consistently across all groups. Decisions on threat listings were recorded electronically as they were made, and projected on screen for checking by the panel as they were recorded.
3. The listing process was either completed at the panel meetings or required various degrees of follow-up, according to the amount of information available at the meeting. Considerable additional information was collected after the meetings for some lesser-known groups. In these instances this information, with draft listings inferred from it, was then circulated to group members for their confirmation.
4. A draft list was then circulated both to all panel members and to DOC conservancies for checking for accuracy and identification of significant gaps. Most information about species distributions between DOC conservancies (Fig. 1) was also collected at this stage.

## Additional information available in spreadsheet but not published form

In addition to the information published in Appendix 1 of this document, a DOC computer spreadsheet with more information is available via the DOC Intranet. It includes additional notes on distribution and status, columns to allow filtering by taxonomic rank, qualifiers, and criteria triggering listing, a record of the date on which the entry for that taxon was last modified, and previous listings under other systems: (Molloy & Davis, IUCN, and for plants de Lange *et al.* 1999). The spreadsheet also includes synonyms (e.g. tag names now superseded by a published formal name) which have been used in recent documents, with cross-references in the notes column to the name used in this listing.

This spreadsheet is ‘live’ on the DOC website: <http://www.doc.govt.nz>, and will be updated with significant changes in status of taxa as they occur. When the spreadsheet has been changed since the last hard copy publication of these lists, the spreadsheet should be regarded as containing the more authoritative information. In due course the information from this spreadsheet will be incorporated into the BIOWEB database, and be available via BIOWEB searches.

Most DOC staff will be able to access this additional information. Those outside DOC requiring access in printed or electronic form should contact their local Conservancy office.

# Coverage

The system has the capacity to classify the status of all species, subspecies, etc. of organisms occurring in the wild in New Zealand. Every effort has been made to include as many taxa as possible in this list, but inevitably the completeness of the coverage varies between taxonomic groups. We hope taxa not presently covered will be included in future revisions of this list.

Only threatened and data deficient taxa are included in this published document (Appendices 1 and 2). The computer spreadsheet (and in future BIOWEB) includes this information and additional taxa not currently considered threatened as follows:

All native taxa from these groups are listed, including undescribed, tag-named taxa and species considered not threatened:

- Bats
- Birds
- Freshwater fish
- Frogs
- Marine mammals
- Reptiles

All native taxa (including undescribed, tag-named taxa) listed except those considered not threatened:

- Vascular plants

Some threatened or data deficient taxa (including undescribed, tag-named taxa) listed, depending on availability of information; list is known to be incomplete:

- Freshwater invertebrates
- Marine fish
- Marine invertebrates
- Terrestrial invertebrates

Some threatened or data deficient taxa (mostly excluding undescribed, tag-named taxa) listed; restricted to taxa with very small numbers of herbarium collections; list is known to be incomplete as many other, more often collected species probably fit the status and trend criteria for listing:

- Bryophytes
- Algae
- Fungi

Introduced species were not listed, except for a very small number which are IUCN-listed in their country of origin.

Formally described and generally accepted (taxonomically determinate) taxa are separated in this published list from taxonomically indeterminate taxa which lack published names or are of disputed validity. During the listing process it became apparent that it was necessary to clarify and fix the identity of tag-named, undescribed taxa by linking them to numbered voucher specimens. This was achieved as far as possible for vascular plants and some invertebrate groups. For other groups this was not possible in the time available, but the intention is that in future revisions of this list, voucher numbers or other evidence such as reference to a published or filed photograph will be a requirement for inclusion of undescribed taxa.

# Listing at one taxonomic level only

Taxa are listed only once. If subspecies are recognised or informally proposed in a species, then the subspecies not the species are listed. For example, the following endemic vertebrate species will not be found listed as species because they are listed at the subspecific level:

- Short-tailed bat — *Mystacinia tuberculata*
- Long-tailed bat — *Chalinolobus tuberculata* (undescribed subspecies)
- Hector's dolphin — *Cephalorhynchus hectori* (undescribed subspecies)
- Rifleman — *Acanthisitta chloris*
- Brown teal — *Anas chlorotis* (undescribed subspecies)
- Bellbird — *Anthornis melanura*
- Pipit — *Anthus novaeseelandiae*
- Fernbird, karoti, matata — *Bowdleria punctata*
- Kokako — *Callaeas cinerea*
- Banded dotterel — *Charadrius bicinctus*
- New Zealand dotterel — *Charadrius obscurus*
- New Zealand snipe — *Coenocorypha aucklandica*
- Red-crowned kakariki — *Cyanoramphus novaezelandiae*
- New Zealand falcon — *Falco novaeseelandiae* (undescribed subspecies)
- Weka — *Gallirallus australis*
- Kaka — *Nestor meridionalis*
- New Zealand robin — *Petroica australis*
- Tomtit — *Petroica macrocephala*
- Saddleback, tieke — *Philesturnus carunculatus*
- Tui — *Prosthemadera novaeseelandiae*
- White-fronted tern — *Sterna striata*
- Marbled skink — *Cyclodina oliveri* (component taxa described as species but not recognised in recent revisions)
- Striped gecko — *Hoplodactylus stephensi* (undescribed subspecies)
- Auckland and Wellington green geckos — *Naultinus elegans*
- Common and Chatham Island skinks — *Oligosoma nigriplantare*
- Cook Strait and northern tuatara — *Sphenodon punctatus*

# Distribution of listings

Table 1 shows a breakdown of numbers of species in each threat category, separated by taxonomic group. Their distribution curve would be U-shaped in most groups, with large numbers of Nationally Critical and Nationally Endangered species, relatively few listed Nationally Vulnerable or in Serious Decline, and large numbers again in the Gradual Decline, Sparse, and Range Restricted categories. The smaller numbers of taxa in the Nationally Vulnerable and Serious Decline categories reflect the combination of high rates of decline and moderate to large population sizes required to trigger classification in these categories. Unless facing a new threat, most New Zealand taxa which are declining at these high rates will now have very low population sizes, triggering a higher threat listing. Taxa which have suffered high rates of decline in the past but have now stabilised in refugia will no longer trigger the trend criteria for these categories, and will be listed as Sparse or Range Restricted.

## Conservancy distributions

Appendix 1 includes information on distribution at DOC conservancy (Fig. 1) level as well as threat listings for each taxon. For some taxa, detailed information on distribution was unavailable, so this matrix is incomplete. We would welcome information on conservancy distributions we have missed so that the computer spreadsheet can be corrected and the information become available for future revisions of these lists (contact details below). Table 2 shows a summary of numbers of threatened species in each conservancy, separated by threat category. A more detailed breakdown by both taxonomic group and conservancy is possible from the computer spreadsheet.

## Updating listings

The intention is that this list will be fully reviewed every 3 years, and that major changes in risk of extinction will be recorded in the computer spreadsheet as they occur. Suggestions for minor corrections will be stockpiled for consideration in the triennial review of the listings, and should be sent to:

New Zealand Threat Classification System lists  
Biodiversity Recovery Unit  
Department of Conservation  
P O Box 10-420  
Wellington  
Phone (04) 471 3249  
Fax (04) 471 3279

TABLE 1. DISTRIBUTIONS OF THREAT RANKINGS BY TAXONOMIC GROUP. IN EACH CELL, THE ENTRIES ARE: NUMBERS OF SPECIES/NUMBERS OF SUBSPECIES OR OTHER INFRASPECIFIC TAXA. THERE IS NO SPECIES-LEVEL LISTING FOR TAXA LISTED AS SUBSPECIES.

THREAT CATEGORY	TAXONOMIC GROUP				FROGS <sup>1</sup>	FRESHWATER INVERTEBRATES	FUNGI
	BATS <sup>1</sup>	BIRDS <sup>1</sup>	BRYOPHYTES	FRESHWATER FISH <sup>1</sup>			
Nationally Critical		13/12	76/4	1/0	4/0	2/0	50/0
Nationally Endangered	0/3	9/13	8/1	2/0		1/0	
Nationally Vulnerable	0/1	7/2		1/0			
Serious Decline	0/0	5/3		1/0			1/0
Gradual Decline		13/7		10/0			10/0
Sparse		2/9	5/0	2/0	6/0	1/0	5/0
Range Restricted	0/1	28/22	34/1	2/0	38/0		
<b>Total threatened</b>	<b>0/5</b>	<b>77/68</b>	<b>123/6</b>	<b>19/0</b>	<b>48/0</b>	<b>4/0</b>	<b>66/0</b>
Not threatened		26/31		21/0			
Coloniser		10/1		2/0			
Migrant	50/0						
Vagrant		4 <sup>2</sup> /0					
Extinct		14/2		1/0			
Data Deficient		1/0	0/0	14/0	5/0	18/2	1416/39

<sup>1</sup> The entire native fauna of these groups has been listed under the system; for other groups, only taxa proposed as potentially threatened have been listed.

<sup>2</sup> IUCN-listed vagrants only.

TABLE 1 (continued).

THREAT CATEGORY	MACROALGAE	MARINE FISH	INVERTEBRATES	TAXONOMIC GROUP				TERRESTRIAL INVERTEBRATES	VASCULAR PLANTS	TOTAL
				MARINE MAMMALS <sup>a</sup>	MARINE MAMMALS <sup>a</sup>	REPTILES <sup>a</sup> REPTILES <sup>a</sup>	TERRESTRIAL INVERTEBRATES			
Nationally Critical			12/0	3/1	3/1		72/17	76/13	312/48	
Nationally Endangered			3/0	1/0	4/0		55/32	58/10	141/59	
Nationally Vulnerable			0/1				2/6	20/3	30/13	
Serious Decline			5/0		1/0		13/3	24/6	50/12	
Gradual Decline			2/0	5/0	13/2		24/10	78/6	155/25	
Sparse			17/0	4/0	14/2		65/1	134/10	255/22	
Range Restricted			32/0	206/9	1/0	15/4	356/14	370/82 (1?)	1118/133	
<b>Total threatened</b>	<b>36/0</b>	<b>51/0</b>	<b>235/9</b>	<b>5/2</b>	<b>50/9</b>	<b>587/83</b>	<b>760/130</b>	<b>2061/312</b>		
Not threatened			101/0	4/0	4/1	13/1	59/1	18/4	-	
Coloniser							9/0	-		
Migrant			5/0		11/1				-	
Vagrant			3/0		14/0			17/2	-	
Extinct						1/0	3/1	5/1	24/4	
Data Deficient			23/0	36/0	2/0	12/0	6/2	367/4	98/4	1998/47

<sup>1</sup> The entire native fauna of these groups has been listed under the system; for other groups, only taxa proposed as potentially threatened have been listed.

<sup>2</sup> IUCN-listed vagrants only.




FIGURE 1. DEPARTMENT OF CONSERVATION CONSERVANCY BOUNDARIES.

TABLE 2. DISTRIBUTIONS OF NUMBERS OF THREATENED TAXA BY NEW ZEALAND DEPARTMENT OF CONSERVATION CONSERVANCY (SEE MAP, PAGE 14). ENTRIES ARE: PRESENT IN CONSERVANCY/LOCALLY EXTINCT. MANY TAXA ARE PRESENT IN MULTIPLE CONSERVANCIES.

CONSERVANCY	NATIONALLY CRITICAL	NATIONALLY ENDANGERED	NATIONALLY VULNERABLE	THREAT CATEGORY				TOTAL	DATA DEFICIENT
				SERIOUS DECLINE	GRADUAL DECLINE	SPARSE	RANGE RESTRICTED		
Northland	70/8	54/5	6/1	20/1	50/3	66/1	308/2	574/21	124/2
Auckland	38/5	36/4	5/1	21/0	52/4	67/1	146/1	365/16	53/2
Waikato	23/5	30/3	6/1	18/2	51/3	66/0	29/2	223/16	27/3
Bay of Plenty	14/9	25/1	6/0	19/3	48/7	57/1	17/2	186/23	27/3
East Coast/Hawkes Bay	23/7	20/8	4/1	16/1	39/5	37/7	25/5	164/34	38/1
Tongariro/Taupo	13/4	11/6	4/0	12/0	31/2	25/1	16/3	112/17	21/1
Wanganui	21/7	26/3	9/0	21/1	60/3	57/0	44/3	238/17	74/1
Wellington	44/7	49/3	14/0	20/1	64/6	60/3	106/1	357/21	68/2
Nelson/Marlborough	57/14	67/7	17/1	23/2	93/1	129/1	216/2	602/28	102/4
West Coast	43/11	34/7	8/0	10/0	44/4	49/1	63/3	251/26	43/0
Canterbury	49/12	38/13	12/0	14/2	71/2	95/1	98/2	378/32	97/3
Otago	34/13	43/8	15/0	16/0	73/1	83/2	97/2	361/26	75/5
Southland	47/10	38/3	11/0	13/0	68/0	55/1	244/3	476/17	79/1

# Acknowledgements

Many people generously donated time and information to this project—in particular the listing would have been impossible without the information provided in completed questionnaires on threatened species. The expert panel members listed in Appendix 4 made the panel meetings enjoyable, informative, and productive. Jennifer Jarres did a tremendous job of gathering and entering conservancy distribution data and tying up other loose ends in the database. John Ombler and Pam Cromarty were supportive project sponsors.

# Appendix 1

## TAXONOMIC LISTS BY THREAT CLASS



## Nationally critical

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OR
<b>Birds</b>														
Determinate species														
Campbell Island teal	<i>Anas nesiotis</i>	CD, HI, OL	●											
Orange-fronted parakeet	<i>Cyanoramphus malherbi</i>	HI, EF	○	○										
Chatham Island oystercatcher	<i>Haematopus chathamensis</i>	CD, RC, HI	●											
Chatham island pigeon, Pare'a	<i>Hemiphaga chathamensis</i>	CD, RC, HI, OL	●											
Black stilt	<i>Himantopus novaeseelandiae</i>	CD, ST, HI, OL	○	○	●	●	○	○	○	○	○	●	●	○
Black robin	<i>Petroica traversi</i>	ST, HI	●											
Takahe	<i>Porphyrrio mantelli</i>	CD, ST, HI	●									○		●
Taiko	<i>Pterodroma magentae</i>	CD, OL	●											
Kakapo	<i>Strigops habroptilus</i>	CD, HI, OL	○	○	○	○	○	○	○	○	○	○	○	
New Zealand shore plover, tuturiwhā	<i>Thinornis novaeseelandiae</i>	ST, HI	○	○	●	●	○	○	○	○	○	○	○	
Determinate subspecies														
Common noddly	<i>Anous stolidus pileatus</i>	SO	●											
Codfish Island fernbird, Matata	<i>Bowdleria punctata wilsoni</i>	RC	●											
South Island kokako	<i>Callaeas cinerea cinerea</i>	HI												
Southern New Zealand dotterel	<i>Charadrius obscurus obscurus</i>	CD, HI, OL												
White heron	<i>Egretta alba modesta</i>	ST, SO	●	●	●	●	●	●	●	●	●	●	●	
White tern	<i>Gygis alba royana</i>	SO	●											
Kermadec white-faced storm petrel	<i>Pelagodroma marina albiclunis</i>	HI, OL?	●											
Crested grebe	<i>Podiceps cristatus australis</i>	TO, HI										●	●	
Fairy tern	<i>Sterna nereis davisi</i>	OL	●	●	○	●	○	○	○	○	○	○	○	
Masked booby	<i>Sula dactylatra fuliginea</i>	TO	●	●										

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally critical

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
<u>Indeterminate species</u>															
Haast tokoeka	<i>Apertyx "Haast"</i>	RF, OL													
Okarito brown kiwi	<i>Apertyx "Okarito"</i>	CD, RC, RF, OL													
Campbell Island snipe	<i>Coenocorypha "Campbell"</i>	DP, ST, OL	●												
<u>Indeterminate subspecies</u>															
South Island brown teal	<i>Anas chlorotis "South Island"</i>	HI, OL													
Codfish Island South															
Georgian diving petrel	<i>Pelecanoides georgicus</i> "Codfish Island"	HI, OL													
<u>Bryophytes</u>															
<u>Determinate species</u>															
Liverwort	<i>Allioniella recurva</i>	●													
Liverwort	<i>Allioniella scottii</i>	●													
Liverwort	<i>Andrewsianthus confusus</i>	●													
Liverwort	<i>Austroscyphus nitidissimus</i>	●													
Moss	<i>Bartramia alaris</i> Dixon & Sainsbury	TO													
Liverwort	<i>Bazzania nova</i>	●													
Liverwort	<i>Bragginsella anomala</i>	●													
Moss	<i>Bryum tenuidens</i> (Dixon & Sainsbury)	●													
Moss	<i>Calliergidium austro-stramineum</i> (Mull.Hal.) E.B.Bartram	SO, OL													
Liverwort	<i>Cephalolobus hodgsonae</i>	●													
Liverwort	<i>Cheirolejeunea tenella</i>	●													
Liverwort	<i>Chiloscyphus beckettianus</i>	OL													
Liverwort	<i>Chloranthelia bergenii</i>	●													
Liverwort	<i>Cololejeunea cardiocarpa</i>	DP, SO, OL	●												

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally critical

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)										
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA
Liverwort	<i>Cololejeunea ellipsoidea</i>	DP				●							
Liverwort	<i>Cololejeunea falcidentata</i>		●										
Moss	<i>Crossidium geheebii</i> (Broth.) Broth.	S?O, OL									○?		
Moss	<i>Cyclodictyon blumeanum</i> (Mull.Hal.) O. Kuntze	ST, SO, OL			●								
Moss	<i>Dicranoweisia spenceri</i> Dixon & Sainsbury	DP			●								
Moss	<i>Ditrichum austro-georgicum</i> (Cardot) Seppelt	SO, OL				●							
Moss	<i>Ditrichum brachycarpum</i> Hampe	S?O, OL											
Moss	<i>Ditrichum rufo-aureum</i> (Hampe) Willis	OL, DP											
Liverwort	<i>Dumortiera birsuta</i>	SO		●									
Liverwort	<i>Eoisotachis nigella</i>	SO, OL			●								
Moss	<i>Epipterygium opararensse</i> Fife & A.J.Shaw	OL?			●								
Moss	<i>Erpodium glaucum</i> (Wilson) I.G.Stone	S?O		●									
Liverwort	<i>Frullania hypoleuca</i>	SO		●									
Liverwort	<i>Frullania svihlana</i>			●									
Moss	<i>Goniomitrium acuminatum</i> Hook. & Wilson	SO			●								
Moss	<i>Grimmia plagiopoda</i> Hedw.	S?O				●							
Liverwort	<i>Harpalejeunea filicuspis</i>	S?O				●							
Liverwort	<i>Herzogobryum atrocapillum</i>	SO					●						
Liverwort	<i>Herzogobryum filiforme</i>	S?O						●					
Liverwort	<i>Herzogobryum vermiculare</i>	S?O							●				

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally critical

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TT	WG	WL	NM	WC	CA	OT
Liverwort	<i>Hygrolembidium triquetrum</i>												●	●
Liverwort	<i>Isotachis westlandica</i>												●	●
Liverwort	<i>Itejeunea cyanophora</i>												●	●
Liverwort	<i>Leptolejeunea elliptica</i>		SO											
Moss	<i>Lindbergia maritima</i>	OL												
Liverwort	Lewinsky													
Liverwort	<i>Lophozia autoica</i>													
Liverwort	<i>Lophozia nivicola</i>													
Moss	<i>Macromitrium angulum</i>	S?O, OL												
Mitt.														
Liverwort	<i>Metzgeria albinea</i>	SO												
Liverwort	<i>Metzgeria australis</i>	SO												
Liverwort	<i>Metzgeria bartlettii</i>													
Liverwort	<i>Metzgeria campbellensis</i>	●												
Liverwort	<i>Metzgeria crassipaginula</i>													
Liverwort	<i>Metzgeria epiphylla</i>	●												
Liverwort	<i>Metzgeria pinnata</i>	S?O												
Liverwort	<i>Metzgeria ritti</i>	S?O												
Liverwort	<i>Pachyschistochila papillifera</i>													
Liverwort	<i>Paracromastigum fiordlandiae</i>											●		
Liverwort	<i>Phaeoceros birticalyx</i>	S?O												
Liverwort	<i>Plagiochila baylisii</i>													
Liverwort	<i>Plagiochila fragmentisima</i>												●	
Liverwort	<i>Plagiochila hatcheri</i>												●	
Liverwort	<i>Plagiochila kermadecensis</i>												●	
Moss	<i>Plagiopus oederiana</i> (Sw.) H.A.Crum & L.E.Anderson	SO												

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally critical

Common name	TAXON	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TT	WG	WL	NM	WC	CA	OT	SL
Liverwort	<i>Pseudolophocolea denticulata</i>									●				●	
Liverwort	<i>Ptychanthus stephensoniana</i>									●					
Liverwort	<i>Radula panvinetis</i>	●													
Liverwort	<i>Riccardia intercellula</i>				●										
Liverwort	<i>Riccardia pennata</i>				●										
Liverwort	<i>Riccardia pseudodenudroceros</i>									●					
Liverwort	<i>Riccardia umida</i>														
Liverwort	<i>Schistochila nitidissima</i>	●													
Liverwort	<i>Seppeltia succuba</i>	SO													
Liverwort	<i>Telarania exigua</i>									●					
Liverwort	<i>Telarania plumulosa</i>	S?O													
Liverwort	<i>Telarania tubifera</i>														
Liverwort	<i>Tennnomia angustifolium</i>					●									
Liverwort	<i>Xenothallus vulcanicus</i>					●									
Liverwort	<i>Zoopsis macrophylla</i>							●							
<u>Determinate subspecies, forms, and varieties</u>															
Liverwort	<i>Cololejeunea pulchella</i> var. <i>sylifera</i>								●						
Liverwort	<i>Frullania aterrima</i> var. <i>rostrata</i>									●					
Liverwort	<i>Gymnomitrion strictum</i> var. <i>inequalis</i>									●					
Liverwort	<i>Lophozia autoica</i> var. <i>alpina</i>									●					
<u>Indeterminate species</u>															
Liverwort	<i>Riccardia aff. pallidevirens</i>	SO									●				
Liverwort	<i>Riccardia aff. watsiana</i>										●				

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally critical

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)													
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL	
Liverwort	<i>Zoopsis</i> sp. nov. "bicurvis"															
<b>Freshwater fish</b>																
Determinate species																
Kauru longjaw galaxias	<i>Galaxias cootinius</i>	EF														
<b>Freshwater invertebrates</b>																
Determinate species																
Caddisfly	<i>Pseudoeconesus haasti</i>	DP, OL														
Caddisfly	<i>Psilochorema spinibarpax</i>	DP, OL														
Caddisfly	<i>Tiphobiosis quadrifurca</i>	DP, OL														
Caddisfly	<i>Tiphobiosis schmidi</i>	DP, OL														
<b>Frogs</b>																
Determinate species																
Archey's frog	<i>Leiopelma archeyi</i>	●														
Hamilton's frog	<i>Leiopelma hamiltoni</i>	CD, ST, HI, OL														
<b>Fungi</b>																
Determinate species																
	<i>Austrogaster novaezelandiae</i>	OL														
	<i>Bergerenia cyclospora</i>	OL														
	<i>Cantharellus elsaes</i>	OL														
	<i>Chalciporus aurantiacus</i>	OL														
	<i>Chlorovibrissea bicolor</i>	OL														
	<i>Chlorovibrissea melanochlora</i>	OL														
	<i>Chlorovibrissea tasmanica</i>	OL														
Fischer's egg	<i>Claustula fischeri</i> K.M. Curtis 1926	DP, ST, TO, OL													●	

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally critical

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									OT	SL	
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC		
	<i>Colpoma nothofagi</i>													
	<i>Cordierites acanthophora</i>	OL												
	<i>Dichomitus newhookii</i>													
	<i>Gomphus dingleyae</i>	OL												
	<i>Gomphus novaezealandiae</i>	OL												
	<i>Gyroporus castaneus</i>	OL												
	<i>Hysterangium youngii</i>	OL												
	<i>Inonotus chondromyelus</i>													
	<i>Lactarius maruiensis</i>	OL												
	<i>Phallobata alba</i>													
	<i>Phanerochaete citrina</i>	OL												
	<i>Phanerochaete corymbata</i>	OL												
	<i>Phanerochaete lateaurantiaca</i>	OL												
Septate-spored polypore	<i>Polyporus septosporus</i> P.K.Buchanan & Ryvarden 1998	DP, TO, OL	●											
Chatham Island sow thistle rust	<i>Puccinia embergeriae</i> McKenzie & P.R.Johnst.	ST, OL	●											
	<i>Puccinia freycinetiae</i>	OL												
	<i>Ramaria aureorhiza</i>	OL												
	<i>Ramaria avellaneovertex</i>	OL												
	<i>Ramaria bastrobusta</i>	OL												
	<i>Ramaria junquilleovertex</i>	OL												
	<i>Ramaria piedmontiana</i>	OL												
	<i>Ramariopsis avellanea</i>	OL												
	<i>Ramariopsis avellaneoinversa</i>	OL												
	<i>Ramariopsis tortuosa</i>	OL												
	<i>Russula inquinata</i>	DP, OL												

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally critical

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
	<i>Russula littoralis</i>	OL													
	<i>Russula miriata</i>	DP, OL													
	<i>Russula papakaensis</i>	DP, OL													
	<i>Russula pleurogena</i>	OL													
	<i>Russula solitaria</i>	DP, OL													
	<i>Russula vivida</i>	●													
Russula	<i>Russula vivida</i> McNabb	DP													
	1973														
	<i>Sarcosoma orientale</i>	OL													
	<i>Squamanita squarrulosa</i>	OL													
	<i>Thaxterogaster cartilagineus</i>	OL													
	<i>Uredo chathamica</i>	OL													
	<i>Uredo salicorniae</i>	OL													
	<i>Volvariella surrecta</i>	OL													
	<i>Xylaria wellingtonensis</i>	OL													
	<i>Xylaria zealandica</i>	OL													
Indeterminate species															
Pukatea bracket	<i>Ganoderma</i> sp. "Awaroa"	HI													
	Undescribed genus (Trichocomaceae)	DP	●												
Marine invertebrates															
Determinate species															
Polychaete worm	<i>Boccardia magnivirata</i>	●													
Barnacle	<i>Chionelasmus darvini</i>	DP	●												
Octopus	<i>Cirroctopus hochbergi</i>	DP, HI	●	●											
	O'Shea, 1999														
Polychaete worm	<i>Hartmanomoruphis pectinata</i>	DP	●												
Barnacle	<i>Neolepas osbeai</i>	OL													
	Buckeridge, 2000.														

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally critical

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
Octopus	<i>Opisthoteuthis chathamensis</i> O'Shea, 1999	DP, HI												
Octopus	<i>Opisthoteuthis mero</i> O'Shea, 1999	DP, HI	●											
	<i>Porterpygus kieri</i> Baker, 1983	DP												
	<i>Spiro aequalis</i>		●											
Polychaete worm	<i>Xyloplax medusiformis</i> Baker, Rowe & Clark, 1986	DP												
<u>Indeterminate species</u>														
Giant seep mussel	<i>Bathymodiolus</i> sp. 2 (NMNZ M. 117890)	OL			●									
Giant seep clam	<i>Calyptogena</i> sp. (NZOI)		●	●										
<b>Marine mammals</b>														
Determinate species														
Bryde's whale	<i>Balaenoptera edeni</i>	SO, OL	●	●	●	●								
Southern elephant seal	<i>Mirounga leonina</i>	TO, HI			●	●								
Killer whale	<i>Orcinus orca</i>	ST, SO	●	●	●	●								
<u>Indeterminate subspecies</u>														
North Island Hector's dolphin	<i>Cephalorhynchus hectori</i> "North Island"	CD, HI	●	●	●									
<b>Reptiles</b>														
Indeterminate species														
Roys Peak gecko	<i>Hoplodactylus</i> "Roys Peak"	DP, OL												●
Open Bay Islands gecko	<i>Hoplodactylus</i> sp. "Open Bay Islands gecko"	DP, OL												●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally critical

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
Open Bay Island skink	<i>Oligosoma</i> "Open Bay Island skink"	DP, OL												
Indeterminate subspecies														
Takitimus gecko	<i>Hoplodactylus nebulosus</i> Cloudy gecko, Takitimus form	DP, OL												
<b>Terrestrial invertebrates</b>														
Determinate species														
Nemertine worm	<i>Antiponemertes allisonae</i> (Moore, 1973)	OL												
Moth	<i>Archyala culta</i>	OL												
Moth	<i>Archyala opulenta</i>	DP												
Moth	<i>Asaphodes imperfecta</i>	DP, HI												
Moth	<i>Asaphodes obarata</i>	DP, HI												
Moth	<i>Australothis volatilis</i>	HI												
Moth	<i>Cateristis eustyla</i>	SO, OL												
Snail	<i>Climocella pukanui</i>	OL												
Bird louse	<i>Coloceras harrisoni</i> (Tendeiro, 1972)													
Snail	<i>Cytora birstutissima</i> (Powell, 1951)	RC, OL												
Snail	<i>Delonagapta tasmani</i>	OL												
Moth	<i>Euxoa ceratopachodes</i>	DP, OL												
Snail	<i>Fectola meichior</i>	OL												
Snail	<i>Flammoconcha cumberi</i> (Powell)	DP												
Mokohinau stag beetle	<i>Geodorcus ithaginis</i> (Broun, 1893)	OL												

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally critical

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TT	WG	WL	NM	WC	CA	OT	SL
Canterbury knobbed weevil	<i>Hadramphus tuberculatus</i> (Pascoe, 1877)	DP													○
Open Bay Island leech	<i>Hirudobdella antipodum</i> (Benham 1904)	OL													
Ground beetle	<i>Holcaspis brevicula</i> Butcher, 1984	OL			●										
Moth	<i>Izatha psychra</i>	DP			●										
Nematode	<i>Longidorus waikouaitii</i> Yeates, Boag & Brown, 1997	DP, OL													
Weevil	<i>Lyperobius nesioties</i> Kuschel	ST, OL													
Ida Valley carabid.	<i>Mecodema laeviceps</i> Broun, 1904				●										
Ground beetle	<i>Mecodema punctellum</i> Broun, 1921	OL													
Mercury Island tusked weta	<i>Motuweta isolata</i> Johns, 1997	EF, OL			●										
Moth	<i>Orocrambus fugitivehus</i> (Hudson, 1950)	DP, OL													
Moth	<i>Orocrambus jansoni</i>	OL													
Snail	<i>Pbrignathus transitans</i>	OL													
Snail	<i>Powelliphanta gagei</i> (Powell, 1938)	DP, OL						●							
Slug	<i>Pseudaneitea ramsayi</i> Climo 1973	RC?, OL			●										
Darkling beetle	<i>Pseudobelops antipodensis</i>	OL													●
Bird louse	<i>Quadraceps dominella</i> Timmermann, 1953										○	○	○	○	●
Bird louse	<i>Quadraceps novaezealandiae</i> Timmermann, 1953		○	○	○	●				○	○	○	○	○	

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally critical

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
Nematode	<i>Radopholus cavenessi</i> Egunjobi, 1968	DP, OL												
Bird louse	<i>Rallicola (Aptericola) rodericki</i> Palma, 1991		●	●	●	●	●	●	●	●	●	●	●	
Bird louse	<i>Rallicola (Rallicola) takabe</i> Holloway, 1956		●	●	●	●	●	●	●	●	●	●	●	●
Snail	<i>Rhytidarex buddlei</i>	OL	●	●	●	●	●	●	●	●	●	●	●	●
Bird louse	<i>Saemundssonia (Saemundssonia) chathamensis</i> Timmermann, 1977		○	●	○	○	●	○	○	○	○	○	○	○
Alpine grasshopper	<i>Sigaus childi</i>												●	
Moth	<i>Titanomis sisyrota</i> Meyrick, 1888	DP	●						●	○	●		●	
Moth	<i>Xanthorhoe bulbula</i> (Guenee, 1868)	HII						●	●	●	●	●	●	
Pitt Island longhorn	<i>Xylotoles costatus</i> Pascoe, 1875	OL						●						
Back Beach beetle.	<i>Zecillemus tillyardi</i> (Brookes, 1927)							●						
<hr/>														
<hr/>														
<hr/>														
<hr/>														
<hr/>														
<hr/>														
<hr/>														
King Island turret snail	<i>Placostylus (Basileostythus) bollonsi caperatus</i> Powell, 1948	RC, HI, OL	●											
Flax snail (Pupuharakeke)	<i>Placostylus ambagiosus</i> Suter, 1906	RC?, HI, OL	●											
Flax snail (Pupuharakeke)	<i>Placostylus ambagiosus consobrinus</i> Powell, 1938	CD, RF, OL	●											
Flax snail (Pupuharakeke)	<i>Placostylus ambagiosus hancoxi</i>	RF, OL	●											

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally critical

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Flax snail (Pupuharakeke)	<i>Placostylus ambagiosus pandora</i> Powell, 1951	CD, HI, RF, OL	●												
Flax snail (Pupuharakeke)	<i>Placostylus ambagiosus wattii</i> Powell, 1947	CD, HI, RF, OL	●												
Flax snail (Pupuharakeke)	<i>Placostylus ambagiosus whareana</i> Powell, 1951	CD, HI, RF, OL	●												
Large land snail	<i>Powelliphanta gilliesi brunnea</i> (Powell, 1938)	CD, HI, OL													
Large land snail	<i>Powelliphanta traversi otakia</i> (Powell, 1946)	CD, HI													
<u>Indeterminate species</u>															
Bird louse	<i>Apterygon</i> sp		●												
Slug	<i>Athoracophorus</i> sp. 3 (MNZ M.151429) "Waiare"	DP	●												
Snail	<i>Charopidae</i> sp.2 (NMNZ M.88458)	OL	●												
Snail	<i>Charopidae</i> sp.9 (NMNZ M.87828)	DP	●												
Snail	<i>Cyrtora</i> sp. 2 (NMNZ M.87893)	HI, OL	●												
Snail	<i>Delos</i> sp. 1 (NMNZ M.29346)	HI, OL	●												
Snail	<i>Delos</i> sp. 3 (NMNZ M.29345)	HI, OL	●												
Stag beetle	<i>Geodorcus</i> sp. "Sisters"	DP, OL	●												
Ground weta	<i>Hemiandrus</i> "Cape Campbell"	DP													
Moth	<i>Kiwaia</i> sp. "Cloudy Bay"	HI, EF, OL													
Native bee	<i>Leioproctus</i> sp1 "Seddon"	HI, OL													
Bird louse	<i>Longimmenopon</i> sp.		●												
Ground beetle	<i>Mecodema</i> sp. "Te Paki"	DP, OL	●												

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally critical

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
Ground beetle	<i>Megadromus</i> sp. 8 "Omeo Hut"	OL												●
Moth	<i>Meterana</i> "Foveaux Strait"	HI												●
Moth	<i>Notoreas</i> "Castlepoint"	OL												
Moth	<i>Notoreas</i> "Cape Turnagain"	OL												
Moth	<i>Notoreas</i> "Mason Bay"	HI												
Moth	<i>Notoreas</i> "South Shag River"	OL												
Bird louse	<i>Penenirmus</i> sp.													
Snail	<i>Pouelliophanta</i> "Anatoki Range"	DP, OL												
Snail	<i>Pouelliophanta</i> "Baton"	DP, OL												
Snail	Punctidae sp. 1 (NMNZ M.154908)	OL												●
Snail	Punctidae sp.27 (NMNZ M.79798)	●												
Snail	Punctidae sp.6 (NMNZ M.151458)	●												
Snail	<i>Rhytidia</i> "Wairau River"	DP												
Bird louse	<i>Saemundssonia</i> ( <i>Puffinoecus</i> ) sp.													
Moth	<i>Scythris</i> sp. "stripe"	DP, OL												
Alpine grasshopper	<i>Sigaus</i> "Homer"												●	
Snail	<i>Wamnia</i> "Mount Tuhua"	DP, OL												
Indeterminate subspecies														
King Island turrett snail	<i>Placostylus</i> ( <i>Basileosythus</i> ) <i>bollonsi</i> "West"	OL												●
Flax snail (Pupuharakeke)	<i>Placostylus ambagiosus</i> "Haupatoto"	CD, HI, RF, OL												●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally critical

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
Flax snail (Pupuharakeke)	<i>Placostylus ambagiosus</i> "Kauaetewhakapeke Stream"	DP, OL	●											
Flax snail (Pupuharakeke)	<i>Placostylus ambagiosus</i> "Kohuronaki"	OL	●											
Flax snail (Pupuharakeke)	<i>Placostylus ambagiosus</i> "Poroihi"	CD, HI, RF, OL	●											
Flax snail (Pupuharakeke)	<i>Placostylus ambagiosus</i> "Tapotupotu"	OL	●											
Flax snail (Pupuharakeke)	<i>Placostylus ambagiosus</i> "Tirikawa"	●												
Large land snail	<i>Powelliphanta gilliesi</i> "Haidinger"	ST, HI, OL	●											
<b>Vascular plants</b>														
<u>Determinate species</u>														
	<i>Acaena rorida</i>	CD, OL	●											
	<i>Anzybas carsei</i> (Cheeseman) D.L.Jones et M.A.Clem.	CD, HI, RF, EF, OL	○	●										
	<i>Atriplex hollowayi</i>	CD, HI, EF	●	○										
	<i>Brachyglottis cockaynei</i> (G. Simpson et J.S. Thomson) Nord.	DP												
	<i>Brachyscome pinnata</i>	CD, HI, OL	●											
	<i>Carex dolomitica</i>	CD, OL	●											
	<i>Carmichaelia hollowayi</i>	CD, RF	●											
	<i>Carmichaelia muritai</i>	CD	●											
	<i>Ceratocephala pungens</i>	HI, EF	●											
	<i>Christella dentata</i> s.s.	CD, SO, RF, OL	●											
	<i>Clilanthus puniceus</i>	CD, HI, OL	●	●	○									
	<i>Crassula bunua</i> A.P.Druce	HI	○	●										○

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally critical

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
<i>Gunnera hamiltonii</i> Kirk		CD, ST, RF													
<i>Hebe breviracemosa</i> (W.R.B.Oliv.) Cockayne et Allan		CD, HI, OL	●												
<i>Ischnocarpus exilis</i> Heenan		CD, HI, OL			●										
<i>Leptidium banksii</i> Kirk		CD, HI			●										
<i>Leptinella filiformis</i> (Hook.f.) D.G.Lloyd et C.J.Webb		EW, CD, HI			○										
<i>Metrosideros bartlettii</i>		●													
J.W.Dawson		ST, OL			●										
<i>Myosotis albosericea</i> Hook.f.		ST, OL			●										
<i>Myosotis angustata</i> Cheeseman		ST, OL			●										
<i>Myosotis cheesemanii</i> Petrie		DP, EF			●										
<i>Neopaxia drucei</i> Heenan		ST, OL			●										
<i>Olearia gardneri</i> Heads		CD, HI, RF			●										
<i>Pennantia baylisiana</i> (W.R.B.Oliv.) G.T.S.Baylis		CD, RF, OL	●												
<i>Pittosporum turneri</i> Petrie		CD, RC	●												
<i>Poa spantia</i> Edgar et Molloy		CD, OL			●										
<i>Poa sudicola</i> Edgar		DP, ST			●										
<i>Pterostylis micromega</i> Hook.f.		CD, HI, EF	●		●										
<i>Pterostylis puberula</i> Hook.f.		HI	●		○										
<i>Puccinellia raroflorens</i> Edgar		CD, DP			○										
<i>Sebaea ovata</i> (Labill.) R.Br. Edgar		CD, SO, HI, EF			○										
<i>Sicyos australis</i> Endl.		CD, TO	●	●	●	●	●	●	●	●	●	●	●	●	●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally critical

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
<i>Tecomanthe speciosa</i> W.R.B.Oliv.	CD, RF, OL	●													
<i>Thelymitra sansilia</i> Hatch	DP, EF	●													
Determinate subspecies, forms, and varieties															
<i>Alectryon excelsus</i> subsp. <i>grandis</i>	RC, HI, OL	●													
<i>Brachylottis rotundifolia</i> var. <i>ambigua</i> (Cheeseman) Nord.	DP, OL	●													
<i>Cechnisia macmahonii</i> var. <i>macmahonii</i>	ST	●													
<i>Centipeda minima</i> subsp. <i>minima</i>	SO, EF	○	●	●	○	○	○	○	○	○	○	○	○	○	○
<i>Coprosma spathulata</i> subsp. <i>hikuriana</i>	CD, HI, RF, OL	●													
<i>Davallia tasmanii</i> subsp. <i>cristata</i> von Konrat, J.E.Braggins et de Lange	CD, RF, OL	●													
<i>Lepidium sisymbroides</i> subsp. <i>matau</i> (Petrie) Thell.	CD, HI, EF	●													
<i>Linum monogynum</i> var. <i>chathamicum</i> Cockayne (CHR 417633)	CD, EF	●													
<i>Mazus novaezeelandiae</i> subsp. <i>impolitus</i> f. <i>hirtus</i> Heenan	CD, HI	●	●	●											
<i>Myosotis australis</i> var. <i>brythonensis</i> Laing et A.Wall	CD, HI, EF		●									●			
<i>Myosotis petiolata</i> Hook.f. var. <i>petiolata</i>	DP, HI, OL	●										●			

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally critical

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
<i>Pomaderis apetala</i> subsp. <i>maritima</i> N.G.Walsh et F.Coates	CD, SO, RF	●													
<i>Wahlenbergia pygmaea</i> subsp. <i>tararua</i> J.A.Petterson	DP, ST							●							
Indeterminate species										●	○				
<i>Botrychium</i> aff. <i>lunaria</i> (CHR 289336; NW Nelson)	TO														
<i>Calochilus</i> aff. <i>herbaceus</i> (CHR 65825; Kaimaumau)	SO, EF	●	●												
<i>Cardamine</i> (c) (CHR 500569; Awrahokomo)	EF, OL	●													
<i>Cardamine</i> (c) (CHR 65058; Reporoa Bog)	DP	●													
<i>Cechnisia</i> aff. <i>gracilenta</i> (b) (CHR 469722; Mangaweka)	CD, OL	●													
<i>Cheesemania</i> aff. <i>fastigiata</i> (CHR 279206; Chalk Range)	OL														
<i>Craspedia</i> (a) (CHR 511522; Clutha River)	HI, OL	●													
<i>Craspedia</i> (b) (CHR 516324; Leatham)	CD, OL	●													
<i>Craspedia</i> (d) (CHR 245893; Otakēho)	DP	●													
<i>Craspedia</i> (i) (CHR 395643; Fyfe River)	OL	●													
<i>Craspedia</i> (j) (CHR 516302; Lake Heron)	HI, OL	●													
<i>Euphrasia</i> (a) (CHR 471903; “white”)	EF, OL	●													

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally critical

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
	<i>Festuca</i> aff. <i>novaezelandiae</i> (CHR 252541; Awahokomo)	CD, EF, OL												●
	<i>Gentianella</i> (b) (AK 232641; Red Hills)	DP												
	<i>Gentianella</i> aff. <i>astonii</i> (a) (CHR 529112; Mt Brown)		●											
	<i>Gentianella</i> aff. <i>astonii</i> (b) (CHR 529111; Pareora River)	OL		●										
	<i>Gentianella</i> aff. <i>astonii</i> (e) (CHR 542276; Manahune)	OL		●										
	<i>Gentianella</i> aff. <i>saxosa</i> (AK 7316; Charleston)	OL			●									
	<i>Hebe</i> aff. <i>bishopiana</i> (AK 202263; Hikurangi Swamp)	CD, HI, OL		●										
	<i>Hebe</i> aff. <i>macrocarpa</i> var. <i>latisepala</i> (AK 250801; Great Barrier Island)	DP		●										
	<i>Hebe</i> aff. <i>rigidula</i> (b) (CHR 192300; D'Urville Island)	DP				●								
	<i>Hypsela</i> aff. <i>rivalis</i> (CHR 369981; Burgoo Stream)				EF, OL		●							
	<i>Isoetes</i> aff. <i>kirkii</i> (CHR 247118A; Lake Omapere)	OL						●						
	<i>Koeleria</i> aff. <i>novozelandica</i> (AK 252546; Awahokomo)	CD, OL							●					
	<i>Leptium</i> aff. <i>oleraceum</i> (a) (AK 230459; Chatham Islands)	CD, OL								●				

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally critical

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
<i>Leptidium</i> aff. <i>oleraceum</i> (d) (AK 255607; Mangere)		EF, OL													
<i>Leptinella</i> (a) (CHR 515297; Clutha River)			●												
<i>Limosella</i> (b) (CHR 515038; Manutahi)		ST		●											
<i>Melicytus</i> aff. <i>alpinus</i> (a) (AK 230926; Wairarapa)		RF, OL			●										
<i>Melicytus</i> aff. <i>obovatus</i> (b) (AK 235617; Mount Burnett)		CD				●									
<i>Microtis</i> aff. <i>unifolia</i> (CHR 532775; Fox)		DP, OL													
<i>Myosotis</i> (b) (CHR 386966; Mt Tapuae-O-Uenuku)		DP			●										
<i>Pimelea</i> (a) (CHR 495025; Turakina)		CD, HI		●											
<i>Pimelea</i> aff. <i>ardula</i> (a) (CHR 282959; Te Mata Peak)		OL			●										
<i>Pratia</i> aff. <i>angulata</i> (AK 212143; Woodhill)				●											
<i>Ranunculus</i> (a) (AKU 19876; Hope)					●										
<i>Ranunculus</i> aff. <i>royi</i> (CHR 513327; Waihao)		HI, OL				●									
<i>Thelymitra</i> (a) (WELT 79140; Ahipara)		CD, DP, HI, EF					●								
<i>Tmesipteris</i> aff. <i>tannensis</i> (CHR 496779; Banks Peninsula)		DP, OL						●							
<i>Trichomanes</i> (AK 252983; Kerikeri)		DP, OL		●											

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Nationally critical														
Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)								●	●?	●	
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
	<i>Trisetum</i> aff. <i>lepidum</i> (CHR 251835; Awrahokomo)	CD, EF												
	<i>Uncinia perplexa</i> Heenan et de Lange	CD, HI, OL	●											

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally endangered

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
<b>Bats</b>														
Determinate subspecies														
Northern short-tailed bat	<i>Mystacina tuberculata</i>	DP, HI	●											
Southern short-tailed bat	<i>Mystacina tuberculata</i>	DP, HI		●										
Indeterminate subspecies														
Long-tailed bat (South Island)	<i>Chalinolobus tuberculata</i>	DP, HI (South Island)	●		●									
<b>Birds</b>														
Determinate species														
Australasian bittern	<i>Botaurus poiclopterus</i>	SO, HI	●	●	●	●	●	●	●	●	●	●	●	
Forbes' parakeet	<i>Cyanoramphus forbesi</i>	CD, RC, HI, OL												
Erect-crested penguin	<i>Eudyptes sclateri</i>													
Blue duck, whio	<i>Hymenolaimus malachorhynchos</i>	HI	○	○	●	●	●	●	●	○	●	●	●	
Yellowhead, mohua	<i>Mohoua ochrocephala</i>	HI, EF												
Kea	<i>Nestor notabilis</i>													
Chatham petrel	<i>Pterodroma axillaris</i>	CD, OL												
Kermadec petrel	<i>Pterodroma neglecta</i>	SO, HI	●											
Hutton's shearwater	<i>Puffinus huttoni</i>	HI, OL												
Determinate subspecies														
Stewart Island fernbird, Matata	<i>Bowdleria punctata stewartiana</i>	ST, HI											●	
North Island kokako	<i>Callaeas cinerea wilsoni</i>	CD, HI, RF	●	●	●	●	●	●	●	○	●	●	●	
Reef heron	<i>Egretta sacra sacra</i>	DP, SO, HI	●	●	●	●	●	●	●	●	●	●	●	
North Island weka	<i>Gallirallus australis greyi</i>	HI, EF	○	●	●	●	●	●	●	○	○	●	●	
Stewart Island weka	<i>Gallirallus australis scotti</i>	ST, HI												●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally endangered

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
South Island kaka	<i>Nestor meridionalis</i> <i>meridionalis</i>	HI													
North Island kaka	<i>Nestor meridionalis</i> <i>septentrionalis</i>	HI	●	●	●	●	●	●	●	●	●	●	●	●	●
Stewart Island robin	<i>Petroica australis rakiura</i>	ST, HI													
Chatham Island tit	<i>Petroica macrocephala</i> <i>chathamensis</i>	RC, HI	●												
South Island saddleback, tieke	<i>Philesturnus carunculatus</i> <i>carunculatus</i>	HI								●	○	○	○	○	●
Chatham Island tui	<i>Prosthemadera</i> <i>novaeseelandiae</i> <i>chathamensis</i>	ST, HI, OL	●												
<u>Indeterminate subspecies</u>															
Brown teal	<i>Anas chlorotis</i> "North Island"	HI	●	●	●	●	○	○	○	●	○	○	○	○	●
Southern falcon	<i>Falco novaeseelandiae</i> "southern"									●				●	
<b>Bryophytes</b>															
Determinate species															
Moss	<i>Archidium elatum</i> Dixon & Sainsbury	DP	●												
Moss	<i>Didymodon calycinus</i> Dixon	DP									○?				
Moss	<i>Fissidens berteroii</i> (Mont.) Mull.Hal.	S:O	●	●						●	○?				
Moss	<i>Fissidens integerrimus</i> Mitt.	S:O													
Moss	<i>Fissidens strictus</i> Hook.f. & Wilson	S:O	●	●											
Liverwort	<i>Petalophyllum australis</i>		○		●							●		●	

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally endangered

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Liverwort	<i>Petalophyllum preissii</i>	S?O			●										
Moss	<i>Physcomitrium pusillum</i> Hook.f. & Wilson				●									●	
Determinate subspecies															
Moss	<i>Physcomitrella patens</i> subsp. <i>reuteri</i> (Mull.Hal.) B.C.Tan	S?O		●											
Freshwater fish								●							
Determinate species															
Canterbury mudfish	<i>Neochanna burrowsius</i>	DP													
Northland mudfish	<i>Neochanna beloios</i>	●													
Frog															
Indeterminate species															
Maud Island frog	<i>Leiopelma pakeka</i>	CD, RC, HI, OL													
Marine invertebrates															
Determinate species															
Squid	<i>Ildoteuthis cordiformis</i> (Chun, 1908)	SO, HI					●								
Lamp shell	<i>Pumilus antiquatus</i>								●						
Indeterminate species															
Barnacle	Iblomorph N. gen. & sp.	DP, HI, OL	●												
Marine mammal															
Determinate species															
Southern right whale	<i>Eubalaena australis</i>	RC, SO, HI	●	●	●	●	●	●	●	●	●	●	●	●	
Reptiles															

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally endangered

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
<b>Determinate species</b>															
Grand skink	<i>Oligosoma grande</i>	CD, HI												●	
Chevron skink	<i>Oligosoma hamiltonorum</i>	HI												●	
Otago skink	<i>Oligosoma otagense</i>	CD, HI												●	
Brothers Island tuatara	<i>Sphenodon guntheri</i>	ST												●	
<b>Terrestrial invertebrates</b>															
<b>Determinate species</b>															
Bird louse	<i>Acidoprocus gottwaldiirschi</i> (Eichler, 1958)		○	○	●	●	●	●	●	○	●	●	●	●	
Snail	<i>Allodiscus fallax</i> Powell	OL	●												
Cook Strait click beetle	<i>Amychus granulatus</i> (Broun, 1886)	HI						●			○				
Stephens Island weevil	<i>Anagotus stephensis</i> Kuschel, 1982		HI, OL					●							
Moth	<i>Asaphodes frivola</i>	DP												●	
Moth	<i>Asaphodes stinaria</i> (Guenée, 1868)	DP						●						●	
Bird louse	<i>Austrogoniodes struthaeus</i> Harrison, 1915													●	
Robust grasshopper	<i>Brachaspis robustus</i> Bigelow, 1967 s.s.		HI											●	
Moth	<i>Cephalissa sirta</i>	HI												●	
Bird louse	<i>Colpocephalum pilgrimi</i> Price, 1967													●	
Herekopare weta	<i>Deinacrida carinata</i> Salmon, 1950		DP											●	
Little Barrier giant weta	<i>Deinacrida heteracantha</i> White, 1842	HI, OL	○	●											

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally endangered

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Mahoenui giant weta	<i>Deinacrida mahoenui</i> Gibbs, 1999	CD, ST, HI	●												
Spider	<i>Dolomedes schauinslandi</i>	OL			●										
Moth	<i>Ericodesma aerodama</i>	DP		●											
Snail	<i>Flammulina tepakiensis</i> Gardner	DP	●												
Bird louse	<i>Forficulococcus meinertzhageni</i> Guimaraes, 1974		●	●	●	●	●	●	●	●	●	●	●	●	
Bird louse	<i>Forficulococcus piligrimi</i> Guimaraes, 1985		○	○						○	○	○	○	○	
Moth	<i>Helastia expolita</i>	DP		●	●	●	●	●	●	●	●	●	●	●	
Bird louse	<i>Heteromenopon</i> ( <i>Keamenopon</i> ) <i>kea</i> (Kellogg, 1907)		●	●	●	●	●	●	●	●	●	●	●	●	
Moth	<i>Kiwaia jeanae</i>	HI, OL						●							
Darkling beetle	<i>Mimopeus parallelus</i> Watt, 1988	HI				●									
Bird louse	<i>Neopsittaconirmus kea</i> (Kellogg, 1907)		●	●	●	●	●	●	●	●	●	●	●	●	
Moth	<i>Orocrambus sophistes</i>	HI													
Bird louse	<i>Philopterus novaezealandiae</i> Palma & Price, 2000		●	●	●	●	●	●	●	●	●	●	●	●	
Snail	<i>Pbrinxnathus murdochii</i> Suter	DP	●												
Scarab/chafers Beetle	<i>Prodontria bicolorata</i> Given, 1964	HI													
Cromwell chafer beetle	<i>Prodontria lewisi</i> Broun, 1904	CD, OL													
Snail	<i>Rhytidida oconnori</i> Powell, 1946	OL								●	○				

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally endangered

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)										
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA
Weevil	<i>Stephanorhynchus insolitus</i> Brown, 1893												
Bird louse	<i>Trabeculus flemingi</i> Timmermann, 1959												
Snail	<i>Wainua clarki</i>	DP											
Determinate subspecies													
Stephens Island ground beetle	<i>Mecodema costellum costellum</i> Broun, 1903	CD, HI, OL											
King Island turrett snail	<i>Placostylus (Basileosythus) bollonsi arbutus</i> Powell, 1948	RC, HI, OL	●										
King Island turrett snail	<i>Placostylus (Basileosythus) bollonsi bollonsi</i> Suter, 1908	RC, HI, OL	●										
Flax snail (Pupuharakeke)	<i>Placostylus ambagiosus annectens</i> Powell, 1938	CD, RF	●										
Flax snail (Pupuharakeke)	<i>Placostylus ambagiosus keenorum</i> Powell, 1947	CD, ST, RF, OL	●										
Flax snail (Pupuharakeke)	<i>Placostylus ambagiosus michiei</i> Powell, 1951	CD, RF, OL	●										
Flax snail (Pupuharakeke)	<i>Placostylus ambagiosus paraspiritus</i> Powell, 1951	CD, HI, RF	●										
Large land snail	<i>Powelliphanta gilliesi aurea</i> (Powell, 1946)	HI, OL											
Large land snail	<i>Powelliphanta gilliesi gilliesi</i> (Smith, 1880)	CD, OL											
Large land snail	<i>Powelliphanta gilliesi jamesoni</i> (Powell, 1936)	CD, RF, OL											
Large land snail	<i>Powelliphanta gilliesi kaburangica</i> (Powell, 1936)	CD, OL											

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recovering Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally endangered

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
Large land snail	<i>Powelliphanta gilliessi montana</i> (Powell, 1936)	CD, RF, OL												
Large land snail	<i>Powelliphanta lignaria johnstoni</i> (Powell, 1946)	CD, RF												●
Large land snail	<i>Powelliphanta lignaria rotella</i> (Powell, 1938)	CD, HI, RF												●
Large land snail	<i>Powelliphanta lignaria ruforadiata</i> (Powell, 1949)	CD, OL												●
Large land snail	<i>Powelliphanta rossiana rossiana</i> (Powell, 1930)	DP												
Large land snail	<i>Powelliphanta superba harveyi</i> (Powell, 1946)	CD, RF, OL												●
Large land snail	<i>Powelliphanta superba mouatae</i> (Powell, 1946)	CD, RF, OL												●
Large land snail	<i>Powelliphanta superba prouseorum</i> (Powell, 1946)	DP, RF, OL												●
Large land snail	<i>Powelliphanta superba richardsoni</i> (Powell, 1946)	CD, RF, OL												●
Large land snail	<i>Powelliphanta traversi florida</i> (Powell, 1946)	CD, HI												●
Large land snail	<i>Powelliphanta traversi kroputaroa</i> (Powell, 1946)	CD, HI												●
Large land snail	<i>Powelliphanta traversi latizona</i> (Powell, 1949)	HI												●
Large land snail	<i>Powelliphanta traversi tararuensis</i> (Powell, 1938)	HI												●
Large land snail	<i>Powelliphanta traversi traversi</i> (Powell, 1930)	CD, HI												●
Indeterminate species														

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally endangered

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TT	WG	WL	NM	WC	CA	OT
Bird louse	<i>Anaticola</i> sp.		●	●	●	●	○	○	●	○	○	○	○	●
Grasshopper	<i>Brachaspis</i> "lowland"	DP												●
Bird louse	<i>Brueelia</i> sp.		●	●	●	●	●	●	○	○	○	○	○	○
Bird louse	<i>Brueelia</i> sp.													●
Snail	<i>Charopidae</i> sp.10 (NMNZ M.79360)	DP, OL												●
Snail	<i>Charopidae</i> sp.5 (NMNZ M.99147)	●												
Snail	<i>Charopidae</i> sp.7 (NMNZ M.58110)	DP, OL	●											
Snail	<i>Cyrtora</i> sp. 3 (NMNZ M.151437)	DP, HI, OL	●											
Moth	<i>Dichromodes</i> "Cloudy Bay"	DP, ST?, HI, OL												
Moth	<i>Gingidiobora subobscurata</i> species complex "eastern Otago"	HI												●
Carabid	<i>Loxomerus</i> sp "Bollons Island"	DP, OL												●
Moth	<i>Notoreas</i> "Cape Campbell"	HI												●
Moth	<i>Notoreas</i> "northern"	HI												●
Moth	<i>Notoreas</i> "Rahu Saddle"	DP, HI												●
Large land snail	<i>Powelliphanta</i> "Buller River"													●
Large land snail	<i>Powelliphanta</i> "Denniston" (= <i>P. rossiana patrickensis</i> (Powell 1949))	HI, OL												●
Large land snail	<i>Powelliphanta</i> "Gunner River"	CD, DP, RF												●
Large land snail	<i>Powelliphanta</i> "Maungahauuru"	HI												●
Large land snail	<i>Powelliphanta</i> "Owen"	DP												●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally endangered

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
Large land snail	<i>Powelliphanta "Parapara"</i>	CD, RF, OL												
Moth	<i>Protosynaema</i> sp. "olearia"	HI												●
Snail	Punctidae sp.12 (NMNZ M.87990)	OL	●											
Snail	Punctidae sp.20 (M. 116650, "Microlaoma unicolorata")	DP	●											
Snail	Punctidae sp.8 (NMNZ M.68410)	DP	●											
<u>Indeterminate subspecies</u>														
Flax snail (Pupuharakeke)	<i>Placostylus ambagiosus</i> "nouvelle"	HI, RF, OL	●											
Flax snail (Pupuharakeke)	<i>Placostylus ambagiosus</i> "Te Paki"	CD, ST, OL	●											
Large land snail	<i>Powelliphanta gilliesi</i> "Heaphy"	CD, RF, OL												
Large land snail	<i>Powelliphanta hochstetteri anatoliensis</i> (Powell, 1938) red form	CD, RF, OL												
Large land snail	<i>Powelliphanta hochstetteri anatoliensis</i> (Powell, 1938) yellow form	CD, RF												
Large land snail	<i>Powelliphanta superba</i> "Goulburn Range"	DP, OL												
<u>Vascular plants</u>														
Determinate species	<i>Aciphylla traversii</i>	CD, EF, OL												
	<i>Amphibromus fluitans</i>	EF	●	●	●	●						●	●	○
	<i>Asplenium pauperequitum</i>	CD, HI, EF	●											

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally endangered

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
	<i>Astelia chathamica</i>	CD, RF, OL													
	<i>Brachyglottis huntii</i>	CD, RC, HI, OL													
	<i>Bulbinella modesta</i>	DP	●												
L.B.Moore															
	<i>Carex inopinata</i>	CD													
	<i>Carmichaelia curta</i>	HI													
	<i>Carmichaelia juncea</i>	HI, EF									○	○	○		
	<i>Carmichaelia kirkii</i>	DP													
	<i>Carmichaelia williamsii</i>		●	●	●	●	●								
	<i>Clitanthus maximus</i>				○	●	●								
	<i>Coprosma waimea</i>	CD	●												
Connor	<i>Cortaderia turbaria</i>	CD, RF, OL													
	<i>Crassula peduncularis</i>	SO, EF													
	<i>(Smith) F.Meigen</i>														
	<i>Embergeria grandifolia</i>	OL													
	<i>(Kirk) Boullos</i>														
	<i>Epacris sinclairii</i> Hook.f.	RC			●	●									
	<i>Hebe armstrongii</i>	CD, HI													
	<i>(J.B.Armstr.) Cockayne et Allan</i>														
	<i>Hebe salicornoides</i>	RF													
	<i>(Hook.f.) Cockayne et Allan</i>														
	<i>Hebe speciosa</i> (A.Cunn.)	CD, RF			●	●									
	<i>Cockayne et Allan</i>														
	<i>Helichrysum dimorphum</i>	CD, HI, RF													
	<i>Cockayne</i>														
	<i>Lepidium kirkii</i> Petrie	CD, HI, EF													
	<i>Lepidium oleraceum</i>	CD, HI, EF			●	●	●			○					
G.Forst. s.s.															

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally endangered

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
<i>Leptinella nana</i> (D.G.Lloyd) D.G.Lloyd et C.J.Webb	CD, EF													●	
<i>Myosotidium hortensia</i> (Decne.) Baill.	CD, OL													●	
<i>Myosotis colensoi</i> (Kirk) Macbride	CD, EF													●	
<i>Myrsine argentea</i> Heenan et de Lange	CD, OL													●	
<i>Olearia pachyphylla</i> Cheeseman	HI													●	
<i>Olearia polita</i> H.D.Wilson et Garn.-Jones	CD													●	
<i>Ophioglossum petiolatum</i> Hook.	CD, SO, HI													●	
<i>Phylloglossum drummondii</i> Kunze	SO, HI, EF													○	
<i>Picris burridgei</i> S.Holzapfel	SO													●	
<i>Pittosporum obcordatum</i> Raoul	CD, RF													●	
<i>Pittosporum patulum</i> Hook.f.	CD, RF													●	
<i>Pomaderris phyllicolia</i> Lodd.	SO													●	
<i>Rorippa divaricata</i> (Hook.f.) Garn.-Jones et Jonsell	CD, EF													●	
<i>Senecio kermadecensis</i> Belcher	EF														
<i>Senecio scaberulus</i> (Hook.f.) D.G.Drury	HI, EF													○	
<i>Simplicia laxa</i> Kirk	CD, HI													●	
<i>Todea barbara</i> (L.) Moore	SO													●	

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally endangered

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
	<i>Triglochin palustris</i> L.	SO											●	●
	<i>Uncinia strictissima</i> (Kük.) Petrie	DP, HI											●	●
Determinate subspecies, forms, and varieties														
	<i>Australopyrum calcis</i> subsp. <i>calcis</i>	CD, ST, OL	●											
	<i>Boehmeria australis</i> var. <i>dealbata</i>	OL	●											
	<i>Heleohebe raoulii</i> subsp. <i>maccaskillii</i> (Allan) Garn.-Jones	●												
	<i>Juncus holoschoenus</i> R.Br. var. <i>holoschoenus</i>	DP, SO	●	●	●						○			
	<i>Leptidium sisymbrioides</i> subsp. <i>kawarae</i> (Petrie) Thell.	CD, HI			●									
	<i>Myosotis petiolata</i> var. <i>pansa</i> L.B.Moore	EF	●	●							○	●		
	<i>Myosotis pygmaea</i> var. <i>glaucia</i> G.Simpson et J.S.Thomson	CD, EF			●						○	●		
	<i>Myosurus minimus</i> subsp. <i>novae-zelandiae</i> (W.R.B.Oliv.) Garn.-Jones	HI, EF				●	●					●		
	<i>Oreomyrrhis colensoi</i> var. <i>delicatula</i> Allan	CD, DP						●				●		
	<i>Pittosporum ellipticum</i> subsp. <i>serpentinum</i> de Lange	CD, HI, RF	●											
Indeterminate species														

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally endangered

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
	<i>Ackama</i> (AK 253151, Waima forest)	CD, HI, RF, OL	●											
	<i>Brachyscome</i> (a) (WELT 10278; Ward)													
	<i>Cardamine</i> (a) (CHR 312947; “tarn”)	DP, EF			●							●?	●?	
	<i>Cardamine</i> (b) (CHR 511706; Pisa Range)	DP										●		
	<i>Craspedia</i> (e) (CHR 514391; “tarn”)	CD, OL			●									
	<i>Gingidia</i> aff. <i>montana</i> (a) (CHR 510570; Mount Burnett)				●									
	<i>Hebe</i> aff. <i>albicans</i> (CHR 252966; Mount Burnett)					●								
	<i>Hibiscus</i> aff. <i>trionum</i> (AK 218967; North Island)				●									
	<i>Lepidium</i> aff. <i>oleraceum</i> (b) (AK 208579; Antipodes)	CD, EF				●								
	<i>Lepidium</i> aff. <i>oleraceum</i> (c) (CANU 5995; Snates)	DP												
	<i>Melicytus</i> (a) (CHR 355077; Matiri Range)						●							
	<i>Myosotis</i> aff. <i>pygmaea</i> (CHR 244566; Volcanic Plateau)	CD			●									
	<i>Olearia</i> (a) (AK 254778; Hauturu Range)	CD	●											
	<i>Pimelea</i> aff. <i>aridula</i> (b) (AK 230900; Cook Strait)	OL												
	<i>Ranunculus</i> aff. <i>stylosus</i> (CHR 515131; Manahune)	HI, OL										●		

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally endangered

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
	<i>Rhopalostylis aff. sapida</i> (AK 227148; Chatham Islands)	CD								●				

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally vulnerable

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Bat															
Indeterminate subspecies															
Long-tailed bat (North Island)	<i>Chalinolobus tuberculata</i> (North Island)	DP, HI	●	●	●	●	●	●	●	●	●	●	●	●	●
Birds															
Determinate species															
Wrybill, ngutu-parore	<i>Anarhynchus frontalis</i>	RF	●	●	●	●	●	●	●	●	●	●	●	●	●
Northern royal albatross, toroa	<i>Diomedea sanfordi</i>		●	●	●	●	●	●	●	●	●	●	●	●	●
Stewart Island shag	<i>Leucocarbo chalcopterus</i>	HI	●	●	●	●	●	●	●	●	●	●	●	●	●
Yellow-eyed penguin	<i>Megadyptes antipodes</i>	ST, HI	●	●	●	●	●	●	●	●	●	●	●	●	●
Caspian tern	<i>Sterna caspia</i>	SO	●	●	●	●	●	●	●	●	●	●	●	●	●
New Zealand black-browed mollymawk	<i>Thalassarche impavida</i>	ST, OI													
Rock wren	<i>Xenicus gilviventeris</i>	DP	●	●	●	●	●	●	●	●	●	●	●	●	●
Determinate subspecies															
White-flipped penguin	<i>Eudyptula minor albosignata</i>	HI	●	●	●	●	●	●	●	●	●	●	●	●	●
Indeterminate subspecies															
Bush falcon	<i>Falco novaeseelandiae</i> "bush"		○	○	●	●	●	●	●	●	●	●	●	●	●
Freshwater fish															
Indeterminate species															
Possible new non-diadromous galaxias	<i>Galaxias</i> sp. D.	DP										●	●		

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recovery Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally vulnerable

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC
<b>Marine mammal</b>												
Indeterminate subspecies												
Hector's dolphin	<i>Cephalorhynchus hectori</i> "South Island"	CD	●	●	●	●	●	●	●	●	●	●
<b>Terrestrial invertebrates</b>												
Determinate species												
Snail	<i>Ambonychia tarangensis</i>	OL	●									
Snail	<i>Powelliphanta fiordlandica</i> (Chlomo, 1971)	DP										
Determinate subspecies												
Large land snail	<i>Powelliphanta gilliesi</i> <i>compta</i> (Powell, 1930)	CD, OL	●									
Large land snail	<i>Powelliphanta lignaria</i> <i>lignaria</i> (Hutton, 1888)	CD, OL		●								
Large land snail	<i>Powelliphanta lignaria</i> <i>lusca</i> (Powell, 1949)	CD, OL			●							
Large land snail	<i>Powelliphanta lignaria</i> <i>oconnori</i> (Powell, 1938)	CD				●						
Large land snail	<i>Powelliphanta lignaria</i> <i>unicolorata</i> (Powell, 1930)						●					
Snail	<i>Rhytidia greenwoodi webbi</i> Powell, 1949							●				
<b>Vascular plants</b>												
Determinate species	<i>Aciphylla dieffenbachii</i>	CD, HI, EF, OL										●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally vulnerable

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
	<i>Carmichaelia carmichaeliae</i> (Hook.f.) Heenan	DP, RF												●
	<i>Dracophyllum urvilleanum</i> A. Rich.	CD, OL			●									
	<i>Hebe barkeri</i> (Cockayne) Cockayne													
	<i>Hebe bishopiana</i> (Petric) Hatch	CD				●								
	<i>Hebe cupressoides</i> Hook.f.	CD, HI								○				
	<i>Hebe dieffenbachii</i> (Benth.) Cockayne et Allan		●											
	<i>Hebe perbella</i> de Lange		●											
	<i>Hibiscus diversifolius</i> Jacq.	SO	●											
	<i>Lepidium flexicaule</i> Kirk	CD, TO, EF	●		○									
	<i>Leptinella featherstonii</i> F.Muell.	CD			●									
	<i>Lycopodiella serpentina</i> (Kunze) B.Øllg.	TO	●			●								
	<i>Muehlenbeckia astonii</i> Petrie	CD, RF			●									
	<i>Olearia hectorii</i> Hook.f.	CD, RF				○								●
	<i>Pittosporum dallii</i> Cheeseman	CD, RF									●			
	<i>Ranunculus ternatifolius</i> Kirk							●			●			
	<i>Scutellaria novae-zelandiae</i> Hook.f.	CD									●			
<u>Determinate subspecies, forms, and varieties</u>														
	<i>Australopyrum calcis</i> subsp. <i>opifiatum</i>	CD												●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Nationally vulnerable

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)										
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA
		RF						●					
<i>Dracophyllum longifolium</i> var. <i>septentrionale</i> W.R.B. Oliv.													
<i>Myosotis pygmaea</i> var. <i>minutiflora</i> G. Simpson et J. S. Thomson		EF						●	●		●	●	●
Indeterminate species													
<i>Hebe</i> aff. <i>rigidula</i> (a) (WAIK 5822; Awaroa Valley)		CD											
<i>Kunzea</i> aff. <i>ericoides</i> (a) (AK 255350; Thornton)			CD, RC, OL			●	●?						
<i>Prasophyllum</i> aff. <i>patens</i> (AK 236408; New Zealand)		CD, DP		●	●		●	●					

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Serious decline

Common name	Taxon	Qualifiers	NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
<b>Birds</b>															
Determinate species															
North Island brown kiwi	<i>Apteryx mantelli</i>	HI, RF	●	●	●	●	●	●	●	●	●	●	●	●	●
Black-billed gull	<i>Larus bulleri</i>	HI	●	●	●	●	●	●	●	●	●	●	●	●	●
Black-fronted tern	<i>Sterna albostriata</i>	HI	●	●	●	●	●	●	●	●	○	●?	●	●	●
Grey-headed mollymawk	<i>Thalassarche chrysostoma</i>	TO, OL	●	●	●	●	●	●	●	●	●	●	●	●	●
Chatham Island mollymawk	<i>Thalassarche eremita</i>	OL	●	●	●	●	●	●	●	●	●	●	●	●	●
Determinate subspecies															
Grey Duck	<i>Anas superciliosa</i> <i>superciliosa</i>	SO	●	●	●	●	●	●	●	●	●	●	●	●	●
Western weka	<i>Gallirallus australis</i> <i>australis</i>	HI, EF	●	●	●	●	●	●	●	●	●	●	●	●	●
Eastern rockhopper penguin	<i>Eudyptes chrysocome filholi</i>	TO	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Freshwater fish</b>															
Determinate species	<i>Galaxias gracilis</i>	CD	●	●	●	●	●	●	●	●	●	●	●	●	●
Dwarf inanga	<i>Galaxias sp</i>	CD	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Indeterminate species</b>															
Dune lakes galaxias	<i>Galaxias sp</i>	CD	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Fungus</b>															
Determinate species	<i>Melampsora novaezelandiae</i>	●	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Marine invertebrates</b>															
Determinate species	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Serious decline		Qualifiers										Conservancy (●=present; ○=locally extinct)						
Common name	Taxon	NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL				
Coral	<i>Emallopssammia maranzellieri</i>	DP, S?O, HI																
Coral	<i>Madrepora oculata</i>	DP, S?O, HI																
Octopus	<i>Octopus kaharoa</i> O'Shea, 1999	DP																
Indeterminate species																		
Gorgonian	<i>Iridogorgia</i> sp.	DP, SO?, HI																
Gorgonian	<i>Metallogorgia</i> cf. <i>melanotrichos</i>	DP, SO?, HI	●															
Reptile																		
Determinate species																		
Small-scaled skink	<i>Oligosoma microlepis</i>	DP			●													
Terrestrial invertebrates																		
Determinate species																		
Bird louse	<i>Apterygon mirum</i> Clay, 1961		●	●	●			●										
Moth	<i>Kupea electilis</i>	OL						●										
Black Katipo Spider	<i>Latrodectus atritus</i>	HI		●	●			●										
Katipo Spider	<i>Latrodectus katipo</i>	HI						●	●									
Large land snail	<i>Powelliphanta annectens</i> (Powell, 1936)	CD, RF																
Large land snail	<i>Powelliphanta marchanti</i> (Powell, 1932)	CD							●									
Snail	<i>Schizoglossa worthyae</i>	DP		●	●													
Snail	<i>Succinea archeyi</i>		●															
Determinate subspecies																		

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Serious decline

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
Ground beetle	<i>Mecodema costellum obesum</i> Townsend, 1965	DP												
Snail	<i>Powelliphanta spedeni spedeni</i> (Powell, 1932)	HI												●
Large land snail	<i>Powelliphanta superba superba</i> (Powell, 1930)	CD, RF												●
Indeterminate species														
Moth	<i>Kiwaia "plains jumper"</i>	DP, HI												
Moth	<i>Notoreas "Taranaki Coast"</i>			●										
Large land snail	<i>Powelliphanta "Urewera"</i>		●											
Moth	<i>Pseudocoremia</i> sp.	HI												
	"knobby"													
Alpine grasshopper	<i>Sigaus</i> sp. A	DP												
<b>Vascular plants</b>														
Determinate species														
	<i>Carex litorosa</i> Bailey	DP, HI	○	●	●									●
	<i>Cheesemania stellata</i>	DP											●	
	<i>Dactylanthus taylorii</i>	CD, RF	●	●	●	●			●	●	○	○		
	Hook.f.													
	<i>Dauca glomerata</i>	DP, SO	●	●	○	○			●	●				●
	(Labill.) Fisch., Mey. Et Lallemand													
	<i>Drymoanthus flavus</i>		●						●	●				●
	St. George et Molloy													
	<i>Euphorbia glauca</i> G.Forst.	EF	●	●	●	●	○		●	●	○	●		●
	<i>Hebe acuta</i> Garn.-Jones	CD												
	<i>Hebe laevigata</i>	CD												
	<i>Hydatella inconspicua</i>	EF												●
	(Cheeseman) Cheeseman													

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Serious decline		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL					
		<i>Isolepis basilaris</i> Hook.f.		EF				●	●	●	●	●	●	●	●	●	
		<i>Luzula celtata</i> Edgar		CD, SO				●	●	●	●	●	●	●	●	●	
		<i>Marattia salicina</i> Smith															
		<i>Olearia fimbriata</i> Heads															
		<i>Pimelea tomentosa</i>		EF				●	●	●	●	●	●	●	●	●	
		(J.R.Forst. et G.Forst.) Druce s.s.															
		<i>Pittosporum kirkii</i> Hook f.		CD				●	●	○	●	●	●	●	●	●	
		<i>Plagianthus chathamicus</i>		CD, RC				●									
		Cockayne															
		<i>Plumatochilus tasmanica</i>		SO, EF				●	●	●	●	●	●	●	●	●	
		(D.L.Jones) Szlach.															
		<i>Pterostylis paludosa</i>		EF				●									
		D.L.Jones, Molloy et M.A.Clem.															
		<i>Ranunculus macropus</i>		HI				●	●	●	●	●	●	●	●	●	
		Hook.f.															
		<i>Veronica irrigans</i> Kirk		DP				●									
		<u>Determinate subspecies, forms, and varieties</u>															
		<i>Brachyglottis kirkii</i> var. <i>kirkii</i>			●	●	●	●	●	●	●	●	●	●	●	●	
		<i>Kunzea ericoides</i> var. <i>linearis</i> (Kirk) W. Harris			●	●											
		<i>Mazus novaezeelandiae</i> subsp. <i>impolitus</i> Heenan f. <i>impolitus</i>		CD, HI		●	●	●	●	●	●	●	●	●	●	●	
		<i>Mazus novaezeelandiae</i> W.R.Barker subsp. <i>novaeseelandiae</i>		CD, HI		○	●			●	●						
		<i>Myosotis pygmaea</i> Colenso var. <i>pygmaea</i>		DP						●	●	●	●	●	●	●	

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Serious decline		Conservancy (●=present; ○=locally extinct)														
Common name	Taxon	Qualifiers		NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
	<i>Parabebe cataractae</i> subsp. <i>lanceolata</i>	DP				○								●		
Indeterminate species								●								
	<i>Hypericum</i> aff. <i>japonicum</i> (a) (CHR 16589; Volcanic Plateau)	DP														
	<i>Pimelea</i> aff. <i>arenaria</i> (AK 216133; Southern New Zealand)			DP, RF					●	●						
	<i>Pittosporum</i> aff. <i>crassifolium</i> (AK 253259; Raoul Island)		RF, OL				●									
	<i>Sicyos</i> aff. <i>australis</i> (AK 252822; New Zealand)			HI									●		○	

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Gradual Decline		Qualifiers										Conservancy (●=present; ○=locally extinct)					
Common name	Taxon	NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL			
<b>Birds</b>																	
Determinate species																	
Southern tokoeka	<i>Apteryx australis</i>	HI, RF															
Great spotted kiwi	<i>Apteryx haastii</i>	HI, RF															
Yellow-crowned kakariki	<i>Cyanoramphus auriceps</i>	HI, EF															
Long-tailed cuckoo	<i>Eudynamys taitensis</i>	DP, HI															
Fiordland crested penguin	<i>Eudyptes pachyrhynchos</i>	HI															
New Zealand pigeon, kereru, kūkupa	<i>Hemiphaga novaeseelandiae</i>	RF															
Antarctic prion	<i>Pachyptila desolata</i>	SO															
Light-mantled sooty albatross	<i>Phoebetria palpebrata</i>	DP, SO															
Grey petrel	<i>Procellaria cinerea</i>	SO, HI															
Black petrel	<i>Procellaria parkinsoni</i>	HI	○	○	○	○	○	○	○	○	○	○					
Cook's petrel, titi	<i>Pterodroma cookii</i>	RF	●	●	●	●	●	●	●	●	●	●					
Flesh-footed shearwater	<i>Puffinus carneipes</i>	SO	●	●	●	●	●	●	●	●	●	●					
Sooty shearwater	<i>Puffinus griseus</i>		●	●	●	●	●	●	●	●	●	●					
Determinate subspecies																	
Banded dotterel	<i>Charadrius bicinctus</i>	●	●	●	●	●	●	●	●	●	●	●					
Northern little blue penguin	<i>Eudyptula minor irideata</i>	HI, EF	●	●	●	●	●	●	●	●	●	●					
Southern little blue penguin	<i>Eudyptula minor minor</i>	HI															
New Zealand sooty tern	<i>Sterna fuscata kermadecii</i>	TO	●														
Southern white-fronted tern	<i>Sterna striata</i> <i>aucklandiorum</i>	HI															
White-fronted tern	<i>Sterna striata striata</i>		●	●	●	●	●	●	●	●	●	●					
Indeterminate subspecies																	

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recovery Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Gradual Decline

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Eastern falcon	<i>Falco novaeseelandiae</i> "eastern"	HI								●		●	●	●	
<b>Freshwater fish</b>															
<u>Determinate species</u>															
Long finned eel	<i>Anguilla dieffenbachii</i>		●	●	●	●			●	●	●	●	●	●	
Roundhead galaxias	<i>Galaxias anomalous</i>	EF								●	●	●	●	●	
Giant kokopu	<i>Galaxias argenteus</i>	DP		●	●				●	●	●	●	●	●	
Flathead galaxias	<i>Galaxias depressiceps</i>								●	●	●	●	●	●	
Dwarf galaxias	<i>Galaxias divergens</i>		●						●	●	●	●	●	●	
Eldon's galaxias	<i>Galaxias eldoni</i>	CD							●	●	●	●	●	●	
Shortjaw kokopu	<i>Galaxias postvectis</i>		●	●	●				●	●	●	●	●	●	
Dusky galaxias	<i>Galaxias pullus</i>	CD							●	●	●	●	●	●	
Brown mudfish	<i>Neochanna apoda</i>								●	●	●	●	●	●	
Black mudfish	<i>Neochanna diversus</i>		●		○										
<b>Fungi</b>															
<u>Determinate species</u>															
	<i>Propolis desmoschoeni</i>	CD, EF	●	●	●				●	●	●	●	●	●	
<u>Indeterminate species</u>															
	<i>Diaporthe</i> sp 1	CD, HI				●			●	●	●	●	●	●	
	<i>Diaporthe</i> sp 2	CD, HI	●	●	●	●			●	●	●	●	●	●	
	<i>Glonium</i> sp	CD, EF	●	●	●	●			●	●	●	●	●	●	
	<i>Leucostoma</i> sp 1	CD, HI			●	●			●	●	●	●	●	●	
	<i>Leucostoma</i> sp 2	CD, HI	●	●	●	●			●	●	●	●	●	●	
	<i>Pestalotiopsis</i> sp	CD, EF	●	●	●	●			●	●	●	●	●	●	
	<i>Phomopsis</i> sp	CD, OL							●	●	●	●	●	●	
	<i>Seimatosporium</i> sp	CD, EF	●	●	●	●			●	●	●	●	●	●	
	<i>Truncatella</i> sp	CD, EF	●	●	●	●			●	●	●	●	●	●	
<b>Marine fish</b>															

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Gradual Decline		Conservancy (●=present; ○=locally extinct)															
Common name	Taxon	Qualifiers			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Determinate species																	
Great white shark/white pointer	<i>Carcharodon carcharias</i>				TO												
Basking shark	<i>Cetorhinus maximus</i>				TO												
<b>Marine invertebrates</b>																	
Determinate species																	
Volute	<i>Alcithoe lutea</i>				●												
Trochid	<i>Calliostoma turnerorum</i>																
Limpet	<i>Cellana flava</i> (Hutton, 1873)				●												
Basket starfish	<i>Gorgonocephalus dolichodactylus</i>																
Golden volute	<i>Provocator mirabilis</i>				●												
<b>Reptiles</b>																	
Determinate species																	
Pacific gecko	<i>Hoplodactylus pacificus</i>				HI												
Jewelled gecko	<i>Naultinus gemmeus</i>				HI												
Northland green gecko	<i>Naultinus grayii</i>				HI												
Rough gecko	<i>Naultinus rufus</i>																
Nelson green gecko	<i>Naultinus stellatus</i>																
Green skink	<i>Oligosoma chloronoton</i>																
Cryptic skink	<i>Oligosoma inconstipuum</i>																
Speckled skink	<i>Oligosoma infrapunctatum</i>																
Spotted skink	<i>Oligosoma lineoocellatum</i>																
Scree skink	<i>Oligosoma waimatense</i>																
Determinate subspecies																	
Auckland green gecko	<i>Naultinus e. elegans</i>				HI												
Wellington green gecko	<i>Naultinus e. punctatus</i>				HI												

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Gradual Decline

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
<b>Indeterminate species</b>															
Canterbury gecko	<i>Hoplodactylus</i> "Canterbury"	HI													
Large Otago gecko	<i>Hoplodactylus</i> "Otago large"	DP													
Southern forest gecko	<i>Hoplodactylus</i> "Southern forest gecko"	DP, HI													
<b>Terrestrial invertebrates</b>															
Determinate species															
Snail	<i>Amborhytida dumiae</i>	●													
Snail	<i>Amborhytida duplicita</i>	●													
Snail	<i>Amborhytida forsythii</i>	●													
Bird louse	<i>Apterygon dumosum</i>	●													
Bird louse	Tandan, 1972														
Bird louse	<i>Apterygon bintoni</i> Clay, 1966														
Kaikoura giant weta	<i>Deinacrida parva</i> Buller, 1895	HI, EF													
Forest ringlet	<i>Dodonidia helmsii</i>	DP													
Sphagnum porina	<i>Heloxycanus patricki</i> Dugdale, 1994														
Moth	<i>Hydriomena canescens</i>	●													
Moth	<i>Meterana exquisita</i>	HI													
Moth	<i>Meterana grandiosa</i>	HI													
Kauri snail, pupurangi	<i>Paryphanta busbyi</i> (Gray, 1840)														
Kauri snail, pupurangi	<i>Paryphanta waiti</i> Powell, 1946	CD, HI													
Moth	<i>Pseudocoremia cineracia</i>	HI													
Bird louse	<i>Rallicola (Aptericola) gadou'i</i> Harrison, 1915														
Bird louse	<i>Rallicola (Aptericola) gracilensis</i> Clay, 1953														

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Gradual Decline		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
			<i>Rhytidia stephenensis</i> Powell, 1930							●				
			<i>Sigaus minutus</i> <i>Therasia cathamensis</i> Suter							●				
			<i>Wainuia edwardi</i>							●				
<u>Determinate subspecies</u>														
Large land snail	<i>Powelliphanta gilliesi fallax</i> (Powell, 1930)									●				
Large land snail	<i>Powelliphanta gilliesi subfuscata</i> (Powell, 1930)									●				HI
Large land snail	<i>Powelliphanta hochstetteri anatoliensis</i> (Powell, 1938)									CD, RF				
Large land snail	<i>Powelliphanta hochstetteri bicolor</i> (Powell, 1930)									CD, RF				
Large land snail	<i>Powelliphanta hochstetteri consobrina</i> (Powell, 1936)									RF				
Large land snail	<i>Powelliphanta hochstetteri obscura</i> (Beutler, 1901)									CD, RF				
Snail	<i>Wainuia urnula nasuta</i> Powell, 1946									●				
<u>Indeterminate species</u>														
Slug	<i>Athoracophorus</i> sp. 4 (MNZ M.151430) "northern NZ"									●				
Moth	<i>Gingidiobora subobscurata</i> species complex									DP				
Moth	<i>Notoreas</i> "Wellington"										●			
Snail	<i>Wainuia</i> "Mount Oxford"										●			

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Gradual Decline		Conservancy (●=present; ○=locally extinct)															
Common name	Taxon	Qualifiers			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Indeterminate subspecies																	
Large land snail	<i>Powelliphanta hochstetteri hochstetteri</i> (Pfeiffer, 1862) brown based	CD															
Large land snail	<i>Powelliphanta hochstetteri hochstetteri</i> (Pfeiffer, 1862) yellow based	CD			●												
<b>Vascular plants</b>																	
Determinate species																	
	<i>Acaena buchananii</i> (Hook f.)		●														
	<i>Alepis flavida</i>	CD, HI			●			●			●		●		●	●	●?
	<i>Anogramma leptophylla</i>	TO, EF	○		●			●			●		●		●		
	<i>Astrofestuca littoralis</i>	CD, SO, HI	●	●	●			●		○	●		○?	●	●	○	
	<i>Brachyglottis perdicioides</i>				●												
	<i>Brachyglottis sciadophila</i> (Raoul) B.Nord.				●			●			●		●		●	●	●?
	<i>Carex astonii</i> Hamlin	DP			●												
	<i>Carex cirkhosa</i> Bergg.	DP, HI	○	○									○		●	●	
	<i>Carmichaelia crassicaule</i>	RF															
	<i>Carmichaelia stevensonii</i>																
	<i>Carmichaelia vexillata</i>	RF															
	<i>Cheesemania enysii</i> (Cheeseman) O. E. Schulz																
	<i>Cheesemania fastigiata</i> (Hook. f.) O. E. Schulz																
	<i>Clematis marmoraria</i> Sneddon	CD, RF															
	<i>Colensoa physaloides</i>		●	●													
	<i>Coprosma pedicellata</i>				●										●	●	●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Gradual Decline

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
	<i>Coprosma wallii</i>	CD, RF				●			●	●	●	●	●	●?	●
	<i>Corokia macrocarpa</i> Kirk	CD, OL							●	●					
	<i>Crassula kirkii</i>	DP							●						
	<i>Crassula manata</i> A.P.Druce et Sykes	CD, EF							●						
	<i>Cyclosorus interruptus</i> (Willd.) H.Ito	SO	●	●	●				●	●	●	●	●	●?	●
	<i>Deschampsia cespitosa</i>	SO, HI			○	○		●	○	○	○	○	●	●	
Pingao	<i>Desmoschonanus spiralis</i> (A.Rich.) Hook.f.	CD, EF	●	●	●	●		●	●	●	●	●	●	●	
	<i>Doodia squarrosa</i> Colenso		●	●	●			●							
	<i>Drosera pygmaea</i> DC.	SO	●					●	●	●	○	○			
	<i>Eleocharis neozelandica</i>	EF	●	●				●	●	●					
	<i>Epilobium chionanthum</i> Hausskn.	DP		○	●				●	●					
	<i>Eryngium vesiculosum</i>	SO?						●	●	●	●	●	●	●	
	<i>Gratiola nana</i> Benth.	SO	○	●?	●			●	●	●	●	●	●	●	
	<i>Gunnera arenaria</i>														
	<i>Iphigenia novae-zelandiae</i> (Hook.f.) Baker	DP, HI							●	●	●	●	●	●	
	<i>Ischnocarpus novae-zelandiae</i> (Hook.f.) O.E.Schulz	DP								●	●	●	●	●	
	<i>Isolepis fluitans</i> (L.) R.Br.	SO						●	●						
	<i>Lepidium tenuicaule</i> Kirk									○			●	●	
	<i>Leptinella rotundata</i> (Cheeseman) D.G.Lloyd et C.J.Webb		●												
	<i>Leptinella serrulata</i> D.G.Lloyd et C.J.Webb									●		●	●	●	

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Gradual Decline

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
<i>Libertia peregrinans</i>		HI								●	●				●
Cockayne et Allan															
<i>Mazus arenarius</i> Heenan, P.N.Johnson, et C.J.Webb															●
<i>Melicytus flexuosus</i> Molloy et A.P.Druce	RF									●	●				
<i>Mida salicifolia</i>	RF		●	●	●					●	●				
<i>Montigena novae-zelandiae</i> (Hook.f.) Heenan	DP, RF?									●	●				
<i>Myosotis brockiei</i> L.B.Moore et M.J.A.Simpson										●					
<i>Myriophyllum robustum</i> Hook.f.			●	●	●				●	●	○				
<i>Olearia cheesemanii</i>	DP								●	●					
<i>Ourisia modesta</i> Diels	DP								●	●					
<i>Paspalum orbiculare</i>	SO								○						
<i>Pellaea falcata</i> (R.Br.) Fée	SO								●	○					
<i>Peraxilla colensoi</i> (Hook.f.) Tiegh.	CD, HI								●	●	●				●
<i>Peraxilla tetrapetala</i> Tiegh.	CD, HI								●	●	●				●
<i>Pimelea arenaria</i> A.Cunn. s.s.	RF								●	●	●				●
<i>Pimelea hyallii</i>															●
<i>Potamogeton pectinatus</i>	DP														
<i>Pseudopanax laetus</i> Kirk	RF								●	●	●				
<i>Ranunculus limosella</i> Kirk	HI														●?
<i>Raoulia monroi</i>	EF											●	●		
<i>Raoulia parkii</i>	EF											●	●		
<i>Raukaua edgerleyi</i> (Hook f.) Seem.	RF									●	●				●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Gradual Decline		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL					
		<i>Schoenus carsei</i> Cheeseman	SO, HI		●												
		<i>Selliera rotundifolia</i> Heenan	CD														
		<i>Sonchus Kirkii</i> Hamlin	HI	●	●												
		<i>Sophora fulvida</i> (Allan) Heenan et de Lange		●	●												
		<i>Tetrachondra hamiltonii</i> D.Oliver				○											
		<i>Teucrium parvifolium</i> Hook.f.	CD	●	●	●	○										
		<i>Thelypteris confluens</i> (Thunb.) C.Morton	CD, SO	●	●												
		<i>Trisetum antarcticum</i>	HI			●	●										
		<i>Tupeia antarctica</i> (G.Forst.) Cham. et Schlecht.	CD, HI	●	●	●											
		<i>Urtica linearifolia</i> (Hook.f.) Cockayne				●											
		<i>Utricularia delicatula</i> Cheeseman		●	●?	●											
		<i>Utricularia prostrata</i> Hook.f.	HI	●	●	●	○										
<u>Determinate subspecies, forms, and varieties</u>																	
		<i>Celmisia major</i> Cheeseman var. <i>major</i>	HI														
		<i>Coprosma obconica</i> subsp. <i>obconica</i>	RF														
		<i>Dracophyllum uniflorum</i> var. <i>frondosum</i> G. Simpson	DP														
		<i>Hebe pimeleoides</i> var. <i>rupicola</i>	CD														

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Gradual Decline

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
<i>Leptidium sisymbrioides</i> Hook.f. subsp. <i>sisymbrioides</i>	CD												●	●
<i>Leptinella dioica</i> subsp. <i>monoica</i> (D.G.Lloyd) D.G.Lloyd et C.J.Webb (AK 2008/4)					●									
<i>Ranunculus recens</i> Kirk var. <i>recens</i>					●	●							●	●
<u>Indeterminate species</u>														
<i>Christella aff. dentata</i> (b) (AK 126902; "therma")	HI		●	●										
<i>Craspedia</i> (n) (CHR 369978 'Henderson')	OL			●										
<i>Hebe</i> aff. <i>pinneoloidea</i> (CHR 173403 ; Mackenzie Basin)	CD				●									
<i>Hoheria</i> aff. <i>sextylelosa</i> (CHR ; Tararua Ranges)					●									
<i>Kunzea</i> aff. <i>ericoides</i> (b) (AK ; "sand")					●									
<i>Melicytus</i> aff. <i>alpinus</i> (e) (CHR 541566; Waipapa)					●									
<i>Ranunculus</i> (b) (CHR ; Burgoon Stream)						●								
<i>Raoulia</i> aff. <i>hookeri</i> (AK 239529; "coast")							●							

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Sparse															
Common name	Taxon	Qualifiers			Conservancy (●=present; ○=locally extinct)										
		NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL	
<b>Birds</b>															
Determinate species															
Little black shag	<i>Phalacrocorax sulcirostris</i>	SO	●	●	●	●	●	●	●	●	●	●	●	●	●
New Zealand dabchick, wekaia	<i>Poliocephalus rufopectus</i>	ST?	●	●	●	●	●	●	○	○	○	○	○	○	○
Determinate subspecies															
South Island fernbird, Matata	<i>Bouddleria punctata punctata</i>	HI							●	●					●
North Island fernbird, Matata	<i>Bouddleria punctata vealeae</i>	HI	●	●	●	●	●	●	●	○					
Southern Skua	<i>Catharacta antarctica lönnebergi</i>	SO						●							
Northern New Zealand dotterel	<i>Charadrius obscurus aquilonius</i>	CD, RC	●	●	●	●	●	○	●	○					
Banded rail	<i>Gallirallus philippensis assimilis</i>	DP	●	●	●	●	●	●	●	●	●	●	●	●	●
Black shag	<i>Phalacrocorax carbo novaehollandiae</i>	SO	●	●	●	●	●	●	●	●	●	●	●	●	●
Pied shag	<i>Phalacrocorax varius varius</i>	DP	●	●	●	●	●	●	●	●	●	●	●	●	●
Marsh crake	<i>Porzana pusilla affinis</i>		●	○	●	●	●	●	●	●	●	●	●	●	●
Spotless crake	<i>Porzana tabuensis plumbea</i>	SO	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Bryophytes</b>															
Determinate species															
Liverwort	<i>Anthelia juratzkana</i>														
Moss	<i>Calommion brownseyi</i> Vitt et H.A. Miller														●
Liverwort	<i>Drucella integriflora</i>		●	●	●										●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Sparse															
Common name	Taxon	Qualifiers				Conservancy (●=present; ○=locally extinct)									
		NL	AU	WK	BP	DP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Liverwort	<i>Pachyschistochila latiloba</i>														●
Liverwort	<i>Riccardia asperula</i>														●
<b>Freshwater fish</b>															
Determinate species															
Longjaw galaxias	<i>Galaxias prognathus</i>					DP									
Lamprey	<i>Geotria australis</i>					DP, SO									
<b>Freshwater invertebrates</b>															
Determinate species															
Freshwater isopod	<i>Austridotea annectens</i>					Nicholls 1937									●
Amphipod	<i>Chaetocorophium lucasi</i>					(Hurley, 1954)									●
Tadpole Shrimps	<i>Leptidurus viridus</i>														●?
Freshwater polychaete	<i>Namanereis tiriteae</i>					SO									●
Caddis	<i>Olinga fumosa</i> Wise, 1958					(Winterbourn, 1969)									
Caddisfly	<i>Tiphobiosis trifurca</i>														●
<b>Frog</b>															
Determinate species															
Hochstetter's frog	<i>Leiopelma hochstetteri</i>					HI									●
<b>Fungi</b>															
Determinate species															
	<i>Asterinella intensa</i>														○
	<i>Lophodermium kaikawakae</i>														●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Sparse		Qualifiers										Conservancy (●=present; ○=locally extinct)									
Common name	Taxon	NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL							
Indeterminate species																					
	<i>Mycosphaerella</i> sp			●	●	●					○										
	<i>Patellaria</i> sp			●	●	●				○											
	<i>Phyllosticta</i> sp		EF	●	●	●			●	●	●	●	●	●							
<b>Marine fish</b>																					
Determinate species																					
Brotula/mottled brotorula	<i>Bidentichthys consobrinus</i>																				
Frill shark	<i>Chlamydoselachus anguineus</i>																				
Mandarin dogfish	<i>Cirrhigaleus barbifer</i>																				
Bramble shark	<i>Echinorhinus brucus</i>																				
Prickly shark	<i>Echinorhinus cookei</i>																				
Lancelet	<i>Epigonichthys hectori</i>																				
Smooth lantern shark	<i>Etmopterus pusillus</i>																				
Round batfish	<i>Halichoeres macra</i>																				
Sharpnose sevengill shark	<i>Heptanchias perlo</i>																				
Sixgill shark	<i>Hexanchus griseus</i>																				
Goblin shark	<i>Mitsukurina oustoni</i>																				
Smalltooth sand tiger	<i>Odontaspis ferox</i>																				
Whitetail dogfish	<i>Symmodonatias albicauda</i>																				
Sherwood's dogfish	<i>Symmodonatias sherwoodi</i>																				
Pacific sleeper shark	<i>Somniosus pacificus</i>																				
Velvet dogfish	<i>Zameus squamulosus</i>																				
Indeterminate species																					
Pipefish	<i>Stigmatopora</i> sp.																				
<b>Marine invertebrates</b>																					
Determinate species																					

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Sparse															
Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Crab	<i>Elamena momona</i>														
Red coral	<i>Errina novazealandica</i>														●
Pin-cushion star	<i>Eurygonias hyalacanthus</i>														●
Crab	<i>Halimena aotearoa</i>							●							●
<b>Reptiles</b>															
Determinate species															
Goldstripe gecko	<i>Hoplodactylus chrysosireticus</i>	DP, HI													
Duvaucel's gecko	<i>Hoplodactylus duvaucelii</i>	HI													
Black-eyed gecko	<i>Hoplodactylus kabutarae</i>		●	●	●										
Cloudy gecko, island form	<i>Hoplodactylus nebulosus</i>														
Harlequin gecko	<i>Hoplodactylus rakiurae</i>														
Marlborough green gecko	<i>Naultinus manukanus</i>			●											
West Coast green gecko	<i>Naultinus tuberculatus</i>							●							
Long-toed skink	<i>Oligosoma longipes</i>								●						
Moko skink	<i>Oligosoma moco</i>									●					
Southern skink	<i>Oligosoma notosaurus</i>										DP				
Determinate subspecies															
Northern tuatara	<i>Sphenodon p. punctatus</i>		ST, HI			●				●					
<u>Indeterminate species</u>															
Kaikouras gecko	<i>Hoplodactylus "Kaikouras"</i>	DP													●
Matapia gecko	<i>Hoplodactylus "Matapia Island"</i>	HI													●
North Cape Pacific gecko	<i>Hoplodactylus "North Cape Pacific gecko"</i>		HI												●
North Cape green gecko	<i>Naultinus "North Cape green gecko"</i>			DP											●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Sparse		Conservancy (●=present; ○=locally extinct)															
Common name	Taxon	Qualifiers			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
<u>Indeterminate subspecies</u>																	
Southern marbled skink	<i>Cyclodina oliveri</i> southern populations/C. <i>pachysomaticum</i> sensu Robb	DP, HI	●	●													
<u>Terrestrial invertebrates</u>																	
<u>Determinate species</u>																	
Moth	<i>Acroclita discariana</i>		●														
Northland tusked weta	<i>Anisoura nicobarica</i> Ander, 1938	DP	●														
Large green small-headed fly	<i>Apsona muscaria</i>	DP	●														
Carabid	<i>Brullea antarctica</i> (Castelnau, 1867)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	<i>Cathartocryptus maculosus</i> (Broun)	DP	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Moth	<i>Circoxena ditrocha</i>		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Moth	<i>Dasyuris erysii</i>		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Bluff weta	<i>Deinacrida elegans</i> Gibbs, 1999		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Mt Arthur giant weta	<i>Deinacrida tibiospina</i> Salmon, 1950		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Snail	<i>Delonagapia cordelia</i> (Hutton, 1883)		●														
Caddis	<i>Ecnomina zealandica</i> DP Wise, 1958		●	●													
Assassin bug	<i>Empicoris seorsus</i> (Bergroth, 1927)	DP	●	●	●												
Moth	<i>Gadira petraula</i>		●														

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Sparse

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)										
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA
Te Aroha stag beetle	<i>Geodorus auriculatus</i> (Broun, 1903)	DP			●	●							
Moth	<i>Gingidiobora nebulosa</i> (Philpott, 1917)										●	●	
Moth	<i>Glyptopteryx euastera</i>	DP, HI			●								
Cranefly	<i>Gynoplistia troglophila</i> Alexander, 1962	DP			●								
Moth	<i>Helastia angusta</i>	DP				●							
Hawkes Bay tree weta	<i>Hemideina trewicki</i>					●							
Moth	<i>Heterocrossa maculata</i>	DP					●						
Ground beetle	<i>Holcaspis falcis</i> Butcher, 1984	DP											
Moth	<i>Kiwaia pumila</i>	HI											
Snail	<i>Litarea ornata</i>		●										
Snail	<i>Litarea partula</i>		●										
Weevil	<i>Lyperobius carinatus</i> Broun, 1881	DP, EF											
Bug	<i>Malapha cockcrofti</i> Myers, 1924	DP			●								
Bug	<i>Malapha muri</i> Myers, 1924	DP				●							
Moth	<i>Maoricrambus oncoholus</i>							●					
Ground beetle	<i>Mecodema atrox</i> Britton, 1949	DP				●							
Giant ground beetle.	<i>Mecodema chiltoni</i> Broun, 1917									●	●		
Ground beetle	<i>Mecodema nitidum</i> Broun, 1903	DP							●				
Ground beetle	<i>Mecodema proximus</i> Britton, 1949	DP								●			
Ground beetle	<i>Mecodema pulchellum</i> Townsend, 1965	DP									●		

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Sparse															
Common name	Taxon	Qualifiers				Conservancy (●=present; ○=locally extinct)									
		NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL	●
Ground beetle	<i>Mecodema rex</i> Britton, 1949	DP													●
Ground beetle	<i>Megadromus compressus</i>	DP													●
Ground beetle	<i>Megadromus haplopus</i> (Broun, 1893)	DP													●
Moth	<i>Meterana pansicolor</i>														●
Northern pimelea cutworm moth.	<i>Meterana pictula</i> (White in Taylor, 1855)	HI	●												●
Cranefly	<i>Mischocerus marginatus</i> (Edwards, 1923)	DP, OL													●
Cranefly	<i>Mischocerus neptunus</i> (Edwards, 1923)	DP, OL			●										
Longhorn beetle	<i>Nesophytachias simplex</i> (Broun, 1880)		●	●											
Moth	<i>Orthoclydon pseudostinaria</i>														
Snail	<i>Paracharopa rimu</i> Climo	DP													
Stag beetle	<i>Paralissotes mangoniensis</i> (Brookes, 1927)	●													
Stag beetle	<i>Paralissotes oconnori</i>	DP													
Spider	<i>Pterigops suterii</i> Simon		●												
Moth	<i>Proditrix chionochloae</i>	DP													●
Scarab/chafers Beetle	<i>Prodontria grandis</i> Given, 1964	DP													
Scarab/chafers Beetle	<i>Prodontria matagouriae</i> Emerson, 1997														●
Scarab/chafers Beetle	<i>Prodontria minuta</i> Emerson, 1997														●
Flatworm	<i>Prothyynchus baswelli</i> Steinboeck & Reisinger, 1924	DP													
Flatworm	<i>Prothyynchus putealis</i> Haswell, 1898	DP													

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Sparse

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Moth	<i>Samana acutata</i>													●	
Bug	<i>Semo harrisii</i> (Myers, 1924)	DP												●	●
Beetle	<i>Tangarona pensus</i> (Broun, 1880)	DP	●	●	●									●	●
Moth	<i>Thambotricha vates</i>	DP						●							
Moth	<i>Theoxena scissaria</i>	DP, EF?						●							
Moth	<i>Tmetolophota blenheimensis</i>	DP	●					●							
Weevil	<i>Tychanopais tuberosus</i> (Broun, 1923)	DP			●										
Moth	<i>Xanthorhoe frigida</i>	DP													
Moth	<i>Xanthorhoe lophogramma</i>	DP			●										
<u>Determinate subspecies</u>															
Ground beetle	<i>Mecodema costellum lewisi</i> Broun, 1908		DP, HI							●					
<u>Indeterminate species</u>															
Moth	<i>Hierodoris "silver banded"</i>	DP, ST													
Beetle	<i>Syriphetodes</i> sp. "Te Paki"	DP	●												
Beetle	<i>Syriphetodes</i> sp. "Waipoua"	DP	●												
Snail	<i>Wainua "Fiordland"</i> (NMNZ M32755)									●					
<u>Vascular plants</u>															
Determinate species													●		
	<i>Aciphylla multisecta</i>										●				
	<i>Aciphylla subflabellata</i> (W.R.B. Oliv.)	DP								●	●				
	<i>Agrostis imbecilla</i>										●				
	<i>Agrostis oreosolia</i> Edgar										●	●			

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Sparse															
Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
<i>Anemone lessoniana</i>		DP	●	●	●	●	●	●	●	●	●	●	●	●	●
<i>Anemone tenuicaulis</i>					○										
<i>Anzybas rotundifolius</i> (Hook. f.) D.L.Jones et M.A.Clem.			●												
<i>Asplenium cimmeriorum</i>		●										●?	●		
<i>Asplenium scleroprium</i>														●	●
<i>Atriplex buchananii</i>								●	●						
<i>Blechnum norfolkianum</i>	TO	●	●	●	●	●	●	●	●	●	●	●	●	●	●
<i>Botrychium austale</i>	DP, SO	●	●	●	●	●	●	●	●	●	●	●	●	●	●
<i>Adelopetalum tuberculatum</i> (Colenso) D.L.Jones, M.A.Clem et Molloy		●	●	●	●	●	●	●	●	●	●	●	●	●	●
<i>Calochilus paludosus</i> R.Br.	SO, EF	●	●?	●	●	●	●	●	○	●	●	●	●	●	●
<i>Calochilus robertsonii</i> Benth.	SO, EF			●	●					●					
<i>Cahystegia marginata</i>	SO, EF	●	●												
<i>Carex berggrenii</i> Petrie										●	●	●	●	●	●
<i>Carex capillacea</i> Boott								●	●	●	●	●	●	●	●
<i>Carex chathamica</i>	OL							●							
<i>Carex edgariae</i> Hamlin	DP														
<i>Carex enysii</i> Petrie	DP, HI?														
<i>Carex kalooides</i> Petrie															
<i>Carex muelleri</i> Petrie															
<i>Carex tenuiculmis</i> (Petrie)															
Heenan et de Lange															
<i>Celmisia hookeri</i> Cockayne															
<i>Centrolepis strigosa</i> (R.Br.) Roem. et Schult.	SO, EF	●										●?	●?		
<i>Chionochloa vireta</i> H.E. Connor	DP											●	●	●	●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Sparse

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
	<i>Clematis marata</i> J.B. Armstr.	DP											●	●
	<i>Clematis petriei</i> Allan												●	
	<i>Convolvulus fracto-saxosa</i>												●	
	<i>Coprosma intertexta</i> G.Simpson												●	
	<i>Corunastylis nudum</i> (Hook. F.) D.L. Jones et M.A. Clem.	SO, EF	●											
	<i>Corunastylis pumilum</i> (Hook. F.) D.L. Jones et M.A. Clem.	SO, EF	●	●	●									
	<i>Crassula helmsii</i>	SO				●	●							
	<i>Crassula multicaulis</i> (Petrie) A.P.Druce et Given	EF				●	●							
	<i>Crassula ruamahanga</i> A.P.Druce		●										●	
	<i>Deyeuxia youngii</i>					●							●	
	<i>Doodia mollis</i> Parris		●	●	●	●?	●?	●?						
	<i>Epilobium petraeum</i> Heenan													
	<i>Epilobium purpuratum</i> Hook.f.												●	
	<i>Euchiton ensifer</i> (D.G.Drury) Holub	DP											●	
	<i>Euchiton paludosus</i> (Petrie)												●	
	<i>Fuchsia procumbens</i> R.Cunn. ex A.Cunn.												●	
	<i>Gentianella lineata</i> Kirk												●	
	<i>Gingidia trifoliolata</i> (Hook. f.)	DP											●	

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location;  
RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Sparse		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL				
		<i>Grammitis rawlingsii</i> Parvis			●	●	●									
		<i>Grammitis rigida</i>	DP, SO													
		<i>Halocarpus kirkii</i>	RF	●	●	●										
		<i>Hebe annulata</i> (Petrie) Cockayne et Allan			●											
		<i>Hebe dilatata</i> G.Simpson et J.S.Thomson			●											
		<i>Hebe diosmifolia</i>	●													
		<i>Hebe laingii</i>	DP													
		<i>Hebe propinqua</i>		●												
		<i>Hierochloe fusca</i>	DP	●												
		<i>Hymenophyllum atrovirens</i> Colenso		●												
		<i>Hypolepis amaurorachis</i> (Kunze) Hook.	SO, EF													●?
		<i>Hypolepis dicksonioides</i>	SO, EF	●	●	●										
		<i>Korthalsella salicornioides</i> (A.Cunn.) Tiegh.	EF	●	●	●										●
		<i>Lachnagrosis elata</i> Edgar	DP		●											●
		<i>Lagenifera lanata</i>		●												
		<i>Leptium nafragorum</i> Garn.-Jones et D.A.Norton	ST													
		<i>Leptinella tenella</i>	DP	●	●	●										
		<i>Libocedrus plumosa</i> (D. Don) Sarg.		●	●	●										
		<i>Lindsaea viridis</i> Colenso			●	●										
		<i>Macrothelypteris torresiana</i>	SO, EF		●											
		<i>Melicytus crassifolius</i> s.s.	DP												●	
		<i>Microleaena carsei</i> Cheeseman		●												

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location;  
 RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Sparse

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
	<i>Microsorum novae-zelandiae</i>		●												
	<i>Mimulus repens</i>	DP, SO	●	●	●	●	●	●	●	●	●	●	●	●	●
	<i>Muehlenbeckia ephedroides</i> Hook.f.	DP						●	●						
	<i>Myosotis saxosa</i> Hook. f.					●									
	<i>Myosotis spathulata</i> G. Forst.		●	●											
	<i>Myosotis tenericaulis</i> Petrie	DP				●									
	<i>Neopaxia erythrophylla</i> Heenan	DP				●									
	<i>Olearia bullata</i>	RF					●								
	<i>Olearia capillaris</i> Buchanan				●										
	<i>Olearia fragrantissima</i> Petrie					●									
	<i>Olearia lineata</i> (Kirk) Cockayne	RF						●							
	<i>Peperomia tetraphylla</i> (G.Forst.) Hook. et Arn.	SO		●											
	<i>Pimelea poppetwellii</i> Petrie								●	●					
	<i>Pimelea pseudohyalitii</i>							●							
Bird catching plant, Parapara	<i>Pisonia brunoniana</i>					●	●	○							
	<i>Pittosporum virgatum</i> Kirk					●	●								
	<i>Plantago obconica</i> Sykes														
	<i>Pleurozorus rutifolius</i> Fée	SO								●	●	●	●	●	●
	<i>Poa incrassata</i>														
	<i>Polystichum silvaticum</i> (Colenso) Diels									●					
	<i>Pomaderria hamiltonii</i> L.B.Moore	RC				●	●								
	<i>Pseudopanax ferox</i> Kirk	CD, RF				●	●	○		●	●	●	●	●	●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Sparse												Conservancy (●=present; ○=locally extinct)											
Common name	Taxon	Qualifiers			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL						
	<i>Pseudopanax macintyrei</i>																						
Cheeseman		EF																					
<i>Pterostylis cernua</i>																							
D.I.Jones, Molloy et M.A.Clem.		EF																					
<i>Pterostylis tanypoda</i>																							
D.I.Jones, Molloy et M.A.Clem		EF																					
<i>Pterostylis trisis</i> Colenso																							
Clem		EF																					
<i>Ranunculus maculatus</i>																							
Cockayne et Allan																							
<i>Ranunculus simulans</i> Garn. Jones																							
<i>Raoulia beauverdii</i>																							
<i>Rytidosperma merum</i>		DP																					
Connor et Edgar																							
<i>Scandia rosifolia</i> (Hook.) J.W. Dawson		DP																					
<i>Schizaea dichotoma</i>		SO																					
<i>Schizolema pallidum</i> (Kirk) Domin		DP																					
<i>Senecio carnosulus</i>																							
<i>Senecio dumedinensis</i>		EF																					
Belcher																							
<i>Senecio marotiri</i> C.J.Webb																							
<i>Sticherus flabellatus</i>		SO																					
<i>Streblos banksii</i> (Cheeseman) C.J.Webb																							
<i>Tetragonia tetragonoides</i> (Pallas) Kunze		EF																					

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Sparse														
Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
	<i>Thelymitra formosa</i> Colenso	DP, EF	●	●					●	●	●?			
	<i>Thelymitra tholiformis</i> Molloy et Hatch		●	●	●									
	<i>Thlasmia rodwayi</i> F. Muell.	DP	●	●	●	●	●	●	●	○				
	<i>Tmesipteris sigmatifolia</i> Chinnock		●	●	●	●	●	●	●	●	●			
	<i>Tounsonia deflexa</i> Cheeseman					●		●		●				
	<i>Traversia baccharoides</i> Hook f.				●									
	<i>Trichomanes colensoi</i> Hook.f.	DP		●	●		●		●	●				
	<i>Trichomanes strictum</i>			●	●	●		●	●	●				
	<i>Trisetum drucei</i> Edgar	DP				●		●	●	●				
	<i>Uncinia elegans</i> (Kük.) Hamlin						●	●	●	●	●			
	<i>Uncinia longifructus</i> (Kük.) Petrie					●		●	●	●	●			
	<i>Uncinia purpurata</i> Petrie						●	●	●	●	●			
	<i>Uncinia sinclairii</i> Boott							●	●	●	●			
	<i>Urtica viridis</i>								●	●	●			
	<i>Urtica aspera</i> Petrie	DP							●	●	●			
	<i>Wahlenbergia congesta</i> (Cheeseman) N. E. Brown								●	●	●			
Determinate subspecies, forms, and varieties														
	<i>Carex lachenalii</i> subsp. <i>parkeri</i> Petrie	DP									●			
	<i>Convolvulus verecundus</i> subsp. <i>verecundus</i>										●			

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Sparse											Conservancy (●=present; ○=locally extinct)										
Common name	Taxon	Qualifiers			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL				
	<i>Gnaphalium luteoalbum</i> var. <i>compactum</i> Kirk	DP, EF													●	●	●				
	<i>Kirkianella novae-zelandiae</i> f. <i>novae-zelandiae</i>	HI													●?	●	●	●	●		
	<i>Leptinella dispersa</i> ssp. <i>dispersa</i>		●												●	●					
	<i>Picris angustifolia</i> subsp. <i>merxmulleri</i> Lack et S Holzapfel	SO, HI													●	●					
	<i>Pittosporum ellipticum</i> Kirk subsp. <i>ellipticum</i>		●	●																	
	<i>Pittosporum pimeleoides</i> R.Cunn. subsp. <i>pimeleoides</i>		●																		
	<i>Senecio repangae</i> de Lange et B.G.Murray subsp. <i>repangae</i>			●																	
	<i>Solanum aviculare</i> f. <i>latifolium</i>				●																
Indeterminate species																					
	<i>Cortaria</i> (a) (CHR 469745; Rimutaka)														●						
	<i>Dianella</i> aff. <i>nigra</i> (b) (CHR , Kopouatai)	DP													●	●					
	<i>Hebe</i> aff. <i>diosmifolia</i> (AK ; "summer flowering")														●						
	<i>Hymenophyllum</i> aff. <i>flexuosum</i> (AK 177370; Mount Burnett)														●	●					
	<i>Hypericum</i> aff. <i>japonicum</i> (b) (CHR ; "tarn")	DP													●						

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Sparse											Conservancy (●=present; ○=locally extinct)									
Common name	Taxon	Qualifiers			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL			
	<i>Libertia</i> aff. <i>peregrina</i> (CHR ; "nomoploid")														●					
	<i>Myosotis</i> aff. <i>australis</i> (CHR ;"small white")	DP													●	●				
	<i>Oreomyrrhis</i> (CHR 364086; "minute flower")									●					●	●				
	<i>Oxalis</i> aff. <i>rubens</i> (CHR ; "scree")									●						●				
	<i>Peperomia</i> aff. <i>urvilleana</i> (AK 206056; "purple vein")	DP		●																
	<i>Raoulia</i> (C) (CHR ; "M")									●										
	<i>Thelemitra</i> aff. <i>ixioides</i> (CHR ; New Zealand)	DP, SO, EF							●						●	●				

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)										
Bat	Determinate subspecies				NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA
Central short-tailed bat	<i>Mystacina tuberculata rhyacobia</i>	HI			●	●	●	●							
<b>Birds</b>															
Determinate species															
Little spotted kiwi	<i>Apteryx ouennii</i>	RC, HI	●	●											○
Chatham Island snipe	<i>Coenocorypha pusilla</i>	ST, HI													
Antipodes Island parakeet	<i>Cyanorhamphus unicolor</i>	ST, OL													
Antipodes albatross	<i>Diomedea antipodensis</i>	ST													
Southern royal albatross, toroa	<i>Diomedea epomophora</i>	HI													
Gibson's albatross	<i>Diomedea gibsoni</i>	ST													
Auckland Island rail	<i>Dryolimnas muelleri</i>	HI													
Snares crested penguin	<i>Eudyptes robustus</i>	OL													
Chatham Island warbler	<i>Gerygone albifronsata</i>	ST, HI													
Campbell Island shag	<i>Leucocarbo campbelli</i>	OL													
New Zealand king shag	<i>Leucocarbo carunculatus</i>	ST													
Auckland Island shag	<i>Leucocarbo colensoi</i>														
Chatham Island shag	<i>Leucocarbo onslowi</i>	ST?													
Bounty Island shag	<i>Leucocarbo ranfurlyi</i>														
Stitchbird, hihi	<i>Notiomystis cincta</i>	ST, HI, OL	○	●	○	○	○	○	○	○	○	●			
Red-tailed tropicbird	<i>Phaethon rubricauda</i>	SO, HI	●												
White-chinned petrel	<i>Procellaria aequinoctialis</i>	TO, HI													
Westland petrel	<i>Procellaria westlandica</i>	ST, OL										●			
White-naped petrel	<i>Pterodroma cervicalis</i>	RC, TO, OL	●												
Mottled petrel	<i>Pterodroma inexpectata</i>	RC, HI	●												
Pycroft's petrel	<i>Pterodroma pycrofti</i>	RC, HI	●												
Buller's shearwater	<i>Puffinus bulleri</i>	ST, OL	●									●			
Wedge-tailed shearwater	<i>Puffinus pacificus</i>	SO	●												
Pitt Island shag	<i>Stictocarbo featherstoni</i>	ST?										●			

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Range restricted

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Southern Buller's mollymawk	<i>Thalassarche bulleri</i>													●	
Salvin's mollymawk	<i>Thalassarche salvini</i>	DP, TO												●	
Shy mollymawk	<i>Thalassarche steadi</i>													●	
Determinate subspecies															
White-capped noddly	<i>Anous tenuirostris minutus</i>	SO													
Three Kings bellbird	<i>Anthornis melanura obscura</i>	ST, OL	●												
Poor Knights bellbird	<i>Anthornis melanura oneho</i>	ST, OL		●											
Snares Island fernbird, karori	<i>Bowdleria punctata caudata</i>	ST, OL													
Auckland Island banded dotterel	<i>Charadrius bicinctus exilis</i>	ST, HI													
Snares Island snipe	<i>Coenocorypha aucklandica buuegeli</i>	ST, OL													
Antipodes Island snipe	<i>Coenocorypha aucklandica meinertzhagenae</i>	ST													
Reischek's parakeet	<i>Cyanorhamphus erythrotis hochstetteri</i>	ST, OL													
Chatham Island red-crowned kakariki	<i>Cyanorhamphus novaeseelandiae bathamensis</i>	ST, HI												●	
Kermadec red-crowned kakariki	<i>Cyanorhamphus novaeseelandiae cyanurus</i>	HI													
Snares Cape petrel	<i>Daption capense australe</i>													●	
Chathams little blue penguin	<i>Eudyptula minor bathamensis</i>													●	
White-bellied storm petrel	<i>Fregetta grallaria grallaria</i>	TO												●	
Fulmar prion	<i>Pachyptila crassirostris crassirostris</i>	TO												●	

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Range restricted

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
Moss	<i>Bryum amblyodon</i> (Mull.Hal.)	SO											●	●
Moss	<i>Chorisodontium aciphyllum</i> (Hook.f. & Wilson) Broth.	SO											●	
Moss	<i>Croshya nervosa</i> (Hook.f. & Wilson) Vitt												●	
Moss	<i>Crossidium davidii</i> Catcheside	S?O, OL												
Moss	<i>Ectropothecium sandwichense</i> (Hook.&Arn.) Mitt. In Seem.	SO	●	●	●									
Moss	<i>Entosthodon muehlenbergii</i> (Turner) Ficke	SO				●								
Moss	<i>Grimmia affinis</i> Hornsch.	DP, S?O				●								
Moss	<i>Hampeella pallens</i> (Sande Lac.) M.Fleisch.	DP, SO				●								
Liverwort	<i>Herzogianthus sanguineus</i>	S?O					●							
Moss	<i>Hymenostylium recurvirostrum</i> (Hedw.) Dixon													
Moss	<i>Hypnobartramia fontana</i> Ochyra	OL												
Liverwort	<i>Lejeunea anisophylla</i>	SO						●						
Moss	<i>Metzgeria alpina</i>	OL												
Moss	<i>Muelleriella angustifolia</i> (Hook.f. & Wilson) Dusén	OL												
Moss	<i>Muelleriella aucklandica</i> Vitt	OL												
Moss	<i>Racomitrium crumianum</i>	DP												
Liverwort	<i>Schistochila pellucida</i>	●												

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
Liverwort														
Moss			<i>Schistochila pluriciliata</i>											
Moss			<i>Seligeria diminuta</i> (R.Br.bis) Dixon											
Moss			<i>Sphagnum perichaetiale</i>	DP, SO	●									
Liverwort			<i>Stolonivector fiordlandiae</i>			●								
Moss			<i>Timmia norvegica</i> J.E.Zetterst.	SO			●							
Moss			<i>Tortella mooreae</i> Sainsbury		●									
Moss			<i>Tortula mucronifolia</i> Schwaegr.	SO		●								
Moss			<i>Tortula viridipila</i> Dixon & Sainsbury		●									
Moss			<i>Trichostomum imshausii</i> (Vitt) R.H.Zander			●								
Moss			<i>Verrucidens turpis</i> (Cardot) Cardot	SO			●							
Moss			<i>Willia calobolax</i> (Mull.Hal.) Lightowers	S?O				●						
Determinate subspecies			<i>Drepanolejeunea</i> <i>vesiculosaa</i> ssp. <i>envesciculosa</i>	SO		●								
Freshwater fish														
Determinate species														
Chatham galaxias			<i>Galaxias rekohua</i>	DP, OL?										
Tarndale bully			<i>Gobiomorphus alpinus</i>				●							
Freshwater invertebrates														
Determinate species														

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Range restricted

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
Freshwater isopod	<i>Austridotea benhami</i>													
Snail	<i>Catapyrgus spelaeus</i> Climo, 1974	●												
Caddisfly	<i>Costachorema notopterum</i>													
Caddisfly	<i>Costachorema peninsulae</i>	OL												
Mayfly	<i>Deleatidium</i>													
Caddisfly	<i>(Penniketellum) cornutum</i>													
Caddisfly	<i>Eapericalvia banksiensis</i>	OL												
Caddisfly	<i>Edpericalvia dugdalei</i>	DP												
Snail	<i>Hadopyrgus anops</i> Climo, 1974													
Snail	<i>Hadopyrgus brevis</i> Climo, 1974													
Caddisfly	<i>Helicopsyche torino</i>	●												
Snail	<i>Horatia nelsonensis</i> Climo, 1977													
Caddisfly	<i>Hydrobiella aoreae</i>	DP												
Caddisfly	<i>Hydrobiopsis taumata</i>													
Caddisfly	<i>Hydrobiopsis lindsayi</i>													
Caddisfly	<i>Hydrobiopsis styx</i>	●												
Fringed-gill mayfly	<i>Isothraulus abditus</i> Towns & Peters, 1979													
Caddisfly	<i>Oecetis chathamensis</i>													
Caddisfly	<i>Oeconesus angustus</i>	DP												
Snail	<i>Opacumcola caeca</i> Ponder, 1966													
Snail	<i>Opacumcola kuscheli</i> Climo, 1974													
Caddisfly	<i>Oxyethira waipoua</i>	DP, OL	●											
Snail	<i>Paxillostium namum</i> N. Gardner, 1970													

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL				
Caddisfly			<i>Philanisus fasciatus</i>	OL	●											
Snail			<i>Potamopyrgus cresswelli</i>													
Snail			<i>Potamopyrgus dawbini</i>		●											
Snail			<i>Potamopyrgus subterraneus</i>	Suter, 1905				●	●							
Snail			<i>Potamopyrgus troglodytes</i>	(Climo, 1974)		●	●									
Snail			<i>Saganoa inflata</i>	(Climo, 1974)		●										
Snail			<i>Saganoa mica</i>	(Climo, 1974)		●										
Polychaete worm			<i>Scolecolepedes freemani</i>													
Caddisfly			<i>Tipphobiosis chilarella</i>		DP, OL											
Caddisfly			<i>Tipphobiosis bineawai</i>		DP, OL											
Caddisfly			<i>Tipphobiosis kuscheli</i>			●										
Caddisfly			<i>Traillochorema rakiura</i>			●	●									
<u>Indeterminate species</u>																
Snail			1	(Climo, 1974)		●										
Caddisfly			<i>Alloecentrella</i> sp. C			●										
Mayfly			<i>Nesameletus</i> sp. A			●										
Caddisfly			<i>Neurochorema</i> sp. A		DP, OL											
<u>Macroalgae</u>																
<u>Determinate species</u>																
Green seaweed - Bryopsidales			<i>Caulerpa racemosa</i>			SO										
Green seaweed - Bryopsidales			<i>Caulerpa sertularioides</i>		SO, OL		●									

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Range restricted

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)										
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA
Green seaweed - Bryopsidales	<i>Caulerpa webbiana</i>	SO, OL											
Brown seaweed - Ectocarpales	<i>Chordariopsis capensis</i>	DP, SO											
Red seaweed - Rhodymeniales	<i>Chrysymenia? polydactyla</i>	DP, OL											
Green seaweed - Bryopsidales	<i>Codium geppiiorum</i>	SO, OL											
Red seaweed - Gracilariales	<i>Curdiea balthazar</i>	OL											
Brown seaweed - Durvilleales	<i>Durvillaea bathamensis</i>	OL											
Red seaweed - Nemaliales	<i>Galaxaura cohaerens</i>	OL		●									
Red seaweed - Nemaliales	<i>Galaxaura filamentosa</i>	OL		●									
Red seaweed - Nemaliales	<i>Galaxaura marginata</i>	OL		●									
Red seaweed - Nemaliales	<i>Galaxaura rugosa</i>	OL		●									
Red seaweed - Nemaliales	<i>Ganonema farinosa</i>	OL		●									
Red seaweed - Gelidiales	<i>Gelidium allani</i>						●						
Red seaweed - Gelidiales	<i>Gelidium ceramoides</i>						●						
Red seaweed - Gelidiales	<i>Gelidium longipes</i>				OL		●						
Red seaweed - Gigartinales	<i>Gigartina dilatata</i>										●		
Brown seaweed - Fucales	<i>Landsburgia ilicifolia</i>	DP, OL											
Brown seaweed - Laminariales	<i>Landsburgia myricifolia</i>	OL											●
Brown seaweed - Laminariales	<i>Lessonia adamsiae</i>	OL											●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
Common name				NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Brown seaweed - Laminariales	<i>Lessonia brevifolia</i>															
Brown seaweed - Laminariales	<i>Lessonia tholiformis</i>	OL														
Brown seaweed - Fucales	<i>Marginariella parsonii</i>															●
Green seaweed - Chlorococcales	<i>Palmophyllum umbracola</i>	●														
Brown seaweed - Sporochnales	<i>Perisporochnus regalis</i>	OL	●													
Red seaweed - Erythrophytidales	" <i>Porphyra</i> " <i>cameronii</i>	OL														●
Red seaweed - Erythrophytidales	<i>"Porphyra" kuspar</i>	OL	●													
Red alga - Freshwater - Batrachospermales	<i>Psiolithiphion scoparium</i>	TO	●													
Red seaweed - Gelidiales	<i>Pterocladia lindaueri</i>	OL	●													
Brown seaweed - Fucales	<i>Sargassum johnsonii</i>	OL	●													
Red seaweed - Gigartinales	<i>Sonderopeltia coriacea</i>	SO, OL	●													
Red seaweed - Nemaliales	<i>Tricleocarpa cylindrica</i>	OL	●													
<u>Indeterminate species</u>																
Brown seaweed - Durvilleales	<i>Durvillaea</i> sp. - Antipodes	OL														●
	WELT A17080															
Red seaweed - Gigartinales	<i>Gigartina</i> sp. Bounty Is.	OL														●
Red seaweed - Gigartinales	<i>Gigartina</i> sp. Three Kings	OL	●													
Red seaweed - Gigartinales	<i>Predea</i> sp.	OL	●													
<b>Marine fish</b>																
<b>Determinate species</b>																

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Range restricted

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Triplefin	<i>Apopterygion oculus</i>														
Spotted sole	<i>Aseraggodes babamondei</i>	SO	●	●											
Flathead	<i>Bembrops morelandi</i>														
Giant triplefin	<i>Bleekerodon dorsale</i>			●	●										
Kermadec demoiselle	<i>Chrysiptera rapanui</i> (Greenfield & Hensley 1970)														
Southern pigfish	<i>Congiopodus leucopaecilus</i>		●												
Sole	<i>Enigmaprospon raoulensis</i> Amaoka & Miura 1995		●												
Kermadec triplefin	<i>Enneapterygius kermadecensis</i> Fricke 1994			●	●	●									
Fjordland brotula	<i>Fjordichthys slaribarbarfarsi</i>														
Subantarctic clingfish	<i>Gastrocytmba quadriradiata</i>														
Caramel drummer	<i>Girella fimbriata</i> (McCulloch 1920)														
Clingfish	<i>Kopua nimata</i>														
Gurnard	<i>Lepidotrigla robinsi</i> Richards 1997			●											
Scorpionfish	<i>Maxilllicosta raoulensis</i> Eschmeyer & Poss 1976				●										
Bellowsfish	<i>Notopogon xenosoma</i>														
Bluefinned butterfish	<i>Odax cyanostictus</i>		●												
Kermadec scalyfin	<i>Parma kermadecensis</i> Allen 1987														
Two stripe seaperch	<i>Plectranthias bilineatus</i>														
Spottail seaperch	<i>Plectranthias maculicauda</i>														
Goby	<i>Priolepis pygmaophila</i> Winterbottom & Burridge 1993									●					
Pearlfish	<i>Pyramodon ventralis</i>														
Subantarctic triplefin	<i>Tripterygion jenningsi</i>		DP									●			

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
Common name				NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Longfinned boarfish	<i>Zanclistius elevatus</i>	SO	●	●	●	●										
Indeterminate species																
Sculpin	<i>Antipodocottus</i> - 2 spp.?															
Sargeant bakers	Aulopodidae - 2 undescribed spp.															
Seatoads	Chaunacidae - undescribed sp.															
Cucumber fishes	Chlorophthalmidae - 3 undescribed spp.															
Goby	<i>Eviota</i> sp.		●													
Dragonette	<i>Foetorepus</i> sp.															
Kernadec urchin clingfish	Gobiesocidae, undescribed genus and species			●												
Batfish	<i>Haliotea</i> sp.															
Stargazer	<i>Kathetostoma</i> sp.				●											
<b>Marine invertebrates</b>																
Determinate species																
Snail	<i>Alcithoe dave gibbsi</i> Hart, 1999			●												
Snail	<i>Ahnania kermadecensis</i> (Oliver, 1915)				●											
Black coral	<i>Antipathes fiordensis</i>				DP, ST									●		
Snail	<i>Archiminoia dawsoni</i> (B.A. Marshall, 1979)				DP								●			
Snail	<i>Archiminoia burleyi</i> (B.A. Marshall, 1979)				DP								●			
Snail	<i>Archiminoia tenuisepsum</i> B.A. Marshall, 1999				DP								●			
Coral	<i>Balanophyllia chnous</i> Squires												●			

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL					
			<i>Bathytautor rapubria</i> B.A. Marshall, 1995	●													
			<i>Bathymopilia valentia</i> B.A. Marshall, 1999	DP	●												
			<i>Bathysequila micros</i> <i>Brookula stibarochila</i> (Iredale, 1912)	SO, OL	●												
			<i>Caecum solitarium</i> Oliver, 1915	●													
			<i>Calliostoma antipodense</i> B.A. Marshall, 1995	●													
			<i>Calliostoma benticola</i> (Dell, 1950)	●													
			<i>Calliostoma consobrinum</i> (Powell, 1958)	●													
			<i>Calliostoma eminens</i> B.A. Marshall, 1995	●													
			<i>Calliostoma gendallii</i> B.A. Marshall, 1979	●													
			<i>Calliostoma gibbsorum</i> B.A. Marshall, 1995	●													
			<i>Calliostoma jannae</i> B.A. Marshall, 1995	●													
			<i>Calliostoma peregrinum</i> B.A. Marshall 1995	SO?	●												
			<i>Calliostoma xanthos</i> B.A. Marshall 1995	SO?	●												
			<i>Calliotropis crystalophorus</i> B.A. Marshall, 1979	DP	●												
			<i>Cantharidus burchorum</i> B.A. Marshall, 1998	●													

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted	Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)										
				NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA
Snail		<i>Carinastele coronata</i> B.A. Marshall, 1988	DP ●											
Snail		<i>Carinastele jugosa</i> B.A. Marshall, 1988	DP											
Snail		<i>Carinastele kristalleae</i> B.A. Marshall, 1988												●
Limpet		<i>Cellana craticulata</i> (Suter, 1905)												●
Chiton		<i>Chiton theneropis</i> (Iredale, 1914)												
Snail		<i>Cirsonella laxa</i> Powell, 1937												
Snail		<i>Cirsonella maoria</i> (Powell, 1937)												
Snail		<i>Cirsonella paradoxa</i> Powell, 1937												
Snail		<i>Clanculus atypicus</i> Iredale, 1912												●
Coral		<i>Coenocyathus brooki</i> Cairns												
Whelk		<i>Cominella regalis</i> Willan, 1978												●
Clam		<i>Corculum inexpectatum</i> Crozier, 1966	DP											●
Limpet		<i>Cornisepta festiva</i> (Crozier, 1966)												●
Hydroid		<i>Crateritheca novaezelandiae</i>												●
Snail		<i>Crosseola favosa</i> Powell, 1937												●
Snail		<i>Crosseola intertexta</i> Powell, 1937												●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
Limpet			<i>Diodora bolloni</i> (Oliver, 1915)	●										
Snail			<i>Discotectonica acutissima</i> (G.B. Sowerby III, 1914) (NZOI TAN107.122)	DP, SO?										
Snail			<i>Eatonella (E.) ireddlei</i> (Oliver, 1915)	●										
Whelk			<i>Etrema bedleyi</i> (Oliver, 1915)	●										
Coral			<i>Falciflabellum racoulensis</i> Cairns	●										
Snail			<i>Faustrix candida</i> B.A. Marshall, 1995	SO?	●									
Snail			<i>Fictonoba oliveri</i> (Powell, 1927)	●										
Limpet			<i>Fissurisepta manawatawhia</i> Powell, 1937	●										
Snail			<i>Graphis sculpturata</i> (Oliver, 1915)	●										
Snail			<i>Herpetopoma pruinosa</i> B.A. Marshall, 1979	●										
Whelk			<i>Hexaplex puniceus</i> Oliver, 1915	●										
Whelk			<i>Inredalea subtropicalis</i> Oliver, 1915	●										
Whelk			<i>Kermia benhami</i> Oliver, 1915	●										
Snail			<i>Laevilitorina antipodum</i> (Filhol, 1880)	●										
Snail			<i>Laevilitorina bifasciata</i> Suter, 1913	●										

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Range restricted

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)										
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA
Snail	<i>Munditia aupouria</i> Powell, 1937	●											
Snail	<i>Munditia delicatula</i> Powell, 1940	●											
Snail	<i>Munditia echinata</i> Powell, 1937	●											
Snail	<i>Munditia manawatuhia</i> Powell, 1937	●											
Snail	<i>Munditia suteri</i> (Mestayer, 1919)	●											
Clam	<i>Mysella tellinula</i> (Odhner, 1924)	●											
Hydroid	<i>Nemertesia elongata</i>	●			●								
Limpet	<i>Notoacmea badia</i> Oliver, 1926	DP											●
Elggrass limpet	<i>Notoacmea scapha</i> (Suter, 1907)	DP											
Crab	<i>Notopoides latus</i>	OL	●										
Coral	<i>Oculina virgosa</i> Squires	●											
Chiton	<i>Onithochiton oliveri</i> (Iredale, 1914)	●											
Clam	<i>Oxyperas belliana</i> (Oliver, 1915)	●											
Black coral	<i>Parantipathes liltiei</i>	S?O	●	●									
Limpet	<i>Patella kermadecensis</i> (Pilsbry, 1894)	●											
Limpet	<i>Patinigera terroris</i> (Filhol, 1880)	●											
Snail	<i>Philorene texturata</i> Oliver, 1915	●											

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
			<i>Pronucula kermadecensis</i>		●									
Clam		Oliver, 1915	<i>Pteria avicula</i> (Holten, 1802)	DP, SO	●									
Mussel			<i>Purpurocardia reinga</i> (Powell, 1933)		●									
Clam			<i>Pusillina wallacei</i> (Oliver, 1915)		●									
Snail			<i>Pyramidelloides sueri</i> (Oliver, 1915)		●									
Snail			<i>Rastodens electra</i> (Oliver, 1915)		●									
Chiton			<i>Rhyssoplax exasperata</i> Iredale, 1914											
Snail			<i>Ruatapukea carolus</i> Dell, 1952	DP										
Snail			<i>Scissurella fairchildii</i> Powell, 1933											
Snail			<i>Selastele kopua</i> (B.A. Marshall, 1995)			●								
Snail			<i>Selastele limatulum</i> (B.A. Marshall, 1995)		●									
Snail			<i>Selastele onustum</i> (Odhner, 1924)		●									
Snail			<i>Sinezona pacifica</i> (Oliver, 1915)		●									
Gravel maggot			<i>Smeagol climoi</i> Tillier & Ponder 1992	DP, OL										
Gravel maggot			<i>Smeagol manneringi</i> Climo 1980	DP, OL								●		
Coral			<i>Sphenotrochus squiresi</i> Cairns		●									

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
Clam	<i>Spondylus ostreoides</i> E.A. Smith, 1885	DP	●											
Clam	<i>Spondylus raoulensis</i> Oliver, 1915		●											
Snail	<i>Stomatella oliveri</i> (Iredale, 1912)		●											
Snail	<i>Sundaya exquisita</i> Oliver, 1915		●											
Snail	<i>Tectus royanus</i> (Iredale, 1912)		●											
Snail	<i>Thoristella polychroma</i> B.A. Marshall, 1998		●											
Whelk	<i>Trophon subtropicalis</i> Iredale, 1912		●											
Snail	<i>Zafra fuscolineata</i> Oliver, 1915		●											
Snail	<i>Zafra kermadecensis</i> Oliver 1915		●											
<u>Determinate subspecies</u>														
Limpet	<i>Actinoleuca campbelli bountyensis</i> Powell, 1955					●								
Clam	<i>Benthocardiella obliquata bountyensis</i> Powell, 1933	DP				●								
Limpet	<i>Cellana strigilis bollonsi</i> Powell, 1955 E					●								
Limpet	<i>Cellana strigilis flemingi</i> Powell, 1955 E					●								
Limpet	<i>Cellana strigilis oliveri</i> Powell, 1955 E					●								

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL				
Whelk			<i>Cominella quoyana</i>	●												
Chiton			<i>Leptochiton norfolkensis</i>	●												
Crab			<i>Leptomithrax tuberculatus</i>	●							●					
Snail			<i>Margarella antipoda</i>									●				
Indeterminate species																
Clam			<i>Abra</i> sp. (NMNZ M.225609)	DP	●											
Scarlet Alcyonium			<i>Alcyonium</i> sp.		●											
Snail			<i>Amaea</i> sp. (NZOI TAN107.233)		DP, SO?											
Mussel			<i>Amygdaenum</i> sp. (NMNZ M.147338)		DP, SO?	●										
Snail			<i>Anabathron</i> sp. aff. <i>ovatus</i> (Powell, 1927) (NMNZ M.227089)			●										
Snail			<i>Ancistrobasis</i> sp. (NZOI TAN107.232)	DP												
Black coral			<i>Antipathes</i> n. sp.			●										
Snail			<i>Argalista</i> sp. A (NMNZ M.148551)			●										
Snail			<i>Argalista</i> sp. B (NMNZ M.148552)			●										
Giant vent mussel			<i>Bathymodiolus</i> sp. 1 (NZOI )													
Whelk			<i>Bellomitra</i> sp. (NZOI TAN107.127)	DP												
Clam			<i>Benthocardiella</i> sp. A (NMNZ M.148673)			●										

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
		Clam	<i>Benthocardiella</i> sp. B (NMNZ M.148674)	●										
		Clam	<i>Benthocardiella</i> sp. C (NMNZ M.148675)	●										
		Clam	<i>Benthocardiella</i> sp. D (NMNZ M.148676)	●										
		Crab	<i>Bythograeia</i> sp. (NZOI)	OL										
		Crab	<i>Calappa</i> sp. ( <i>Caustraliae</i> )	SO										
		Snail	<i>Callistoma</i> sp. (NZOI TAN107.233)	DP										
		Snail	<i>Calliotropis</i> sp. A (NMNZ M.152747)	DP										
		Snail	<i>Calliotropis</i> sp. B (NMNZ M.152735)	DP										
		Crab	<i>Cancellus</i> sp. ( <i>Spiritus</i> )	OL	●									
		Snail	<i>Cantrainea</i> sp. A (NZOI TAN107.323)	DP										
		Snail	<i>Cantrainea</i> sp. B (NZOI TAN107.323)	DP										
		Snail	<i>Cantrainea</i> sp. C (NZOI TAN107.235)	DP										
		Clam	<i>Cardiella</i> sp. (NMNZ M.20766)	●										
		Limpet	<i>Clathrosepta</i> sp. (NZOI U608)	DP	●									
		Clam	<i>Conchocele</i> sp. (NMNZ M.28418)									●		
		Clam	<i>Condylocuna</i> sp. A (NMNZ M.144652)											
		Clam	<i>Condylocuna</i> sp. B (NMNZ M.144656)											

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
Clam			<i>Condyllocuna</i> sp. C (NMNZ M.144657)	●										
Clam			<i>Condyllocuna</i> sp. D (NMNZ M.144658)	●										
Whelk			<i>Coralliphila</i> sp. (NZOI TAN107.234)	DP, SO?										
Limpet			<i>Cranopsis</i> sp. (NZOI TAN107.323)	DP										
Clam			<i>Cyamimactra</i> sp. A (NMNZ M.60854)	●										
Clam			<i>Cyamimactra</i> sp. B (NMNZ M.35947)	●										
Scallop			<i>Cyclochlamys</i> sp. A (NMNZ M.107588)	DP	●									
Scallop			<i>Cyclochlamys</i> sp.B (NMNZ M.155879)	DP							●			
Scallop			<i>Cyclopecten</i> sp. A (NZOI P939)	DP							●			
Scallop			<i>Cyclopecten</i> sp. B (NMNZ M.137443)	DP, SO?	●									
Snail			<i>Danilia</i> sp. (NZOI U599)	DP	●									
Scallop			<i>Delectopecten</i> sp. (NMNZ M.137495)	DP, SO?	●									
Whelk			<i>Eostiffo</i> sp. (NMNZ M.150056)	DP										
Limpet			<i>Fissurellidae</i> sp. (NMNZ M.118002)	●										
Limpet			<i>Fissurisepta</i> sp. (NMNZ M.138467)								●			
Hydroid			<i>Gonaxia</i> sp. (NZOI)	OL	●									
Snail			<i>Granata</i> sp. (NMNZ M.148566)	●										

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
			<i>Grippina</i> sp. (NMNZ M.152680)		●									
			<i>Hamacuna</i> sp. A (NMNZ M.143347)											●
			<i>Hamacuna</i> sp. B (NMNZ M.149015)	●										
			<i>Hemipecten</i> sp. (NZOI TAN107.138)	DP										
			<i>Herpetopoma</i> sp. (NZOI TAN107.233)	DP										
			<i>Hunkydora</i> sp. (NMNZ M.152724)		●									
			<i>Kaiparapelta</i> sp. (NMNZ M.137534)	DP										
			<i>Kapala</i> sp. (NZOI TAN107.136)	DP										
			<i>Kidderia</i> sp. (NMNZ M.134975)	●										●
			<i>Lissodendoryx</i> sp. (yellow slimy)											
			<i>Margarella</i> sp. A (NMNZ M.59506)		●									
			<i>Margarella</i> sp. B (NMNZ M.131607)		●									
			<i>Meiocardia</i> sp. (NZOI T256)	DP, SO?	●									
			<i>Merelina</i> sp. A (NMNZ M.148669)		●									
			<i>Merelina</i> sp. B (NMNZ M.148670)		●									
			<i>Merelina</i> sp. C (NMNZ M.148671)		●									

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
Limpet		<i>Rimulanaax</i> sp. (NMNZ M.225598)	DP	●										
Snail		<i>Serrata</i> sp. A (NMNZ M.227078)		●										
Snail		<i>Serrata</i> sp. B (NMNZ M.212468)		●										
Vent limpet		<i>Shinkailipas</i> sp.(NZOI TAN107.228)	DP											
Snail		<i>Skeneoides</i> sp. (NMNZ M.148557)	●											
Snail		<i>Solariella</i> sp. A (NZOI TAN107.233)	DP											
Snail		<i>Solariella</i> sp. B (NZOI TAN107.225)	DP											
Snail		<i>Solariella</i> sp. C (NZOI W672)	DP											
Snail		<i>Solatisonax</i> aff. <i>alleryi</i> (Seguenza, 1876) (NZOI TAN107.053)	DP											
Clam		<i>Solecurtus</i> sp. (NMNZ M.225439)	DP	●										
Snail		<i>Siliapex</i> sp. (NMNZ M.232084)		●										
Clam		<i>Talabirca</i> sp. (NMNZ M.137651)		●										
Chiton		<i>Tegulaphax</i> sp. (NZOI TAN107.235)	DP											
Snail		<i>Thysanodonta</i> sp. (NMNZ M.152736)	DP											
Limpet		<i>Tugali</i> sp.(NMNZ M.36012)	●											
Whelk		Turbinellid sp. (NZOI TAN107.134)	DP											

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted								Conservancy (●=present; ○=locally extinct)									
Common name	Taxon	Qualifiers			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Crab	<i>Xenograpsus</i> sp. (NZOI)	OL															
<b>Marine mammal</b>																	
Determinate species	<i>Phocarcetos hookeri</i>	CD, ST, HI															
<b>Reptiles</b>																	
Determinate species																	
Robust skink	<i>Cyclodina alani</i>	ST, HI															
McGregor's skink	<i>Cyclodina macgregori</i>	ST, HI															
Whitaker's skink	<i>Cyclodina whitakeri</i>	CD, RC, HI															
Fiordland skink	<i>Oligosoma acrinatum</i>	RC, HI															
Three Kings skink	<i>Oligosoma fallai</i>	ST															
Small-eared skink	<i>Oligosoma stenotis</i>																
Determinate subspecies																	
Chatham Islands skink	<i>Oligosoma n. nigriplantare</i>	HI															
Indeterminate species																	
Mokohinau skink	<i>Cyclodina</i> "Mokohinau island"	ST, HI															
Poor Knights skink	<i>Cyclodina</i> "Poor Knights"	ST															
Mokohinau gecko	<i>Hoplodactylus</i> "Mokohinau gecko"	ST															
Mount Arthur gecko	<i>Hoplodactylus</i> "Mount Arthur"	DP															
Poor Knights gecko	<i>Hoplodactylus</i> "Poor Knights gecko"	●															
Southern mini gecko	<i>Hoplodactylus</i> "southern mini"																
Three Kings gecko	<i>Hoplodactylus</i> "Three Kings gecko"	ST															

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
Big Bay skink		<i>Oligosoma</i> "Big Bay"												
Grey Valley skink		<i>Oligosoma</i> "Grey Valley"		DP										
Indeterminate subspecies														
Poor Knights marbled skink		<i>Cyclodina oliveri</i> Poor Knights populations	ST	●										
Cook Strait Striped gecko		<i>Hoplodactylus stephensi</i>	HI		●									
Cook Strait tuatara		<i>Sphenodon punctatus</i> "Cook Strait"	ST, HI		●	●								
Terrestrial invertebrates														
Determinate species														
Snail		<i>Allodiscus basilistratus</i>		●										
Snail		<i>Allodiscus cassandra</i>		●	●									
Snail		<i>Allodiscus cooperi</i>		●										
Snail		<i>Allodiscus godeeti</i> (Suter)		●										
Snail		<i>Allodiscus spiritus</i>		●										
Snail		<i>Allodiscus turbotti</i>		●	●									
Snail		<i>Amborhytida pycrofti</i>		●										
Chatham Islands click beetle		<i>Amychus candezei</i> Pascoe, 1876			●									
Stiletto fly		<i>Anabarhynchus fuscofemoratus</i> Lynchborg, 1992												
Turbott's weevil		<i>Anagotus turbotti</i> (Spiller, 1942)		●										
Aphid		<i>Aphis coprosmae</i> Laing ex Tilyard	DP								○			
Tuatara tick		<i>Aponomma sphenodonti</i>		●	●						●			
Moth		<i>Asaphodes chlorocapna</i>									●			

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
			<i>Bountya insularis</i>											
Carabid			<i>Climocella manawatavbia</i>	●										●
Snail			<i>Climocella reinga</i>	●										
Snail			<i>Confuga persephone</i>	DP										●
Cave Bug			Fennah, 1975											
Caddis			<i>Cryptobiosella furcata</i>											
Caddis			Henderson, 1983											
Snail			<i>Cryptobiosella spinosa</i>	DP										
Snail			Henderson, 1983											
Snail			<i>Cytora ampla</i>	●										
Snail			<i>Cytora annectens</i>	RC, OL										
Snail			<i>Cytora filicosta</i>	●										
Snail			<i>Cytora hispida</i>	●										
Snail			<i>Cytora kerrana</i>	●										
Snail			<i>Cytora solitaria</i>	RC, OL										
Snail			<i>Cytora tepakiensis</i>	●										
Snail			<i>Damonita geminoropiformis</i>	DP										
Poor Knights giant weta			<i>Deinacrida fallai</i> Salmon, 1950	●										
Cook Strait giant weta			<i>Deinacrida rugosa</i> Buller, 1871	RC									●	●
Giant mole weta			<i>Deinacrida talpa</i> Gibbs, 1999	DP										●
Snail			<i>Delos regia</i> Climo, 1973	RC										
Snail			<i>Delos striata</i> Climo, 1973	RC, OL										
Snail			<i>Egestula bicolor</i>	●										
Snail			<i>Egestula gaza</i>	●										
Snail			<i>Egestula microgaza</i>	●										
Snail			<i>Egestula pandora</i>	●										
Moth			<i>Ericodesma cuneata</i>	ST, HI										●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
Poor Knights cave weta	<i>Gymnoplectron giganteum</i> Richards, 1962		ST	●										
Weevil	<i>Hadracalles fuliginosus</i>		DP	●										
Karo Weevil	<i>Hadramphus pittospori</i>		DP	●										
Coxella weevil	<i>Hadramphus spinipennis</i> Broun, 1911		HI, EF	●										
Knobbled weevil	<i>Hadramphus stilbocarpae</i> Kuschel, 1971		HI, EF	●										
Moth	<i>Helastia clandestina</i>		●											
Ground weta	<i>Hemiandrus bilobatus</i>													
Ground weta	<i>Hemiandrus subantarcticus</i>													
Banks Peninsula tree weta	<i>Hemideina ricta</i> (Hutton, 1897)													
Campbell island ribbed weevil	<i>Heterexis seticosatus</i> (Brookes, 1951)													
Flightless shield bug	<i>Hypsithocus budsonae</i> Bergroth, 1927													
Bounty Island weta.	<i>Ischyroplectron isolatum</i> (Hutton, 1895)				DP, OL									
Snail	<i>Kokikora mimiuwhangata</i> Climo & Goulstone				●									
Snail	<i>Laoma antipoda</i> (Filhol)				DP									
Snail	<i>Laoma flemingi</i> (Dell)													
Snail	<i>Laoma bistrutus</i> (Powell)				DP									
Snail	<i>Laoma labyrinthica</i> Powell				RC									
Snail	<i>Laoma minuta</i>				●									
Snail	<i>Laomarex minuta</i> (Gardner)				●									
Snail	<i>Laomarex regia</i> (Gardner)			RC, OL	●									
Snail	<i>Laomarex servaea</i> Powell			RC	●									

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
Snail			<i>Liarea bicarinata</i>	●										
Snail			<i>Liarea ornata</i>	●										
Snail			<i>Liarea partula</i>	●										
Snail			<i>Loisthodon benhami</i> (Suter)	DP										
Orongorongo black cicada			<i>Maoricicada myersi</i> (Fleming, 1971)	●										
Ground beetle			<i>Mecodema angustulum</i> Broun, 1914	DP			●							
Ground beetle			<i>Mecodema dunense</i> Townsend, 1965	DP			●							
Ground beetle			<i>Mecodema howitti</i> Casteleau, 1867	●										
Ground beetle			<i>Mecodema litoreum</i> Broun 1886	DP										
Ground beetle			<i>Mecodema pavidum</i> Townsend, 1965	DP			●							
Ground beetle			<i>Mecodema quoinense</i> Broun, 1912	●										
Ground beetle			<i>Mecodema strictum</i> Britton, 1949	DP			●							
Ground beetle			<i>Megadromius bucolicus</i>	●										
New Zealand bat fly			<i>Mystacinobia zelandica</i> Holloway, 1976	●										
Longhorn			<i>Navomorpha neglecta</i>	DP			●							
Caddis			<i>Neobiosella irrorata</i> Wise, 1958	●										
Fly			<i>Neocurupira chiltoni</i>	DP			●							
Cave weta			<i>Novoplectron serratum</i> (Hutton, 1904)	●										
Darkling beetle			<i>Omedes nitidus</i>	DP			●							
Velvetworm			<i>Ooperipatellus manus</i>	DP, OL			●							

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
			<i>Oregus inaequalis</i>											
			Castelnau, 1867											
Ground beetle														
Leech			<i>Ornithobdella edentula</i>	DP										●
Snail			<i>Paralaoma buddlei</i> Powell	RC										
Snail			<i>Paralaoma manawatawhia</i> Goulstone & Brooke	OL										●
Snail			<i>Paralaoma pagoda</i> Climo	RC, OL										
Snail			<i>Paralaoma raki</i>	●										
Snail			<i>Paralaoma regia</i>	●										
Snail			<i>Paralaoma turbotti</i>	OL										
Sand scarab			<i>Pericoptus frontalis</i> Broun, 1904											●
Velvetworm			<i>Peripatooides indigo</i>											●
Peripatus, Ngaokeoke			<i>Peripatooides suteri</i>											
Snail			<i>Phenacophelix brooki</i>											
Snail			<i>Phrixgnathus aupouria</i>											
Snail			<i>Pbrixgnathus blacki</i> Powell	OL										
Snail			<i>Pbrixgnathus cognata</i>	DP										●
Snail			(Suter)											
Snail			<i>Pbrixgnathus laqueus</i> Dell	DP										●
Snail			<i>Pbrixgnathus paralaomiformis</i> (Climo)											●
Snail			<i>Pbrixgnathus subarvel</i>	●										
Snail			<i>Pbrixgnathus waipoua</i>	DP										●
Spider			<i>Pianoa isolata</i> Forster, 1987											
Flat beetle			<i>Platisus zelandicus</i> Marris & Klimaszewski, 2001											●
Snail			<i>Powelliphanta fletcheri</i> (Powell, 1938)	DP										●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL					
		Scarab/chafer Beetle	<i>Prodontria jenniferae</i> Emerson, 1997	DP													●
		Scarab/chafer Beetle	<i>Prodontria longitarsus</i>														●
		Alexandra chafer beetle.	<i>Prodontria modesta</i> (Broun, 1909) s.s.														●
		Scarab/chafer Beetle	<i>Prodontria pinguis</i> Given, 1952														●
		Scarab/chafer Beetle	<i>Prodontria rakiurensis</i> Emerson, 1997	DP													●
		Bristly cockchafer	<i>Prodontria setosa</i> Given, 1952	DP													●
		Scarab/chafer Beetle	<i>Prodontria truncata</i> Given, 1952?	DP													●
		Slug	<i>Pseudaneitea pallida</i> Climo 1973	ST	●												
		Darkling beetle	<i>Pseudobelops chathamensis</i>														●
		Moth	<i>Pyrgotis transfixa</i>	DP													●
		Bird louse	<i>Rallicola (Apericola) piligrimi</i> Clay, 1972			●	●									○	○
		Snail	<i>Ranfurlya constanceae</i> Suter	DP													●
		Snail	<i>Rhytidarex johnsoni</i> (Climo)		●												
		Snail	<i>Rotadiscus insularis</i> (Climo)														●
		Robber fly	<i>Saropogon chathamensis</i> Hutton, 1901	DP													●
		Snail	<i>Serpho mattheusi</i> (Powell) Sigaus obelisci Bigelow, 1967		●												●
		Alpine grasshopper	<i>Spelungula cavernicola</i> Forster, 1987	ST													●
		Nelson cave spider															●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL					
Cave weta			<i>Talitropsis crassicruris</i> Hutton, 1897													●	
Cave weta			<i>Talitropsis megatibia</i> Trewick 1999													●	
Land amphipod			<i>Tara taranaki</i> Duncan, 1994	OL													
Snail			<i>Thalassohelix</i> <i>chathamensis</i>		●												
Snail			<i>Therasiella pectinifera</i>		●												
Mole Cricket			<i>Triamescaptor aotea</i>		●			●									
Snail			<i>Zelandiscus elevata</i> (Climo)					●									
Determinate subspecies																	
Snail			<i>Liarea aupouria aupouria</i>		●												
Snail			<i>Liarea aupouria tara</i>	OL		●											
Powell				Powell													
Snail			<i>Pbrixgnathus rakiura</i>														
Pupu harakeke			<i>Placostylus (Maoristylus)</i> <i>bongii</i> (Lesson, 1830)	RC		●											
Snail			<i>Pouelliophanta spedeni</i>				DP										
			<i>Iteumbilicata</i> (Powell, 1946)														
Indeterminate species																	
Weevil			<i>Allanalcis</i> sp. "Poor Knights"		DP, OL		●										
Snail			<i>Allodiscus</i> "coarse axialis" miranda-group					●									
Snail			<i>Allodiscus</i> "flat extreme" tullia-group						●								

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location;  
 RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL					
Snail			<i>Allodiscus</i> "Flat-ultrafine" miranda-group														
Snail			<i>Allodiscus</i> "minute white"					●	●								
Snail			<i>Allodiscus</i> "Mount Peel"				●										
Snail			<i>Allodiscus</i> aff. <i>planulatus</i>				●										
Snail			<i>Allodiscus</i> aff. <i>turbotti</i>									●					
Snail			<i>Amborhytida</i> sp.														
			"Motukokako" (NMNZ M.151457)														
Three kings click beetle			<i>Amychus</i> sp.	●													
Weevil			<i>Anagotus</i> sp "Three Kings"		DP		●										
			<i>Anagotus</i> sp. "Poor Knights"		DP		●										
FLY			<i>Apsona</i> sp. "Kapiti Island"		DP												
Snail			<i>Archipriognathus</i> "Hazelwoodi"				●										
Slug			<i>Athoracophorus</i> "Warawara 1"			ST, OL	●										
Snail			<i>Aureopunctum</i> aff. 1				●										
			<i>turbotti</i>														
Hunter Hills grasshopper			<i>Brachaspis</i> "Hunter Hills"			DP					●						
Cave dipluran			<i>Burmijapyx</i> sp.			DP											
Snail			<i>Calcilaoma</i> "fordycei"				●										
Snail			<i>Calcilaoma</i> "Kaikoura"				●										
Snail			<i>Calcilaoma</i> "roscoei"				●										
Snail			<i>Calcilaoma</i> "Waipara"					●									
Snail			<i>Calcimocella</i> "Martinborough limestones"								●						
			<i>Calcimocella</i> aff. <i>jacki</i> 1									●					

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Range restricted

Common name	Taxon	Qualifiers	NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
<b>Conservancy (●=present; ○=locally extinct)</b>															
Snail	<i>Calcimocella</i> aff. <i>jacki</i> 2														●
Snail	<i>Cavellia</i> "kohaihai"														●
Snail	<i>Cavellia</i> "large tapirinopsis"														●
Snail	<i>Cavellia</i> "mangaraka"														●
Snail	<i>Cavellia</i> "pseudangulicula"														●
Snail	<i>Cavellia</i> aff. <i>tapirina</i>														●
Snail	<i>Charopa</i> "pororari"														●
Snail	<i>Charopidae</i> sp.1 (NMNZ M.89841)	DP													●
Snail	<i>Charopidae</i> sp.11 (NMNZ M.99790)	●													
Snail	<i>Charopidae</i> sp.15 (NMNZ M.77056)	●													
Snail	<i>Charopidae</i> sp.16 (NMNZ M.77007)	●													
Snail	<i>Charopidae</i> sp.17 (AIM AK 73170)	●													
Snail	<i>Charopidae</i> sp.3 (NMNZ M.83043)	DP, OL													
Snail	<i>Charopidae</i> sp.4 (NMNZ M.79585)	DP													
Snail	<i>Charopidae</i> sp.6 (NMNZ M.99795)	●													
Snail	<i>Climocella</i> sp. "Poor Knights"	●													
Stick insect	<i>Clitarchus</i> sp. aff. <i>bookeri</i> "Poor Knights"	DP													●
Weevil	<i>Crisius</i> sp. "Poor Knights"	DP													●
Cave centipede	<i>Cryptops</i> sp.	DP													●
Snail	<i>Cytora</i> sp. 1 (NMNZ M.154911)	DP													●
Snail	<i>Dellopsis</i> "peninsularis"														

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
			<i>Dellopsis</i> sp.											
		Snail	<i>Delos</i> sp. 2 (NMNZ M.154823)	RC	●									
		Snail	<i>Delos</i> sp. 4 (NMNZ M.38250)		●									
		Snail	<i>Discocharopa</i> "barrierensis"		●									
		Snail	<i>Discocharopa</i> "biconcava"			●								
		Snail	<i>Dorilaoma</i> "elevata"				●							
		Weevil	<i>Ectopsis</i> sp. "Poor Knights"	DP	●									
		Snail	<i>Egestula</i> "broomfieldi"		●									
		Snail	<i>Ellettia</i> "aucklandensis"		●									
		Snail	<i>Elsotbera</i> "minuta"			●								
		Snail	<i>Elsotbera</i> sp. 3			●								
		Snail	<i>Emodiapicis</i> "australis"											
		Weevil	<i>Exomesites</i> sp. "Poor Knights"	DP	●									
		Snail	<i>Flammoccharopa</i> "giant pilsbryi"			●								
		Snail	<i>Flammoccharopa</i> "unicoloured Te Ara"			●								
		Snail	<i>Flammoconcha</i> "marstoni"				●							
		Snail	<i>Flammoconcha</i> aff. "Marstoni"				●							
		Snail	<i>Flammulina</i> "Akatarawa"					●						
		Snail	<i>Flammulina</i> "constanceae/feredayi"						●					
		Snail	<i>Flammulina</i> "stewartensis"						●					
		Snail	<i>Flammulina</i> aff. <i>lateaperta</i>							●				
		Longhorn beetle	<i>Gastrosaurus</i> sp. "Poor Knights"	DP	●									
		Mochau stag beetle.	<i>Geodorus</i> sp. "Mochau"	DP, OL	●									

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Range restricted

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Snail	<i>Haurakora</i> aff. <i>corrugata</i>														
Ground weta	<i>Hemiandrus</i> "Cromwell"	●													
Ground Weta	<i>Hemiandrus</i> "disparalis"										●				
Ground weta	<i>Hemiandrus</i> "evansae"									●					
Ground weta	<i>Hemiandrus</i> "furovianus"									●					
Ground weta	<i>Hemiandrus</i> "Horomaka"									●					
Ground weta	<i>Hemiandrus</i> "Kapiti"	DP													
Mochau weta.	<i>Hemiandrus</i> "Moehau"	DP													
Ground Weta	<i>Hemiandrus</i> "Okiwi"														
Ground weta	<i>Hemiandrus</i> "Onokis"														
Ground weta	<i>Hemiandrus</i> "Otekauri"	●													
Ground weta	<i>Hemiandrus</i> "Porters"	DP													
Ground weta	<i>Hemiandrus</i> "Saxatilis"														
Ground weta	<i>Hemiandrus</i> "vicinus"														
Snail	<i>Hyalaoma</i> sp. <i>globosa</i> - group														
Snail	<i>Hyalaoma</i> "elevata"	●													
Snail	<i>Hyalaoma</i> "globosa"									●					
Snail	<i>Hyalaoma</i> "Kaukapakapa"	●													
Snail	<i>Hyalaoma</i> "Maungatapere"	●													
Snail	<i>Iotula</i> "kessneri"														
Snail	<i>Iotula</i> "large kessneri"									●					
Snail	<i>Iotula</i> "minute degenerata"									●					
Snail	<i>Iotula</i> "plana"										●				
Snail	<i>Iotula</i> aff. <i>Alpina</i>										●				
Snail	<i>Iotula</i> aff. <i>macroaccelerata</i>										●				
Snail	<i>Iotula</i> aff. <i>microdegenerata/gracilis</i>														
Snail	<i>Kaupotaka</i> aff. <i>lampra</i>	●													
Snail	<i>Korapapa</i> aff. <i>autouria</i>	●													

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL	●	●	●	●	
Snail			<i>Korukoura</i> "australis"										●				
Snail			<i>Korukoura</i> "meadsi"										●				
Snail			<i>Laoma</i> "ballanceae"										●				
Snail			<i>Laoma</i> "decipula"										●				
Snail			<i>Laoma</i> "horningae"														
Snail			<i>Laoma</i> "Matarua"														
Snail			<i>Laoma</i> "megabartleia"														
Snail			<i>Laoma</i> "mokihinui"														
Snail			<i>Laoma</i> "Perakii"														
Snail			<i>Laoma</i> "Rapahoe"														
Snail			<i>Laoma</i> "tutuhesperus"														
Snail			<i>Liarea aupouria</i> species complex														
Snail			<i>Litopunctum</i> "antipodensis"														
Snail			<i>Litopunctum</i> "brunneum"										●				
Snail			<i>Litopunctum</i> "calciphilia"										●				
Snail			<i>Litopunctum</i> "mayhillae"										●				
Snail			<i>Litopunctum</i> "thomsoni"										●				
Snail			<i>Litopunctum</i> "viridula"										●				
Snail			<i>Litopunctum</i> "whakapapaiti"														
Snail			<i>Litopunctum</i> aff. <i>lambata</i>										●				
Snail			<i>Litopunctum</i> aff. <i>ordinarium</i>										●				
Snail			<i>Litopunctum</i> sp. "tight viridis"										●				
Snail			<i>Magilaoma</i> "Whangaroa"										●				
Ground beetle			<i>Mecodema</i> sp. "Poor Knights"										●				
Picton/Port Underwood ground beetle.			<i>Megadromus</i> sp. "eastern Sounds"										●				

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
Ground beetle	<i>Megadromus</i> sp. 1 (species aff. <i>sandageri</i> )		DP											
Ground beetle	<i>Megadromus</i> sp. 11 "Benmore"		DP											●
Snail	<i>Microbrunnnea</i> aff. <i>semiminuta/accelerata</i>			●										
Snail	<i>Micromocella</i> "barrierensis"			●										
Snail	<i>Micromocella</i> aff. <i>elliotae</i>			●										
Darkling beetle	<i>Mimopeus</i> sp. "Poor Knights"		DP	●										
Snail	<i>Mitodon</i> "Akatarawa"			●										
Snail	<i>Mitodon</i> "Puponga"				●									
Snail	<i>Mitodon</i> aff. <i>vortex</i>					●								
Snail	N.Gen. ( <i>Allodiscus</i> ?)						●							
Snail	N.Gen. ( <i>Allodiscus</i> ?) "Hokianga"			●										
Snail	N.Gen. <i>Huonodon/Mitodon</i>													
Robber fly	<i>Neoitamus</i> "tawahi"		DP	●										
Robber fly	<i>Neoitamus</i> "tetatus"		DP	●										
Snail	<i>Obanella</i> sp.				●									
Chafer beetle	<i>Odontria</i> sp. "Poor Knights"		DP	●										
Snail	<i>Oparara</i> "partlei"				●									
Moth	<i>Orocrambus</i> "Mackenzie Basin"		OL											
Snail	<i>Papulaoma</i> aff. <i>monticola</i>			●										
Snail	<i>Papulaoma</i> aff. <i>otagoensis</i>				●									
Stag beetle	<i>Paralissotes</i> sp. "Poor Knights"		DP	●										
Snail	<i>Pasmaditta</i> aff. <i>hamiltoni</i>					●								
Snail	<i>Pbenacobelix</i> aff. <i>pilula/ponsonbyi</i>						●							

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
Snail		<i>Phenacoloma</i> sp. 1												
Snail		<i>Phenacoloma</i> sp. 2												
Snail		<i>Pbrixgnathus</i> "wallacei"												
Snail		<i>Pbrixgnathus</i> aff. <i>elevata</i>		●										
Snail		<i>Pbrioxothrix</i> "depilis"												
Weevil		<i>Pbryninxus</i> sp. "Poor Knights"	DP	●										
Snail		<i>Poripotaka</i> "micropallax"		●										
Snail		<i>Poripotaka</i> "Paparoa"			●									
Snail		<i>Poripotaka</i> "ponderi"				●								
Snail		<i>Poripotaka</i> "Rapahoe"					●							
Snail		<i>Poripotaka</i> aff. <i>rancayi</i>						●						
Snail		<i>Powellaoma</i> "arandi"							●					
Snail		<i>Powellaoma</i> "gigantea"							●					
Snail		<i>Powellaoma</i> "peninsularis"								●				
Snail		<i>Powellaoma</i> "stewartensis"									●			
Snail		<i>Powelliphanta</i> "Egmont"				OL								
Snail		<i>Powelliphanta</i> "Garibaldi"					DP, OL							
Snail		<i>Powelliphanta</i> "Haast"					DP							
Snail		<i>Powelliphanta</i> "Kirwans"						DP, OL						
Snail		<i>Powelliphanta</i> "Lodestone"						DP						
Snail		<i>Powelliphanta</i> "Matakiki"						DP						
Snail		<i>Powelliphanta</i> "Matiri"						DP						
Snail		<i>Powelliphanta</i> "Nelson Lakes"						DP						
Snail		<i>Powelliphanta</i> "Paparoas"							DP					
Snail		<i>Powelliphanta</i> "vittatus"							DP					
Weevil		<i>Pradoepra</i> sp. "Poor Knights"								DP	●			
Snail		<i>Pseudophrixgnathus</i> aff. <i>elevata</i>										●		

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
			Punctidae sp.10 (NMMNZ M.62132)	●										
			Punctidae sp.11 (NMMNZ M.79639)	●										
			Punctidae sp.15 (NMMNZ M.84467)	DP	●									
			Punctidae sp.16 (NMMNZ M.87987)	DP	●									
			Punctidae sp.17 (NMMNZ M.87982)	DP	●									
			Punctidae sp.18 (NMMNZ M.151443)	DP	●									
			Punctidae sp.2 (AIM AK 155577)	OL	●									
			Punctidae sp.21 (NMMNZ M.62099)	DP	●									
			Punctidae sp.22 (NMMNZ M.55454)		●									
			Punctidae sp.23 (NMMNZ M.83503)	DP	●									
			Punctidae sp.25 (NMMNZ M.54260)		●									
			Punctidae sp.28 (NMMNZ M.88206)	DP	●									
			Punctidae sp.29 (NMMNZ M.88205)	DP	●									
			Punctidae sp.3 (NMMNZ M.99812)		●									
			Punctidae sp.34 (NMMNZ M.37698)	DP	●									
			Punctidae sp.38 (NMMNZ M.98347)	DP	●									

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
			Punctidae sp.39 (NMNZ M.55868)	DP	●									
			Punctidae sp.40 (NMNZ M.78662)	DP	●									
			Punctidae sp.41 (NMNZ M.84465)	DP	●									
			Punctidae sp.42 (NMNZ M.98351)	DP	●									
			Punctidae sp.43 (NMNZ M.83426)	DP	●									
			Punctidae sp.5 (NMNZ M.87995)	DP, OL	●									
			Punctidae sp.7 (NMNZ M.68881)	DP	●									
			Punctidae sp.9 (NMNZ M.87994)	OL	●									
		Moth	<i>Pyrgotis</i> sp. "olearia"		●									
		Snail	<i>Ranfurlyia</i> "meadsi"			●								
		Snail	<i>Rengakora</i> aff. <i>microreticulata</i>				●							
		Snail	<i>Rohopapa</i> "cassensis"					●						
		Snail	<i>Roscoepunctum</i> "elworthyi"						●					
		Snail	<i>Roscoepunctum</i> "embertoni"							●				
		Snail	<i>Roscoepunctum</i> "Mt Duppera"							●				
		Snail	<i>Roscoepunctum</i> "Silverstream"								●			
		Snail	<i>Roscoepunctum</i> "sutherlandi"									●		
		Snail	<i>Roscoepunctum</i> "Takaka Hill"									●		
		Snail	<i>Rotadiscus</i> aff. <i>jamicsoni</i>									●		

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Range restricted

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)										
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA
Snail	<i>Rotadiscus</i> aff. <i>urquharti</i>												
Snail	<i>Rotadiscus</i> aff. <i>urquharti</i> "Southland - group"												
Weevil	<i>Scelodolichus</i> sp. "Poor Knights"	DP, OL	●										
Snail	<i>Seriococoncha</i> "kuscheli"	●											
Snail	<i>Serratopunctum</i> "tutulentus"	●											
Alpine grasshopper	<i>Sigaus</i> "Remarkables"	DP, OL											
Alpine grasshopper	<i>Sigaus</i> "Rob Roy"	DP, OL											
Snail	<i>Sinployea</i> 'fiordlandica'												
Snail	<i>Sinployea</i> "Hikurangi"	●											
Snail	<i>Sinployea</i> "Kaukapakapa"	●											
Snail	<i>Sinployea</i> "mangamuka"	●											
Snail	<i>Sinployea</i> "Ohinepoutea"	●											
Snail	<i>Sinployea</i> "parvaformis"	●											
Chironomid	<i>Tanytarsus</i> sp.	DP, OL											
Snail	<i>Therasiella</i> sp.												
Snail	<i>Therasiella</i> "narrow umbilicus"	●											
Snail	<i>Therasiella</i> aff. <i>elevata</i>	●											
Snail	<i>Therasiella</i> sp. "Unuwaho"	●											
Weevil	<i>Tychanopais</i> sp. "Poor Knights"	DP	●										
Snail	<i>Vicariodiscus</i> "charopiformis"												
Snail	<i>Vicariodiscus</i> "cresswelli"												
Snail	<i>Vicariodiscus</i> sp.	●											
Snail	<i>Zelandiscus</i> "innubilis"	●											
Ground beetle	<i>Zeopoecilus</i> "Pupu Springs"	DP											

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
		<i>Aciphylla congesta</i>											●	
		<i>Aciphylla crosby-smithii</i>											●	
		<i>Aciphylla dissecta</i>											●	
		<i>Aciphylla lecomtei</i>											●	
		<i>Aciphylla leightii</i>											●	
		<i>Aciphylla spedenii</i>											●	
		<i>Aciphylla stamensis</i>											●	
		<i>Aciphylla takanea</i>											●	
		<i>Aciphylla trailii</i>											●	
		<i>Aciphylla trifoliolata</i>											●	
		<i>Agrostis subulata</i>												
		<i>Anisotome acutifolia</i>				OL								
		<i>Anisotome antipoda</i> Hook. f.				OL								
		<i>Anisotome latifolia</i> Hook. F.												
		<i>Anisotome hyallii</i> Hook. F.											●	
		<i>Arachniodes aristata</i>											●	
		<i>Asplenium chathamense</i>				OL								
		<i>Asplenium shuttleworthianum</i>				SO, OL								
		<i>Atriplex billardierei</i>			CD, TO, HI								○	○
		<i>Baumea complanata</i>			HI									
		<i>Brachyglottis arboreascens</i>			OL									
		<i>Brachyglottis bifistulosa</i> (Hook.f.) B.Nord.			DP								●	
		<i>Brachyglottis compacta</i> (Kirk) B.Nord.			OL								●	
		<i>Brachyglottis myrianthos</i>			●	○?	●							
		<i>Brachyglottis pentacopa</i>			OL								●	

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
			<i>Brachyglottis stewartiae</i> (J.B. Armstr.) Nord.	DP									●	
			<i>Brachyglottis turneri</i> (Cheeseman) C.J. Webb				●							
			<i>Brachyscome humilis</i>	DP									?	
			<i>Brachyscome linearis</i> (Petrie) Drue	DP									●	
			<i>Bubinella rossii</i>										●	
			<i>Bulbinella latbotii</i> L.B. Moore	DP, OL										
			<i>Callitrichia aucklandica</i> R. Mason											
			<i>Canavalia rosea</i>	SO, OL	●									
			<i>Carex albula</i> Allan			●								
			<i>Carex decurtata</i> Cheeseman				●							
			<i>Carex devia</i> Cheeseman				●							
			<i>Carex eltingamita</i> Hamlin	RC, OL	●									
			<i>Carex filamentosa</i> Petrie											
			<i>Carex frettensis</i> Hamlin	DP										
			<i>Carex impexa</i> K.A. Ford		●									
			<i>Carex kermadecensis</i> Petrie	OL	●									
			<i>Carex ophiolithica</i> de Lange et Heenan	OL	●									
			<i>Carex pleiostachys</i> C.B. Clarke											
			<i>Carex pterocarpa</i> Petrie								●			
			<i>Carex rubicunda</i> Petrie								●			
			<i>Carex taboata</i> Hamlin	DP							●			
			<i>Carex trachycarpa</i> Cheeseman								●			
			<i>Carex traversii</i> Kirk								●			

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL					
			<i>Carex unifolia</i>														
			<i>Carex ventosa</i>	OL													
			<i>Carmichaelia appressa</i>	OL													
		G.Simpson	<i>Carmichaelia astonii</i>														
		G.Simpson	<i>Carmichaelia compacta</i>														
			<i>Carmichaelia torulosa</i>	ST, RF													
			<i>Cassinia amoena</i>	OL	●												
		Cheeseman	<i>Celmisia clavata</i> G.														
		Simpson et G. Thomson	<i>Celmisia cockayneana</i>														
		Petrie	<i>Celmisia gibbsii</i> Cheeseman	DP													
			<i>Celmisia inacessa</i> Given	ST													
			<i>Celmisia insignis</i>														
			<i>Celmisia lindsayi</i> Hook. f.														
			<i>Celmisia mackanii</i> Raoul														
			<i>Celmisia markii</i> Given et W. R. Lee														
		Cheeseman	<i>Celmisia morganii</i>														
		Given	<i>Celmisia philocremna</i>														
			<i>Celmisia polyvena</i> G.	OL													
		Simpson et G. Thomson	<i>Celmisia rigida</i> (Kirk) Cockayne														
			<i>Celmisia rutlandii</i> Kirk														
		G.Simpson	<i>Celmisia spedenii</i>														

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
NL	AU	BP	WK	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL					
Celmisia thomsonii Cheeseman				OL													
Cenchrus calyculus Centrolepis minima Kirk				OL, TO	●												
Cheesemania wallii (Carse) Allan					●												
Chionochloa acicularis Chionochloa antarctica					●	●											
Chionochloa beddieri Chionochloa bromoides				●	●												
Chionochloa defracta Chionochloa juncea					●												
Chionochloa lanea Chionochloa ovata						●	●	●									
Chionochloa spiralis Chionohebe glabra		DP															
(Cheeseman) Heads Chionohebe myosotoides																	
Colobanthus hookeri Cheeseman		DP															
Coprosma neglecta Cheeseman			●														
Coprosma talbrockiei L.B.Moore et R.Mason	OL																
Cordyline kasparyi W.R.B.Oliv.		●															
Coriaria pottsiana W.R.B.Oliv.			●														
Cyathea kermadecensis W.R.B.Oliv.	RC, OL		●														
Cyathea milnei OL		●															

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL					
			<i>Dammamenia vernicosa</i> (Hook f.) D.R. Given													●	
			<i>Deyeuxia lacustris</i>	DP												●	
			<i>Dichelachne lautumia</i>	ST												●	
			<i>Edgar et Connor</i>														
			<i>Dicranopteris linearis</i> (Burn.f.) Underw.	SO													
			<i>Disphyma papillatum</i>	OL													
			<i>Chinnock</i>														
			<i>Doodia milnei</i> (Carr.) Parris	OL													
			<i>Dracophyllum marmoricola</i> S.Venter														
			<i>Dracophyllum ophioliticum</i>														
			<i>S.Venter</i>														
			<i>Dracophyllum patens</i> W.R.B. Oliv.														
			<i>Dracophyllum pearsonii</i> Kirk														
			<i>Dracophyllum trimorphum</i> W.R.B. Oliv.														
			<i>Elingamita johnsonii</i> G.T.S.Baylis	OL													
			<i>Elymus apicus</i>												●		
			<i>Elymus falciflorus</i> Connor												●		
			<i>Elymus sacandros</i>												●		
			<i>Epilobium astonii</i> Raven et Raven												●		
			<i>Epilobium brevipes</i> Hook. f. Hook. f.												●		
			<i>Epilobium confertifolium</i>													●	
			<i>Epilobium forbesii</i> Allan												●		
			<i>Epilobium wilsonii</i> Petrie												●		

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL					
			<i>Euchiton nitidulus</i> (Hook.f.) Anderb.														
			<i>Euphrasia drucei</i> M. B. Ashwin														
			<i>Euphrasia repens</i> Hook. f.	●													
			<i>Euphrasia wettsteiniana</i> du Rietz		●												
			<i>Ewartiohammus sinclairii</i> (Hook.f.) Anderb.			●											
			<i>Festuca actae</i>				●										
			<i>Festuca coxi</i>		OL												
			<i>Festuca luciarum</i> Connor		DP												
			<i>Festuca ultramafica</i> Connor		OL		●										
			<i>Gentianella antarctica</i> Kirk			OL											
			<i>Gentianella antipoda</i> Kirk			OL											
			<i>Gentianella astonii</i>			ST		●									
			<i>Gentianella cerina</i> Hook. f. Hook. f.					●									
			<i>Gentianella concinna</i>						●								
			<i>Gentianella filipes</i>							●							
			<i>Gentianella gibbsii</i> Petrie			OL?											
			<i>Gentianella liliiputiana</i> C.J.Webb			EF											
			<i>Gentianella matthewsii</i> Petrie				●										
			<i>Geranium traversii</i> Hook.f.			OL											
			<i>Geum divergens</i> Cheeseman					●?									
			<i>Gingidia baxterae</i>			DP				●							
			<i>Gingidia enysi</i>			DP					●						

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted	Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
				NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
		<i>Hebe townsonii</i>													
		<i>Hebe tumida</i>													
		<i>Hebe urvilleana</i>													
		<i>Helichrysum plumatum</i>													
	Allan														
		<i>Hierochloe brunonis</i>													
		<i>Hoheria equitum</i> Heads	●												
		<i>Homalanthus polyandrus</i>	OL												
		<i>Imperata caeesemanii</i>	OL												
		<i>Isolepis crassiuscula</i>													
		<i>Iti lacustris</i> Garn.-Jones et P.N.Johnson	EF												
		<i>Jovellana sinclairii</i> (Hook.) Kranzl.	DP												
		<i>Juncus scheuchzeroides</i>													
		<i>Kunzea sinclairii</i> (Kirk) W.Harris	●												
		<i>Lachnagrostis ammobia</i>	DP												
	Edgar														
		<i>Lachnagrostis leptostachys</i>													
		<i>Lachnagrostis tenuis</i>													
		<i>Leptecophylla robusta</i>	OL												
		<i>Leptinella albida</i>	(D.G.Lloyd) D.G.Lloyd et C.J.Webb												
		<i>Leptinella calcarea</i>	(D.G.Lloyd) D.G.Lloyd et C.J.Webb												
		<i>Leptinella lanata</i>													
		<i>Leptinella minor</i>													
		<i>Leptinella plumosa</i>													
		<i>Leptinella potentillina</i>													

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted	Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)										
				NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA
		<i>Myosotis monroi</i>												●
Cheeseman		<i>Myosotis oreophila</i> Petrie		HI, EF										●
		<i>Myosotis rakiura</i> L. B. Moore												●
		<i>Myrsine coxii</i> Cockayne		OL										●
		<i>Myrsine kermadecensis</i>		OL			●							
		<i>Myrsine oliveri</i> Allan		RC, OL			●							
		<i>Neopaxia racemosa</i> (Buchanan) Heenan		OL			●							
		<i>Nephrolepis biserrata</i>			●									
		<i>Olearia allomii</i> Kirk		OL			●							
		<i>Olearia chathamica</i> Kirk			OL									
		<i>Olearia crosby-smithiana</i>					●							
		<i>Olearia semidentata</i>				OL								
		<i>Olearia traversii</i> (F.Muell.) Hook.f.			CD, RC, OL									
		<i>Oreopanaxthera alpina</i> (Cheeseman) Orchard					●							
		<i>Ourisia confertifolia</i>						●						
		<i>Ourisia gouldiana</i> Arroyo						●						
		<i>Ourisia remotifolia</i> Arroyo							●					
		<i>Ourisia spathulata</i> Arroyo			DP					●				
		<i>Pachycladon crenatum</i> Phillipson									●			
		<i>Pachystegia rufa</i> Molloy			CD, ST						●			
		<i>Parsonisia praeruptis</i> de Lange et Heads			CD, OL						●			
		<i>Petalochilus alatus</i> (R.Br.) D.L. Jones et M.A. Clem.			DP, TO						●			

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

(Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
			<i>Ranunculus brevis</i> Garn.-Jones							●	●			
			<i>Ranunculus godleyanus</i> Hook.f.	CD						●	●			
			<i>Ranunculus grahamii</i> Petrie							●				
			<i>Ranunculus kirkii</i> Petrie	●										
			<i>Ranunculus mirus</i> Garn.-Jones		●									
			<i>Ranunculus pinguis</i> Hook.f.		●									
			<i>Ranunculus scribneri</i> Garn.-Jones		●									
			<i>Ranunculus styliferus</i> H.D.Wilson et Garn.Jones							●				
			<i>Ranunculus subcapitatus</i> Hook. f.							●				
			<i>Ranunculus viridis</i> H.D.Wilson et Garn.-Jones							●				
			<i>Raoulia cinerea</i> Petrie							●				
			<i>Raoulia goyenii</i>							●				
			<i>Raoulia petriensis</i>							●	●			
			<i>Raoulia rubra</i>							●	●			
			<i>Rumex neglectus</i> Kirk		HI					●	●			
			<i>Rytidosperma nudum</i> Connor et Edgar		DP					●?	●			
			<i>Rytidosperma petrosum</i> Connor et Edgar							●	●			
			<i>Scaevola gracilis</i> Hook. f.		TO						●			
			<i>Schizolerema</i> (CHR 190698; Ruahine)								●			

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Qualifiers										Conservancy (●=present; ○=locally extinct)						
Common name	Taxon	NL	AU	WK	BP	EC/HB	TT	WG	WL	NM	WC	CA	OT	SL				
	<i>Celmisia spectabilis</i> subsp. <i>lanceolata</i>														●			
	<i>Chionochloa crassiuscula</i> ssp. <i>crassiuscula</i>														●			
	<i>Chionochloa crassiuscula</i> ssp. <i>directa</i>														●			
	<i>Chionochloa flavicans</i> f. <i>temata</i> Connor	OL													●			
	<i>Chionochloa rubra</i> ssp. <i>rubra</i> var. <i>inermis</i>	OL													●			
	<i>Colobanthus squarrosus</i> Cheeseman subsp. <i>drucei</i>														●			
	<i>Colobanthus squarrosus</i> Cheeseman subsp. <i>squarrosus</i>														●			
	<i>Coprosma obconica</i> subsp. <i>distantia</i> de Lange et R.O. Gardner	CD, OL													●			
	<i>Craspedia robusta</i> var. <i>pedicellata</i> (Kirk) Allan														●			
	<i>Disphyma australe</i> subsp. <i>stricticaulle</i> Chinnock	OL													●			
	<i>Festuca matthewsii</i> ssp. <i>pisamontis</i>														●			
	<i>Geniostoma ligustrifolium</i> var. <i>crassum</i> Cheeseman	OL													●			
	<i>Geniostoma ligustrifolium</i> var. <i>maiis</i> Cheeseman														●			
	<i>Gentianella bellidifolia</i> var. <i>magnifica</i> Kirk	ST													●			

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
		<i>Haastia pulvinaris</i> var. <i>minor</i>											●	●
		<i>Haastia recurva</i> var. <i>wallii</i>	Cockayne	DP									●	●
		<i>Haloragis erecta</i> subsp. <i>cartilaginea</i> (Cheeseman)	Orchard	OL	●									
		<i>Hebe amplexicaulis</i> f. <i>amplexicaulis</i>			●			●						
		<i>Hebe amplexicaulis</i> f. <i>birta</i>	Garn.-Jones et Molloy											
		<i>Hebe elliptica</i> var. <i>crassifolia</i> Cockayne et Allan				●								
		<i>Hebe imbricata</i> (Cockayne et Allan) Wagstaff et Wardle		DP										
		<i>Hebe stenophylla</i> var. <i>hesperia</i>				●								
			Allan	OL										
		<i>Hebe stenophylla</i> var. <i>oliveri</i>				●								
		<i>Helichrysum selago</i> var. <i>tumidum</i> Cheeseman					●							
		<i>Ipomoea pes-caprae</i> ssp. <i>brasiliensis</i>		SO	●	●								
		<i>Kirkianella novae-</i> <i>zelandiae</i> f. <i>glauca</i> Allan		ST, HI	●									
		<i>Kunzea ericoides</i> var. <i>microflora</i>							●					

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL					
			<i>Lachnagrostis littoralis</i> ssp. <i>salaria</i> Edgar													●	
			<i>Lachnagrostis pilosa</i> ssp. <i>nubifera</i> Edgar														
			<i>Leptinella dendyi</i> ssp. <i>luteola</i>													●	
			<i>Leptinella dispersa</i> subsp. <i>ruppestris</i> (D.G.Lloyd) D.G.Lloyd et C.J.Webb													●	
			<i>Leptinella pyrethrifolia</i> var. <i>linearifolia</i> (Cheeseman) D.G.Lloyd et C.J.Webb	OL												●	
			<i>Leptinella traillii</i> ssp. <i>puchella</i>													●	
			<i>Leptinella traillii</i> ssp. <i>traillii</i>													●	
			<i>Luzula traversii</i> var. <i>tenuis</i>	DP													
			<i>Macropiper excelsum</i> ssp. <i>peltatum</i> f. <i>peltatum</i>		●												
			<i>Macropiper excelsum</i> ssp. <i>psittacorum</i>	OL		●											
			<i>Macropiper excelsum</i> subsp. <i>peltatum</i> f. <i>delangei</i>	R.O.Gardner			●										
			<i>Mitrasacme montana</i> var. <i>helmsii</i> Kirk					●								●	
			<i>Pittosporum pimeleoides</i> subsp. <i>maiuis</i> (Cheeseman) R.C.Cooper	CD, OL					●								
			<i>Plantago spathulata</i> subsp. <i>picta</i> (Colenso) Sykes													●	

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
			<i>Poa acicularifolia</i> ssp. <i>acicularifolia</i>											
			<i>Poa acicularifolia</i> ssp. <i>ophitalis</i>		●									●
			<i>Poa anceps</i> ssp. <i>polypylla</i>	●										
			<i>Poa aucklandica</i> ssp. <i>aucklandica</i>											●
			<i>Poa aucklandica</i> ssp. <i>campbellensis</i>	●										
			<i>Poa aucklandica</i> subsp. <i>rakiura</i> Edgar	DP										
			<i>Pomaderis paniculosa</i> subsp. <i>novae-zelandiae</i> (L.B.Moore) N.G.Walsh	●										
			<i>Pterostylis banksii</i> var. <i>silvicultrix</i> F. Muell.		OL									
			<i>Puccinellia walkeri</i> ssp. <i>chathamica</i>		OL									
			<i>Puccinellia walkeri</i> ssp. <i>walkeri</i>		OL									
			<i>Puccinellia walkeri</i> subsp. <i>antitropa</i> (Petrie) Edgar											
			<i>Ranunculus baastii</i> subsp. <i>piliferus</i> F.J.F.Fisher											
			<i>Ranunculus recens</i> var. <i>lacustris</i> G.Simpson											●
			<i>Raoulia bectorii</i> var. <i>mollis</i>										●	
			<i>Senecio glaucophyllus</i> ssp. <i>basimodus</i>										●	
			<i>Senecio glaucophyllus</i> ssp. <i>glaucophyllus</i>										●	

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
		<i>Senecio lautus</i> var. <i>esperensis</i> Sykes	EF	●										
		<i>Senecio radiolatus</i> ssp. <i>antipodus</i>		●										
		<i>Senecio radiolatus</i> ssp. <i>radiolatus</i>		●										
		<i>Senecio repangae</i> subsp. <i>pokohimensis</i> de Lange et B.G.Murray	OL	●										
		<i>Stellaria decipiens</i> Hook. f. var. <i>decipiens</i>		●										
		<i>Stellaria decipiens</i> var. <i>angustata</i> Kirk		●										
		<i>Wahlenbergia</i> <i>albonarginata</i> subsp. <i>flexilis</i> (Petric) J.A.Petterson		●										
		<i>Wahlenbergia</i> <i>albonarginata</i> subsp. <i>olivina</i> J.A.Petterson		●										
		<i>Wahlenbergia pygmaea</i> subsp. <i>drucei</i> J.A.Petterson		●										
		<i>Xeronema callistemon</i> f. <i>braceosa</i> (L.B.Moore) de Lange et	OL	●										
		<i>Xeronema callistemon</i> W.R.B.Oliv. f. <i>callistemon</i>		●										
Indeterminate species		<i>Astelia</i> aff. <i>nervosa</i> (a) (CHR , Mount Stokes)											●	

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL					
			<i>Astelia aff. nervosa</i> (b) (CHR , Stewart Island)													●	
			<i>Astelia graminea</i> (CHR ; Red Hills)														●
			<i>Brachyscome</i> aff. <i>humilis</i> (AK 231703; West Dome)														●
			<i>Cardamine</i> (d) (AK ; West Dome)														●
			<i>Carex</i> (a) (CHR ; Takaka)														
			<i>Carex</i> (b) (CHR ; Matiri)														●
			<i>Celmisia</i> aff. <i>major</i> (AK 255352; Pupu)														
			<i>Chionochloa</i> aff. <i>macra</i> (CHR , Mt Burns)														●
			<i>Colobanthus</i> (b) (CHR ; "Red Hills")														●
			<i>Colobanthus</i> aff. <i>wallii</i> (CHR ; "serpentine")														
			<i>Coprosma</i> aff. <i>acerosa</i> (CHR ; Taranaki coast)														●
			<i>Coprosma</i> aff. <i>nigra</i> (AK ; Whangaroa)														●
			<i>Craspedia</i> (c) (CHR 529115; Kaitorete)														●
			<i>Craspedia</i> (f) (CHR 514362; Hackett)														●
			<i>Craspedia</i> (g) (CHR 469764; Pikiruna)														●
			<i>Craspedia</i> (h) (CHR 260312; Gouland Downs)														●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL					
			<i>Craspedia</i> (k) (CHR ; "coast")														
			<i>Craspedia</i> (l) (CHR ; Charleston)	DP, OL												●	
			<i>Craspedia</i> (o) (CHR ; Loveridge)	DP, OL												●	
			<i>Craspedia</i> (p) (CHR ; Havelock River)	OL													
			<i>Craspedia</i> (q) (CHR ; Anglem)	DP, OL													●
			<i>Craspedia</i> (r) (CHR ; Punakaiki)	DP, OL													
			<i>Craspedia</i> (s) (CHR ; "serpentine")														
			<i>Craspedia</i> (t) (CHR ; Chalk)														
			<i>Craspedia</i> aff. <i>minor</i> (AK 228074; Chatham Island)		●												
			<i>Deyeuxia</i> aff. <i>quadrisetosa</i> (AK 252511; Volcanic Plateau)			●											
			<i>Dianella</i> aff. <i>nigra</i> (a) (CHR ; Hauturu)		●												
			<i>Dracophyllum</i> aff. <i>traversii</i> (CHR ; "gabbro")	DP											●	●	
			<i>Epilobium</i> aff. <i>glabellum</i> (CHR ; "pink")	DP											●	●	
			<i>Gentianella</i> (a) (CHR ; Lookout Range)												●		
			<i>Gentianella</i> aff. <i>astonii</i> (c) (CHR 519113; Awahokomo)	EF, OL												●	
			<i>Gentianella</i> aff. <i>astonii</i> (d) (CHR 529114; Ward)	ST											●		

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
		<i>Gentianella</i> aff. <i>astomii</i> (f) (CHR 279272; Chalk Range)												
		<i>Gentianella</i> aff. <i>tenuifolia</i> (CHR 387194; "stellar")												
		<i>Geranium</i> (a) (CHR 518296; Parcra River)	OL											
		<i>Geranium</i> (b) (CHR 469918; Red Hills)	ST, OL											
		<i>Gingidia</i> aff. <i>montana</i> (a) (CHR ; North Otago)	DP											
		<i>Hebe</i> aff. <i>bollonsii</i> (AK 150628; Mokohinau Islands)	●											
		<i>Hebe</i> aff. <i>ligustrifolia</i> (AK 207101; Surville Cliffs)	●											
		<i>Hebe</i> aff. <i>pingufolia</i> (CHR ; "high flyer")	DP											
		<i>Hebe</i> aff. <i>pubescens</i> (WELT 82548; Great Barrier)	●											
		<i>Hebe</i> sp. ( <i>Veronica</i> <i>salicifolia</i> var. <i>angustissima</i> Cockayne)	●?											
		<i>Helichrysum</i> aff. <i>aggregatum</i> (AK 54473; Surville Cliffs)	CD, OL	●										
		<i>Helichrysum</i> aff. <i>intermedium</i> (CHR ; Chalk Range)												
		<i>Lastreopsis</i> aff. <i>glabella</i> (AK 242151 ,Kermadecs)	●											
		<i>Leucopogon</i> aff. <i>parviflorus</i> (AK 130914; Surville Cliffs)	OL	●										

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
					●									
						●								
							●							
								●						
									●					
										●				
											●			
												●		
													●	
														●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

(Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Range restricted		Conservancy (●=present; ○=locally extinct)														
Common name	Taxon	Qualifiers		NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
	<i>Melicytus ramiflorus</i> ssp.(b) (AK 234207, Raoul)		●													

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Data deficient		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
Bat	Determinate species				NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
	Greater short-tailed bat	<i>Mystacinia robusta</i>			○												
<b>Bryophytes</b>																	
Determinate species																	
Liverwort	<i>Cephalozziella aenigmatica</i>				●												
Liverwort	<i>Cephalozziella exigua</i>				●												
Liverwort	<i>Cephalozziella grandiretis</i>				●												
Liverwort	<i>Cephalozziella hispidissima</i>			SO?													
Liverwort	<i>Cephalozziella invisa</i>				●												
Liverwort	<i>Cephalozziella minelliana</i>				●												
Liverwort	<i>Cephalozziella nothogena</i>				●												
Liverwort	<i>Cephalozziella pellucida</i>				●												
Liverwort	<i>Cephalozziella pseudocrassigyna</i>				●												
Liverwort	<i>Cephalozziella subspinosa</i>				●												
Moss	<i>Dicranella temperata</i>				●												
Moss	<i>Eurhynchium cucullatum</i> (Mitt.) I.G. Stone & G. Scott			SO				●									
Liverwort	<i>Haplomitrium minutum</i>											●					
Liverwort	<i>Riccardia multicorpora</i>											●					
<b>Freshwater fish</b>																	
Indeterminate species																	
Possible new non-diadromous galaxias	<i>Galaxias</i> "Southern sp."											●					
Possible new non-diadromous galaxias	<i>Galaxias</i> "Teviot"											●					
Possible new non-diadromous galaxias	<i>Galaxias</i> "Von sp."											●					

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Data deficient

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Waitaki Alpine galaxias sp.(paper in review)	<i>Galaxias</i> sp. "Waitaki alpine"														
Possible new non-migratory bully	<i>Gobiomorphus</i> sp. aff. <i>basalis</i>		●	●											●
<b>Freshwater invertebrates</b>															
Determinate species															
Mayfly	<i>Cryophlebia aucklandensis</i>														
Mayfly	<i>Deleatidium</i> ( <i>Pennisetellum</i> ) <i>insolitum</i>			●	●										
Mayfly	<i>Deleatidium magnum</i>		●	●											
Caddisfly	<i>Helicopsyche cuvier</i>			●											
Caddisfly	<i>Helicopsyche haurapango</i>			●	●										
Caddisfly	<i>Hydrochorema hyfordi</i>														
Snail	<i>Latia climoi</i> Starobogatov, 1986				●										
Mayfly	<i>Maniulus aquilus</i>				●	●									
Caddisfly	<i>Neobiosella irrorata</i>				●										
Caddisfly	<i>Paoxyethira hintoni</i>														
Snail	<i>Potamopyrgus pupoides</i>					●	●								
Caddisfly	<i>Ptilochorema foliorupax</i>							●							
Mayfly	<i>Siphlaenigma janae</i>														
Mayfly	<i>Tepakia caligata</i>							●							
Determinate subspecies															
Clam	<i>Cucumerunio websteri delii</i>										●				
Clam	McMichael & Hiscock, 1958														
Clam	<i>Cucumerunio websteri</i> <i>websteri</i> (Simpson, 1902)										●				

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Data deficient		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
<u>Indeterminate species</u>														
Caddisfly		<i>Edpercivalia</i> sp. G												
Caddisfly		<i>Paoxyethira</i> sp. B												
Caddisfly		<i>Paoxyethira</i> sp. H												
Caddisfly		<i>Paoxyethira</i> sp. W												
<b>Fungi (see species list at end of this table)</b>														
<b>Macroalgae</b>														
<u>Determinate species</u>														
Green seaweed - Ulvales		<i>Acrochaete endostraca</i>												
Red seaweed - Acrochaetales		<i>Acrochaetium leptonemoides</i>			OL									
Red seaweed - Acrochaetales		<i>Acrochaetium neozeelandicum</i>			OL									
Green seaweed - Bryopsidales		<i>Caulerpa fastigiata</i>				●								
Red seaweed - Rhodymeniales		<i>Cephalocystis furcellata</i>				●								
Green seaweed - Bryopsidales		<i>Codium platyclados</i>			T?O									
Brown seaweed - Cutleriales		<i>Cutleria mollis</i>				●								
Green seaweed - Ulvales		<i>Epicladia testarum</i>				●								
Red seaweed - Erythropsidales		<i>Erythrotrichia bangioides</i>			OL									
Red seaweed - Erythropsidales		<i>Erythrotrichia hunterae</i>			OL									
Golden brown alga		<i>Giraudyopsis stellifera</i>			SO									
Brown seaweed - Ectocarpales		<i>Nemacystus novae-zelandiae</i>				●								
Green seaweed - Ulvales		<i>Ochlochae hystrix</i>					●							

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Data deficient

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
Green seaweed - Ulvales	<i>Ovularia catenata</i>													
Red algae - Porphyridiales	<i>Porphyridium purpureum</i>	SO												
Green seaweed - Bryopsidales	<i>Pseudobryopsis planktonica</i>	OL												
Red seaweed - Halymeniales	<i>Sebdenia lindaueri</i>	OL												
Green seaweed - Ulvales	<i>Syncoryne retincki</i>		●											
<u>Indeterminate species</u>														
Red seaweed - Bangiales	<i>Bangia</i> spp.	●	●	●	●	●	●	●	●	●	●	●	●	●
Red seaweed - Rhodymeniales	<i>Champioclax</i> sp.			●	●									
Green seaweed - Bryopsidales	<i>Codium</i> sp. - Northland-WELT A8860	●												
Green seaweed - Ulvales	<i>Entocladia</i> spp	●	●	●	●	●	●	●	●	●	●	●	●	●
Red seaweed - Bangiales	<i>Porphyra</i> spp	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Marine fish</b>														
<u>Determinate species</u>														
Pale/New Zealand catshark	<i>Apristurus exsanguineus</i>										●			
Richardson's skate	<i>Bathyraja richardsoni</i>	SO								●	●			
Dusky rattail	<i>Caelorinchus infuscus</i>									●	●			
Dusky shark	<i>Carcharhinus obscurus</i>	SO								●	●			
Largespine velvet dogfish	<i>Centroscymnus macracanthus</i>									●				
Leopard chimaera	<i>Chimaera panthera</i> (=Chimaera sp. F & sp. A2)									●				
Bluntnose weedfish	<i>Coleogrammus flavescens</i>										●			
Longsnout dogfish	<i>Deania quadrispinosum</i>										●			
Redband weever	<i>Parapercis binivirgata</i>	SO									●			
McMillan's cat shark	<i>Parmaturus macmillani</i>										●			

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Data deficient

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
Smooth deepsea skate	<i>Pavoraja asperula</i>													
Prickly deepsea skate	<i>Pavoraja spinifera</i>													
Fourspine boxfish	<i>Polyplacapros tyleri</i>	SO												
Crocodile shark	<i>Pseudocarcharias kamoharai</i>	SO												
False cat shark	<i>Pseudoriakis microdon</i>	SO	●											
Knifetooth dogfish	<i>Symnodon ringens</i>	SO												
Little sleeper shark	<i>Somniosus rostratus</i>	SO						●						
Longsnout/smooth pipefish	<i>Stigmatopora macropterygia</i>													
Black pipefish	<i>Stigmatopora nigra</i>	SO												
<u>Indeterminate species</u>														
Freckled catshark	<i>Apristurus</i> sp. A (freckled catshark)		●											
Deepwater catshark	<i>Apristurus</i> sp. B			●	●									
Fleshy-nose catshark	<i>Apristurus</i> sp. C (fleshy-nose catshark)				●									
Roughskin catshark	<i>Apristurus</i> sp. E (roughskin catshark)		●											
Deepwater/bulldog catshark	<i>Apristurus</i> sp. F		●											
Pinocchio catshark	<i>Apristurus</i> sp. G (Pinocchio catshark)			●										
Eastern dogfish	<i>Centrophorus</i> sp. (eastern dogfish)				●									
Swell shark/banded carpetshark	<i>Cephaloscyllium</i> sp. A					●								
Giant black ghostshark	<i>Hydrolagus</i> sp. D (giant black ghostshark)						●							
Codlings	<i>Laemonema</i> spp.							●						
Fangtooth hoki/bluebelly	<i>Lycodes</i> sp.	SO												

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Data deficient

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Triangle batfishes	<i>Mallobatis</i> spp.														
Deepsea skate	<i>Pavoraja</i> sp. A	●	●	●											
Deepsea skate	<i>Pavoraja</i> sp. B	●	●	●											
Deepsea skate	<i>Pavoraja</i> sp. C	●	●	●											
Deepsea skate	<i>Pavoraja</i> sp. D	●	●	●											
Deepsea skate	<i>Pavoraja</i> sp. E	●	●	●											
<b>Marine invertebrates</b>															
Determinate species															
Black coral	<i>Aphanipathes fruticosa</i>	●	●	●											
Polychaete worm	<i>Scoletoma lynnei</i>														
<b>Marine mammals</b>															
Determinate species															
Arnoux's beaked whale	<i>Berardius arnouxi</i>	●													
Southern Bottlenose whale	<i>Hyperoodon planifrons</i>	●	●	●	●	●	●	●	●	●	●	●	●		
Pygmy sperm whale	<i>Kogia breviceps</i>	●	●	●	●	●	●	●	●	●	●	●	●		
Andrews' beaked whale,	<i>Mesoplodon bowdoini</i>	●	●	●	●	●	●	●	●	●	●	●	●		
Dense-beaked whale	<i>Mesoplodon densirostris</i>	●	●	●	●	●	●	●	●	●	●	●	●		
Gray's beaked whale	<i>Mesoplodon grayi</i>	●	●	●	●	●	●	●	●	●	●	●	●		
Hector's beaked whale	<i>Mesoplodon hectori</i>	●	●	●	●	●	●	●	●	●	●	●	●		
Strap-toothed whale	<i>Mesoplodon layardi</i>	●	●	●	●	●	●	●	●	●	●	●	●		
Pygmy beaked whale	<i>Mesoplodon peruvianus</i>														
Spade-toothed whale	<i>Mesoplodon traversii</i>	●													
Shepherd's beaked whale	<i>Tasmacetus shepherdi</i>	●													
Goose-beaked whale	<i>Ziphius cavirostris</i>														
<b>Reptiles</b>															
Determinate species															
Striped skink	<i>Oligosoma striatum</i>	●	●	●	●	●	●	●	●	●	●	●	●		

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Data deficient		Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
Common name				NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
<u>Indeterminate species</u>																
Cascades forest gecko	<i>Hoplodactylus</i> "Cascades"	OL														
Okarito forest gecko	<i>Hoplodactylus</i> "Okarito forest gecko"	OL														
Denniston skink	<i>Oligosoma</i> "Denniston"	OL														
Garston skink	<i>Oligosoma</i> "Garston skink"															
Paparoas skink	<i>Oligosoma</i> "Paparoas"	OL														
<u>Indeterminate subspecies</u>																
Esperance gecko	<i>Hoplodactylus</i> "Cascades"?	OL														
	Esperance population															
Coromandel Striped gecko	<i>Hoplodactylus stephensi</i>															
	Coromandel populations															
<u>Terrestrial invertebrates</u>																
<u>Determinate species</u>																
Earthworm	<i>Acanthodrilus kermadecensis</i>	OL														
Nematode	<i>Acrobeloides ellesmerensis</i>	OL														
	Yeates, 1967															
Nematode	<i>Alaimus bimatangensis</i>	OL														
	Yeates, 1967															
Moth	<i>Aletia cyanopetra</i>	OL														
Snail	<i>Ascolema cresswelli</i> (Climo)															
Stiletto fly	<i>Anabarhynchus albipennis</i>															
	Lyneborg, 1992															

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Data deficient

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Stiletto fly	<i>Anabarhynchus atratus</i> Lyneborg, 1992													●	
Stiletto fly	<i>Anabarhynchus embersoni</i> Lyneborg, 1992													●	
Stiletto fly	<i>Anabarhynchus flaviventris</i> Lyneborg, 1992														
Stiletto fly	<i>Anabarhynchus fluviatilis</i> Lyneborg, 1992													●	
Stiletto fly	<i>Anabarhynchus budsoni</i> Lyneborg, 1992													●	
Stiletto fly	<i>Anabarhynchus indistinctus</i> Lyneborg, 1992													●	
Stiletto fly	<i>Anabarhynchus olivaceus</i> Lyneborg, 1992													●	
Stiletto fly	<i>Anabarhynchus simplex</i> Lyneborg, 1992													●	
Stiletto fly	<i>Anabarhynchus waitakerensis</i> Lyneborg, 1992													●	
Stiletto fly	<i>Anabarhynchus wisei</i> Lyneborg, 1992													●	
Aphid	<i>Aphis nelsonensis</i> Cottier													●	
Nematode	<i>Aporclainellus taylori</i> Yeates, 1967													●	
Moth	<i>Archyala lindsayi</i> OL													●	
Nematode	<i>Ascaris apterycis</i> Chatin, 1884													●	
Moth	<i>Austrocidaria lithurga</i>													●	
Moth	<i>Bascantis sirenica</i>					○	○							○	
Moth	<i>Bityla pallida</i> OL													●	
Beetle	<i>Brounia thoracica</i>													●	

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Data deficient

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)										
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA
Snail	<i>Charopa macgillivrayana</i>	OL	●										
Snail	<i>Chaurepa roscoei</i> Climo	●											
Moth	<i>Chersadaula ochrogaster</i>	OL											
Fly	<i>Chersodromia zealandica</i>	●											
Mirid bug	<i>Chinamiris niculatus</i> Eyles & Carvalho, 1991	●											
Nematode	<i>Cobbonchus chauloidus</i>	OL											
Moth	<i>Coridomorpha stella</i>	●											
Nematode	<i>Cryptphodera coxi</i> (Wouts, 1973) Luc, Taylor & Cadet, 1978	OL	●										
Nematode	<i>Cryptphodera notofagi</i> (Wouts, 1973) Luc, Taylor & Cadet, 1978	OL	●										
Moth	<i>Ctenarchis cramboides</i>	●											
Nematode	<i>Cyrnea (Cyrnea) aperycys</i> Harris, 1975											●	●
Earthworm	<i>Decachaetus minor</i>	OL										●	
Earthworm	<i>Decachaetus violaceus</i>	OL										●	
Earthworm	<i>Deinodrilus agilis</i>	OL										●	
Earthworm	<i>Deinodrilus benhami</i>											●	
Earthworm	<i>Deinodrilus gracilis</i>											●	
Earthworm	<i>Deinodrilus lateralis</i>	●											
Earthworm	<i>Deinodrilus parvus</i>	OL	●	●									
Earthworm	<i>Deinodrilus suteri</i>												
Earthworm	<i>Diporochaeta aquatica</i>												
Earthworm	<i>Diporochaeta brachysoma</i>	OL											
Earthworm	<i>Diporochaeta caswelli</i>	OL											
Earthworm	<i>Diporochaeta chathamensis</i>	OL										●	

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Data deficient

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
Earthworm	<i>Diporochaeta duodecimtais</i>	OL												●
Earthworm	<i>Diporochaeta heterochaeta</i>	OL												●
Earthworm	<i>Diporochaeta intermedia</i>	OL												●
Earthworm	<i>Diporochaeta minima</i>	OL												●
Earthworm	<i>Diporochaeta obtusa</i>													●
Earthworm	<i>Diporochaeta punctata</i>													●
Nematode	<i>Echinuria australis</i> Clark, 1979													●
Stiletto fly	<i>Ectinorhynchus furcatus</i> Lyneborg, 1992	OL												●
Moth	<i>Elachista eurychora</i>		●											
Moth	<i>Elachista helonoma</i>	OL												●
Assassin bug	<i>Empicoris aculeatus</i> (Bergrøth, 1927)	OL												
Assassin bug	<i>Empicoris angulipennis</i> (Bergrøth, 1927)	OL												●
Earthworm	<i>Eodrilus annectens</i>	HI, OL												
Earthworm	<i>Eodrilus fallax</i>	OL												●
Earthworm	<i>Eodrilus haploctysis</i>	OL												●
Earthworm	<i>Eodrilus micros</i>	OL												●
Earthworm	<i>Eodrilus montanus</i>													●
Earthworm	<i>Eodrilus pallidus</i>													●
Earthworm	<i>Eodrilus paludosus</i>	OL												●
Earthworm	<i>Eodrilus parvus</i>	OL												●
Earthworm	<i>Eodrilus rossi</i>	OL												●
Moth	<i>Epichorista lindsayi</i>													
Moth	<i>Erechthias lychnopa</i>													
Beetle	<i>Euconnus microciliipes</i> Franz, 1985	●												
Beetle	<i>Euconnus paraciliipes</i> Franz, 1985	●												
Earthworm	<i>Eudinodriloides forsteri</i>	●												

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Data deficient		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
Moth	<i>Eudonia linealis</i>	OL												
Snail	<i>Fanulum expositum</i>	OL	●											
Nematode	<i>Globodera zealandica</i>	OL												
W	outs, 1984													
Moth	<i>Glyptapteryx necopina</i>	OL												
Moth	<i>Graphania omicron</i>	OL	●											
Fly	<i>Halteriphorus mirabilis</i>	OL			●									
Nematode	<i>Hatterianema bollandaei</i>	OL			●									
	Chabaud & Dolfus, 1966													
Nematode	<i>Hedruris minuta</i> Andrews, 1974	OL												
Moth	<i>Helastia sinis</i>	OL	●											
Nematode	<i>Helicotylencbus depresso</i>	OL												
	Yeates, 1967													
Ground weta	<i>Hemiandrus lanceolatus</i>	OL			●									
Nematode	<i>Heterakis gracilicanda</i>	OL			●									
	Harris, 1975													
Nematode	<i>Heteroderida aucklandica</i>	OL	●											
Earthworm	<i>Hoplochaetina durrvilleana</i>	OL			●									
Earthworm	<i>Hoplochaetina pallida</i>	OL	●											
Earthworm	<i>Hoplochaetina polycystis</i>	OL	●											
Earthworm	<i>Hoplochaetina robusta</i>	OL	●											
Earthworm	<i>Hoplochaetina rossii</i>	OL												
Earthworm	<i>Hoplochaetina rubra</i>	OL												
Earthworm	<i>Hoplochaetina spirilla</i>	OL	●											
Earthworm	<i>Hoplochaetina subtilis</i>	OL	●											
Moth	<i>Hydriomena clarkei</i>	OL												
	<i>Hydriomena iolanthe</i>	OL												
Nematode	<i>Itidorylaimus novazealandiae</i> Cobb, 1904 Andrássy, 1969	OL												

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Data deficient		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
Moth			<i>Isonomeutis restincta</i>	●										
Moth			<i>Izathha griseata</i>	●										
Moth			<i>Izathha rigescens</i>											
Snail			<i>Kermarioom kermadecensis</i>	●										
Snail			<i>Kermmodon royanus</i>	●										
Earthworm			<i>Kieconcha kermadecii</i>											
Earthworm			<i>Leucodrilus digitocystis</i>	●										
Earthworm			<i>Leucodrilus fuscus</i>	OL										
Earthworm			<i>Leucodrilus robustus</i>											
Nematode			<i>Longibulbophora ammophilae</i> Yeates, 1967	OL										
Nematode			<i>Longidorus orongorongensis</i> Yeates, van Etteger & Hooper, 1992	OL										
Earthworm			<i>Maoridrilus alpinus</i>		●									
Earthworm			<i>Maoridrilus carnosus</i>		●									
Earthworm			<i>Maoridrilus dissimilis</i>		●									
Earthworm			<i>Maoridrilus fuscus</i>		OL									
Earthworm			<i>Maoridrilus gravus</i>		●									
Earthworm			<i>Maoridrilus megacystis</i>		OL									
Earthworm			<i>Maoridrilus michaelensi</i>		OL									
Earthworm			<i>Maoridrilus minor</i>		OL									
Earthworm			<i>Maoridrilus modestus</i>		●									
Earthworm			<i>Maoridrilus montanus</i>											
Earthworm			<i>Maoridrilus nelsoni</i>		●									
Earthworm			<i>Maoridrilus pallidus</i>		●									
Earthworm			<i>Maoridrilus parkeri</i>	OL										
Earthworm			<i>Maoridrilus plumbeus</i>		●									
Earthworm			<i>Maoridrilus purrus</i>											
Earthworm			<i>Maoridrilus ruber</i>											
Earthworm			<i>Maoridrilus rubicundus</i>	OL										

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Data deficient

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
Earthworm	<i>Maoridrilus smithi</i>													●
Earthworm	<i>Maoridrilus suteri</i>	OL												●
Earthworm	<i>Maoridrilus tetragomurus</i>	OL												●
Earthworm	<i>Maoridrilus transalpinus</i>													●
Earthworm	<i>Maoridrilus uliginosus</i>													●
Earthworm	<i>Maoridrilus ultimus</i>													●
Earthworm	<i>Maoridrilus volutus</i>	OL												●
Earthworm	<i>Maoridrilus wilkini</i>													●
Beetle	<i>Maorinus humulaeformis</i> (Franz, 1985)	●												
Beetle	<i>Maorinus toronouii</i> (Franz, 1985)	●												
Weevil	<i>Megacolabus bifurcatus</i> May, 1973	OL	●											
Weevil	<i>Megacolabus obesus</i> May, 1963	OL	●											
Akaroa weevil.	<i>Megacolabus sculpturatus</i> Broun, 1893	OL												●
Ground beetle	<i>Megadromius fultoni</i> (Broun, 1882)													●
Earthworm	<i>Megascolex animae</i>	OL	●											
Earthworm	<i>Megascolex novaezealandiae</i>		●											
Earthworm	<i>Megascolides albus</i>	OL	●											
Earthworm	<i>Megascolides equestris</i>	OL	●											
Earthworm	<i>Megascolides esculentus</i>	OL	●											●
Earthworm	<i>Megascolides fuscus</i>													
Earthworm	<i>Megascolides buttoni</i>	OL	●											
Earthworm	<i>Megascolides irregularis</i>		●											
Earthworm	<i>Megascolides kirkii</i>	OL	●											
Earthworm	<i>Megascolides maoricus</i>		●											
Earthworm	<i>Megascolides mortenseni</i>	OL												●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Data deficient

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)										
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA
Earthworm	<i>Megascolides napierensis</i>	OL											
Earthworm	<i>Megascolides neglectus</i>	OL											
Earthworm	<i>Megascolides parvus</i>												
Earthworm	<i>Megascolides raglani</i>												
Earthworm	<i>Megascolides reptans</i>												
Earthworm	<i>Megascolides ruber</i>												
Earthworm	<i>Megascolides rubicundus</i>	OL											
Earthworm	<i>Megascolides sapidus</i>	OL											
Earthworm	<i>Megascolides suteri</i>												
Earthworm	<i>Megascolides tasmani</i>	OL											
Earthworm	<i>Megascolides unipapillatus</i>	OL											
Earthworm	<i>Megascolides ureverae</i>												
Earthworm	<i>Megascolides viridis</i>												
Nematode	<i>Mermis novaezealandiae</i>	OL											
Nematode	<i>Cobb, 1904</i>												
Nematode	<i>Mesodorylaimus profundis</i> (Cobb, 1904) Goodey, 1963	OL											
Nematode	<i>Miconchus kirkiri</i> Yeates, 1967	OL											
Nematode	<i>Miconchus rex</i> (Cobb 1904) Andrássy 1958												
Fly	<i>Micronauta tonnoiri</i>	OL											
Earthworm	<i>Microcoleus aucklandicus</i>												
Earthworm	<i>Microcoleus campbellianus</i>												
Earthworm	<i>Microcoleus phosphoreus</i>	OL											
Nematode	<i>Microtetraneurus nestoris</i> Clark, Black & Rutherford, 1979												
	<i>Mitophyllus gibbosus</i> (Broun 1886)												
Mirid bug	<i>Monopharsus annulatus</i> Eyles & Carvalho, 1995												

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Data deficient

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
Nematode	<i>Mylonchulus areniculus</i> Clark, 1961	OL												
Snail	<i>Negulus senex</i>	●												
Earthworm	<i>Neochaeta forsteri</i>	OL			●									
Earthworm	<i>Neochaeta salmoni</i>	OL			●									
Earthworm	<i>Neodrilus agilis</i>													
Earthworm	<i>Neodrilus campestris</i>													
Earthworm	<i>Neodrilus dissimilis</i>	OL			●									
Earthworm	<i>Neodrilus edwardsi</i>				●									
Earthworm	<i>Neodrilus polycystis</i>													
Earthworm	<i>Nothaldomus peacei</i> (Brown, 1880)	●												
Fly	<i>Nothoboraiia micrognathia</i> Craig, 1969	OL			●									
Earthworm	<i>Notoscolex hakapephalus</i>	●												
Earthworm	<i>Octochaetus antarcticus</i> (Beddard, 1889)	OL			●									
Earthworm	<i>Octochaetus brucei</i>													
Earthworm	<i>Octochaetus buttoni</i>													
Earthworm	<i>Octochaetus kaptiensis</i>	OL												
Earthworm	<i>Octochaetus michaelseni</i> Benham, 1904													
Earthworm	<i>Octochaetus pelorus</i>													
Earthworm	<i>Octochaetus rarus</i>	OL												
Earthworm	<i>Octochaetus sylvestris</i>							●						
Earthworm	<i>Octochaetus thomasi</i>													
Earthworm	<i>Octochaetus trocyspis</i>													
Nematode	<i>Ogma campbelli</i> Wouts, Yeates & Loof, 1999	OL												
Nematode	<i>Ogma crenulatum</i> Wouts, Yeates & Loof, 1999	OL												
Moth	<i>Orocrambus ornatus</i>													●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Data deficient

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
Moth	<i>Orocrambus punctellus</i>	OL												●
Moth	<i>Orocrambus sopheronellus</i> (Meyrick, 1885)	OL												●
Aphid	<i>Paradoxaphis aristoteliae</i> Sunde		●											●
Common genus name; cylindrical rove beetle	<i>Paratorchus alifer</i> (McColl, 1982)	●												
Common genus name; cylindrical rove beetle	<i>Paratorchus flexuosus</i> (McColl, 1982)	●												
Nematode	<i>Paratylenchus halophilus</i> Woots, 1966	OL				●								
Scarab beetle	<i>Pericoptus nitidulus</i> Broun, 1880	OL	●											
Earthworm	<i>Pereodrilus lateralis</i>													
Earthworm	<i>Pereodrilus montanus</i>													
Earthworm	<i>Pereodrilus plunketi</i>	OL												
Earthworm	<i>Pereodrilus ricardi</i>	OL												
Earthworm	<i>Perionyx egmonti</i>													
Earthworm	<i>Perionyx helophilus</i>	OL												
Earthworm	<i>Perionyx perionychopsis</i>	OL												
Earthworm	<i>Perionyx shoeanus</i>													
Moth	<i>Petasactis technica</i>	OL	●											
Earthworm	<i>Plagiochaeta lineata</i>													
Earthworm	<i>Plagiochaeta stewartensis</i>													
Earthworm	<i>Plagiochaeta sylvatica</i>													
Moth	<i>Platyptilia hokowhituialis</i>							●						
Earthworm	<i>Phutellus aucklandicus</i>	OL												
Earthworm	<i>Phutellus parvus</i>		●											
Earthworm	<i>Phutellus stewartensis</i>	OL												
Earthworm	<i>Pontodrilus lacustris</i>	OL												
Nematode	<i>Procyneea kea</i> Clark, 1978										●			

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Data deficient		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL				
Scarab/chafer Beetle		<i>Prodontria patricki</i> Emerson, 1997														
Nematode		<i>Proleptonchus saccatus</i> (Clark, 1962) Andrassy, 1963	OL													●
Moth		<i>Pseudocoremia albafasciata</i>	OL													●
Moth		<i>Pseudocoremia fluminea</i>	OL												●	
Moth		<i>Pseudocoremia lutea</i>	OL												●	
Caddis		<i>Psilochorema spiniharpax</i>	Ward, 1995												●	
Nematode		<i>Rhigonema zealandica</i>	OL												●	
Earthworm		<i>Rhododrilus aduncocystis</i>	OL												●	
Earthworm		<i>Rhododrilus agathis</i>	OL												●	
Earthworm		<i>Rhododrilus albidus</i>	OL												●	
Earthworm		<i>Rhododrilus aquaticus</i>	OL												●	
Earthworm		<i>Rhododrilus attenuatus</i>	OL												●	
Earthworm		<i>Rhododrilus benhami</i>	OL												●	
Earthworm		<i>Rhododrilus bestii</i>	OL												●	
Earthworm		<i>Rhododrilus cockaynei</i>	OL												●	
Earthworm		<i>Rhododrilus disparatus</i>	OL												●	
Earthworm		<i>Rhododrilus dobsomi</i>	OL												●	
Earthworm		<i>Rhododrilus edulis</i>	OL												●	
Earthworm		<i>Rhododrilus buttoni</i>	OL												●	
Earthworm		<i>Rhododrilus insularis</i>	OL												●	
Earthworm		<i>Rhododrilus intermedius</i>	OL												●	
Earthworm		<i>Rhododrilus kermadecensis</i>	OL												●	
Earthworm		<i>Rhododrilus leptomerus</i>	OL												●	
Earthworm		<i>Rhododrilus macroseptus</i>	OL												●	
Earthworm		<i>Rhododrilus microgaster</i>	OL												●	
Earthworm		<i>Rhododrilus minimus</i>	OL												●	
Earthworm		<i>Rhododrilus minutus</i>	OL												●	

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Data deficient

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
Earthworm	<i>Rhododrilus papaensis</i>													
Earthworm	<i>Rhododrilus parvus</i>	OL												
Earthworm	<i>Rhododrilus rarus</i>	OL												
Earthworm	<i>Rhododrilus robustus</i>	●												
Earthworm	<i>Rhododrilus rosae</i>	●												
Earthworm	<i>Rhododrilus sexpapillatus</i>													
Dyne, 1980														
Earthworm	<i>Rhododrilus similis</i>													
Earthworm	<i>Rhododrilus subtilis</i>	OL												
Earthworm	<i>Rhododrilus sutherlandi</i>	●												
Earthworm	<i>Rhododrilus tetrabeca</i>	OL												
Lygaeid Bug	<i>Rhypodes brevipilis</i> Eyles, 1990	●												
Snail	<i>Rotadiscus protoinsularis</i> Climo	●												
Nematode	<i>Rotylenchus kabikatae</i> Ryss & Wouts, 1997	OL												
Nematode	<i>Rotylenchus labiodiscus</i>	OL												
Nematode	<i>Rotylenchus nelsonensis</i> Wouts & Sturhan, 1999	OL												
Nematode	<i>Rotylenchus orae</i> Yeates, 1967	OL												
Moth	<i>Schiffermuelleria orthophanes</i> Franz, 1985	OL												
Beetle	<i>Sciacharis yakasensis</i>	●												
Nematode	<i>Sciadiocara tarapunga</i> Clark, 1978	●												
Nematode	<i>Sectonema sica</i> Clark, 1964	OL												
Chafer beetle	<i>Sericospilus minor</i>	OL												
Earthworm	<i>Spenceriella argillae</i>	OL												

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Data deficient		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
			<i>Spenceriella gigantea</i>		●									
Earthworm			<i>Spenceriella pallida</i>	OL										
Earthworm			<i>Spenceriella shakespearei</i>	●										
Earthworm			<i>Sethaspis convexa</i> (Given, 1952)	●										
Chafer beetle			<i>Sethaspis pulchra</i> (Given, 1952)	●										
Chafer beetle			<i>Stizocerphalus brevirostris</i>	OL	●									
Moth			<i>Stigmella maoriella</i>	OL										
Bug			<i>Stylocephalus brevirostris</i>	SO		●								
Ant			<i>Strumigenys xenos</i>	●										
Earthworm			<i>Sylodrilus granus</i>	OL										
Fly			<i>Sympycnus alcyonymus</i>	OL										
Nematode			<i>Takamangai waenga</i>	OL										
Nematode			<i>Tetrameres tarapungae</i>	Clark, 1978	●									
Moth			<i>Thectophila acmotypa</i>	OL	●									
Nematode			<i>Thelastoma meadsi</i> Clark, 1978	OL	●									
Snail			<i>Tornatellinops iredalei</i>	OL	●									
Nematode			<i>Trissomchulus littoralis</i>	OL										
Snail			<i>Tubuaria raoulensis</i>	OL	●									
Soft scale			<i>Umbonichiton adelus</i>	OL	●									
Soft scale			<i>Umbonichiton jubatus</i>	OL	●									
Soft scale			<i>Umbonichiton pellaspis</i>	OL	●									
Weevil			<i>Umas piceus</i>											
Nematode			<i>Viktorocara torea</i> Clark, 1978											
Nematode			<i>Xiphinema waimungui</i>	OL										

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Data deficient

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Nematode	<i>Zelida punua</i> Yeates, 1967	OL													
Robber fly	<i>Zosteria novazealandica</i> Daniels, 1987														
<u>Determinate subspecies and varieties</u>															
Earthworm	<i>Pontodrilus matushiniensis</i> var. <i>chathamianus</i>	OL													
Snail	<i>Tornatellides subperforatus</i> <i>kermadecensis</i>	OL													
<u>Indeterminate species</u>															
Weevil	<i>Anagotus</i> sp. "Moehau"	OL													
Slug	<i>Athoracophorus</i> sp. 7 (MNZ M.151433) "Warawara 2"	OL													
Cranefly	<i>Austrolimnophila</i> sp. "Banks Peninsula"	●													
Snail	<i>Charopidae</i> sp. 12 (NMNZ M.151451)	●													
Snail	<i>Charopidae</i> sp.13 (NMNZ M.127900)	●													
Snail	<i>Charopidae</i> sp.14 (NMNZ M.99415)	●													
Snail	<i>Charopidae</i> sp.8 (NMNZ M.98308)	●													
Snipe-fly	<i>Chrysopilus</i> sp. "Paparoa Range"	●													
Moth	<i>Coridomorpha</i> "long palpi"	OL													
Rove beetle	<i>Cyprarium</i> sp. "Fiordland"	●													
Rove beetle	<i>Cyprarium</i> sp. "Mangamuka"	●													
Moth	<i>Ericodesma</i> sp. "mingimingi"	OL													

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Data deficient		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
Moth		<i>Gadira</i> "black brown EGW"												
Cave weta		Genus aff. <i>talitropsis</i> sp. "Poor Knights"		●										
Cave centipede		<i>Haasiella</i> sp.		●										
Ground weta		<i>Hemiandrus</i> "Dodsons"		OL										
Ground weta		<i>Hemiandrus</i> "Hapuku"		OL										
Ground weta		<i>Hemiandrus</i> "Longwood Range"		OL										
Ground weta		<i>Hemiandrus</i> "Mt George"		OL										
Ground weta		<i>Hemiandrus</i> "Nokomai"		OL										
Ground weta		<i>Hemiandrus</i> "Purera 1"		OL	●									
Ground weta		<i>Hemiandrus</i> "Purera 2"		OL	●									
Ground weta		<i>Hemiandrus</i> "Redhills"		OL		●								
Ground weta		<i>Hemiandrus</i> "Richmond"		OL										
Ground weta		<i>Hemiandrus</i> "Rocklands"		OL										
Ground weta		<i>Hemiandrus</i> "Staveley"		OL										
Ground weta		<i>Hemiandrus</i> "Tapaquenuku"		OL										
Ground weta		<i>Hemiandrus</i> "Timaru"		OL										
Ground weta		<i>Hemiandrus</i> "Waimakariri"		OL										
Moth		<i>Hierodoris</i> "clear wing"				●								
Moth		<i>Hierodoris</i> "tiger stripes		OL										
RJBH				RJBH										
Native bee		<i>Hylaeus</i> sp "Fiordland yellow-faced bee"					●							
Native bee, manuscript name "murihiku"		<i>Hylaeus</i> sp1						●						
Small fungus beetle		Leiodidae n. gen. "Karamaea"							●					
Small fungus beetle		Leiodidae n. gen. "Mangamuka Range"								●				

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Data deficient

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
Native bee	<i>Leptoproctus</i> sp 3 "coastal"														
Earthworm	<i>Maoridrilus ?intermedius</i>	OL												●	●
Earthworm	<i>Maoridrilus ?mauiensis</i>	OL													
Earthworm	<i>Maoridrilus ?thomsoni</i>	OL													
Beetle	<i>Maorinus</i> sp.	●													
Ground beetle	<i>Megadromius "Omarama"</i>	OL													
Ground beetle	<i>Megadromius</i> sp. 9 "Millers Flat"	OL													
Click beetle	<i>Metablaux</i> sp.	OL	●												
Chironomid Fly	<i>Microtendipes</i> (Winterbourn et. al. 2000) "Blue Lake"			●											
Earthworm	<i>Octochaetus nevis</i>	OL			●										
Earthworm	<i>Octochaetus ?microchaetus</i>	OL			●										
Carnivorous land snail	<i>Powelliphanta "Waitotara"</i>				●										
Scarab/chafers Beetle	<i>Prodontria</i> sp. "Ben Ohau"	OL													
Scarab/chafers Beetle	<i>Prodontria</i> sp. "Five Rivers"	OL													
Scarab/chafers Beetle	<i>Prodontria</i> sp. "Nevis"														
Snail	Punctidae sp.13 (NMNZ M.15144/4)	●													
Snail	Punctidae sp.14 (NMNZ M.96422)	●													
Snail	Punctidae sp.19 (NMNZ M.151440)	●													
Snail	Punctidae sp.24 (NMNZ M.99823)	●													
Snail	Punctidae sp.26 (NMNZ M.78582)	●													
Snail	Punctidae sp.30 (NMNZ M.151445)	●													

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Data deficient		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
			Punctidae sp.31 (NMNZ M.151447)	●										
			Punctidae sp.32 (NMNZ M.38683)	●										
			Punctidae sp.33 (NMNZ M.58191)	●										
			Punctidae sp.35 (NMNZ M.151448)	●										
			Punctidae sp.36 (NMNZ M.151446)	●										
			Punctidae sp.37 (NMNZ M.99071)	●										
			Punctidae sp.4 (NMNZ M.88026)	OL	●									
			Pyroderces sp. "yellow"	OL	●									
		Moth	Rhaphidophoridae sp. "Poor Knights"	OL	●									
		Cave weta	<i>Rhododrilus ?monticola</i>	OL										
		Earthworm	<i>Saropogon "fereke"</i>	OL										
		Robber fly	Undescribed genus	OL	●									
		Kamo carabid.	<i>Waimuita "Umbrella Range"</i> (NMNZ M127657)	OL										
		Snail	<i>Zeopoecilus "D'Urville Island-Squally Cove"</i>	OL										
		Indeterminate subspecies												
		Ground beetle	<i>Mecodema costellum</i> "spelles"	OL	●									
		Metallic Green ground Beetle	<i>Megadromius antarcticus</i> subsp. 1	OL	●									

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Data deficient

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)											
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT
<b>Vascular plants</b>														
Determinate species														
			●?		●	●								
					●	●								
					●									
						●								
							●							
								●						
									○					
									○					
										●				
											●			
												●		
													●	
														●
														●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Data deficient		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
		<i>Gunniera densiflora</i> Hook.f. (CHR 90309)									●			
		<i>Hebe acutijflora</i> (Benth.) Cockayne (AK 107720)		●										
		<i>Hebe haastii</i> s.l.			●									
		<i>Hebe matthewsii</i> (Cheeseman) Cockayne (AK 7955)				○	○							
		<i>Koeleria riguorum</i> Edgar et Gibb		●		●								
		<i>Lachnagrostis uda</i> Edgar			●	●								
		<i>Lagenifera montana</i>			○	○	●							
		<i>Lepidium desvauxii</i>		SO			●							
		<i>Lepilaena bilocularis</i> Kirk			●	○								
		<i>Myosotis glabrescens</i> L.B.Moore				●								
		<i>Myosotis laingii</i> Cheeseman												
		<i>Myosotis suavis</i> Petrie												
		<i>Myosotis uniflora</i> Hook f.												
		<i>Nematoceras rivularis</i> (A.Cunn.) Molloy, K.I.Jones et M.A. Clem.			●									
		<i>Neopaxia linearifolia</i> Heenan									●			
		<i>Olearia angulata</i> Kirk		●										
		<i>Pachystegia minor</i> (Cheeseman) Molloy									●	○?		
		<i>Polygonum plebeium</i> R.Br.		SO										
		<i>Pterostylis irwini</i> D.I.Jones, Molloy et M.A.Clem.									●			

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location;  
RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Data deficient		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
			<i>Pterostylis porrecta</i> D.I.Jones, Molloy et M.A.Clem.	●										
			<i>Schizolema allanii</i> Cheeseman	●										
			<i>Stenostachys laevis</i>		●		●	●						
			<i>Vittadinia australis</i>	●		●								
			<i>Zotovia acicularis</i> Edgar et Connor				●							●
<u>Determinate subspecies, forms, and varieties</u>														
			<i>Celmisia cordatifolia</i> var. <i>brockettii</i>	●										
			<i>Celmisia cordatifolia</i> var. <i>smilis</i>	●										
			<i>Corallospartium</i> <i>crassicaule</i> var. <i>racemosum</i> (CHR 141532)	●										
			<i>Myosotis petiolata</i> var. <i>pottsiiana</i> L.B.Moore	●										
<u>Indeterminate species</u>														
			<i>Agrostis</i> (a) (CHR 402485 ; Dunstan Range)	OL						●				
			<i>Cardamine</i> aff. <i>bilobata</i> (CHR 511915 ; eastern South Island)					●?						
			<i>Celmisia</i> aff. <i>gracilenta</i> (a) (CHR 282958; Te Mata Peak)	OL										
			<i>Celmisia</i> aff. <i>discolor</i> (CHR 197967; Fiordland)								●			

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location;  
RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Data deficient		Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)									
NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL		
			<i>Celmisia</i> aff. <i>sessiliflora</i> (CHR ; Bald Knob Ridge)	OL										●
			<i>Cortaderia</i> aff. <i>fulvida</i> (CHR 477325; Puketi)	●										
			<i>Elymus</i> aff. <i>solandri</i> (a) (AK 222754; "channel")		●									●
			<i>Elymus</i> aff. <i>solandri</i> (b) (CHR 279228 ; South Marlborough)		●									
			<i>Galium</i> aff. <i>perpusillum</i> (CHR 476063 Kaitorete)		●									
			<i>Gentianella</i> (c) (CHR 530599; Westland)											
			<i>Geranium</i> (c) (CHR; Von)	OL										
			<i>Grammitis</i> aff. <i>rawlingsii</i> (a) (CHR 420132; Great Barrier)		●									
			<i>Grammitis</i> aff. <i>rawlingsii</i> (b) (AK 236942; Mount Williams)		●									
			<i>Hebe</i> aff. <i>dilatata</i> (WELT 82424; Mount Murchison)			●								
			<i>Hebe</i> aff. <i>brevifolia</i> (AK 235669; Surville Cliffs)	OL		●								
			<i>Hebe</i> aff. <i>epacidea</i> (CHR 470336; Mount Dobson)				●							
			<i>Hebe</i> aff. <i>treadwellii</i> (CHR 394533; Bald Knob Ridge)	OL			●							
			<i>Hypoxis</i> aff. <i>hookeri</i> (CHR 486447; New Zealand)	SO				○			●?			

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Data deficient

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
	<i>Leptinella intermedia</i> (D.G.Lloyd) D.G.Lloyd et C.J.Webb (CANU 17225)													●	
	<i>Libertia</i> aff. <i>ixioides</i> (a) (CHR 469712; "large capsule")	●													
	<i>Libertia</i> aff. <i>ixioides</i> (b) (CHR , Omaha )	●													
	<i>Limosella</i> (a) (CHR 222625; Opunake)	●													
	<i>Melicytus</i> aff. <i>alpinus</i> (b) (CHR 541565; Rangipo)	●													
	<i>Melicytus</i> aff. <i>alpinus</i> (c) (CHR 541568; Otago)	●													
	<i>Melicytus</i> aff. <i>alpinus</i> (d) (CHR 541567; "dark")	●													
	<i>Melicytus</i> aff. <i>alpinus</i> (f) (CHR 530143; Brockie)	OL													
	<i>Melicytus</i> aff. <i>alpinus</i> (g) (CHR 514919B; Livingstone)	●													
	<i>Melicytus</i> aff. <i>obovatus</i> (c) CHR 393733; Mount Owen)	OL													
	<i>Myosotis</i> (c) (CHR 198630; Fiordland)	●													
	<i>Myosotis</i> aff. <i>pulvinaris</i> (CHR 431563; Umbrella)	●													
	<i>Myosotis</i> aff. <i>tenericaulis</i> (AK 7570 ; Garvie)	●													
	<i>Nematoceras</i> aff. <i>rivularis</i> (AK 251833; Kaitarakihī)	●													
	<i>Nematoceras</i> aff. <i>rivularis</i> (CHR 518025; Kaimai)	●	●	●	●	●	●	●	●?	●	●	●	●	●	●

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

## Data deficient

Common name	Taxon	Qualifiers	Conservancy (●=present; ○=locally extinct)												
			NL	AU	WK	BP	EC/HB	TR	WG	WL	NM	WC	CA	OT	SL
	<i>Nematoceras</i> aff. <i>rivularis</i> (CHR 518313; "whiskers")	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	<i>Nematoceras</i> aff. <i>rivularis</i> (CHR 534752; "rest area")					●									
	<i>Nematoceras</i> aff. <i>trilobus</i> (CHR 518304; "pygmy")	●													
	<i>Nematoceras</i> aff. <i>trilobus</i> (CHR 534742; Trotters )					●									
	<i>Nematoceras</i> aff. <i>trilobus</i> (CHR 537604; Rimutaka )														
	<i>Pachystegia</i> aff. <i>insignis</i> (CHR ; Lowry)														
	<i>Parabebe</i> aff. <i>cattarractae</i> (CHR 324810; "hairy")														
	<i>Pimelea</i> (f) (AK 189577; Maunganui Bluff)	OL													
	<i>Pimelea</i> aff. <i>prostrata</i> (CHR 257898; Kaitorete)	OL													
	<i>Poa</i> aff. <i>sublimis</i> (CHR 402510 ; Eyre Mountains)	OL													
	<i>Pratia</i> aff. <i>macrodon</i> (AK 255606 ; Old Man Range)	OL													
	<i>Pterostylis</i> aff. <i>graminea</i> (CHR 513330; "sphagnum")														
	<i>Pterostylis</i> aff. <i>montana</i> (CHR 534754; Catlins)														
	<i>Ranunculus</i> (c) (CHR 472008 ; Garvie Range)												●		
	<i>Ranunculus</i> (cd) (CHR 394270; Mount Peel)											●			
	<i>Raoulia</i> (a) (CHR 79537 ; "K")											●			

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

Data deficient												Conservancy (●=present; ○=locally extinct)																																			
Common name			Taxon			Qualifiers			NL			AU			WK			BP			EC/HB			TT			WG			WL			NM			WC			CA			OT			SL		
			<i>Spiranthes</i> aff. <i>novaehollandiae</i> (CHR 518297; Mouttang)		HI, EF			●																																							
			<i>Theelymitra</i> aff. <i>longifolia</i> (CHR 537579; Whakapapa)																															●	●?												

\*Qualifiers: CD, Conservation Dependent; DP, Data Poor; EF, Extreme Fluctuations; EW, Extinct in the wild; HI, Human Induced; OL, One Location; RC, Recovering; RF, Recruitment Failure; SO, Secure overseas; ST, Stable; TO, Threatened overseas

# **Appendix 2**

## **DATA DEFICIENT FUNGI**



## Data Deficient fungi

Species	Qualifiers	
(One Location (Secure Overseas	OL) SO)	
<u>Determinate species</u>		
<i>Acanthostigma affine</i>	OL	
<i>Acarocybellina arengae</i>	OL	
<i>Acarosporina hyalina</i>	OL	
<i>Acrodictys deightonii</i>	OL	
<i>Acrodontium crateriforme</i>	OL	
<i>Acrodontium hydnicola</i>	OL	
<i>Acrogenospora gigantospora</i>		
<i>Acrogenospora novaezelandiae</i>		
<i>Acrogenospora spbaerocephala</i>		
<i>Acrospermum compressum</i>		
<i>Actinocladium rhodosporum</i>	OL	
<i>Aecidium celmisiae</i>	OL	
<i>Aecidium monocystis</i>		
<i>Aecidium myrsines</i>		
<i>Aecidium ranunculi-depressi</i>	OL	
<i>Aecidium ranunculi-monroi</i>		
<i>Aecidium traversiae</i>	OL	
<i>Aeruginospora furfuracea</i>	OL	
<i>Agaricostilbum novozelandicum</i>		
<i>Agaricus campigenus</i>		
<i>Agaricus horakii</i>		
<i>Agaricus kroneanus</i>		
<i>Agaricus lanatoniger</i>	OL	
<i>Agaricus oligocystis</i>	OL	
<i>Agaricus purpureoniger</i>	OL	
<i>Agaricus viridopurpurascens</i>	OL	
<i>Agrocybe howeana</i>		
<i>Agrocybe olivacea</i>		
<i>Akanthomyces aranearum</i>	OL	
<i>Albonectria rigidiuscula</i>		
<i>Aleuria rhenana</i>	OL	
<i>Aleurina calospora</i>	OL	
<i>Aleurocystis babgallae</i>		
<i>Aleurodiscus aurantius</i>	OL	
<i>Aleurodiscus coronatus</i>		
<i>Anastrophella macrospora</i>	OL	
<i>Anguillospora filiformis</i>	OL	
<i>Anguillospora longissima</i>	OL	
<i>Ankistrocladium fuscum</i>	OL	
<i>Annelospermosporella meliolinae</i>		
<i>Antennaria scoriadea</i>		
<i>Antennatula fisherae</i>		
<i>Antennatula fraserae</i>		
<i>Antennatula triseptata</i>		
<i>Antennulariella concinna</i>		
<i>Anthostomella kapiti</i>		
<i>Anthostomella manawatu</i>		
<i>Anthostomella okatina</i>		
<i>Anthostomella phormicola</i>		
<i>Anthostomella tenacis</i>		
<i>Antbracoidea wakatipu</i>		OL
<i>Antbracophyllum glaucophyllum</i>		
<i>Antbracophyllum pallidum</i>		
<i>Antrodia novaezelandiae</i>		OL
<i>Aphanocladium album</i>		OL
<i>Apiosordaria verruculosa</i>		OL
<i>Appendiculella acaenae</i>		
<i>Arachnopeziza aurelia</i>		OL
<i>Arthrinium sporophleum</i>		SO, OL
<i>Arthrobotrys conoides</i>		SO, OL
<i>Articulospora tetracladia</i>		OL
<i>Ascobolus bistisii</i>		OL
<i>Ascobolus epimyces</i>		OL
<i>Ascobolus minutus</i>		OL
<i>Ascochyta stilbocarparae</i>		OL
<i>Ascocoryne cylindrium</i>		SO
<i>Aspergillus versicolor</i>		OL
<i>Asteridiella knightiae</i>		OL
<i>Asterina effusa</i>		
<i>Asterina fragillissima</i>		
<i>Asterina sublibera</i>		
<i>Asterina torulosa</i>		
<i>Asteromella myriadea</i>		OL
<i>Asterostroma andinum</i>		
<i>Astrosphaeriella aostimensis</i>		OL
<i>Astrosphaeriella samuelsii</i>		
<i>Astrosporina aequalis</i>		OL
<i>Astrosporina amygdalina</i>		
<i>Astrosporina avellana</i>		
<i>Astrosporina graveolens</i>		OL
<i>Astrosporina leptospermi</i>		
<i>Astrosporina manukanea</i>		OL
<i>Astrosporina paracerasphora</i>		
<i>Astrosporina straminea</i>		OL
<i>Astrosporina subclavata</i>		OL
<i>Astrosporina viscata</i>		
<i>Athelia epiphylla</i>		OL
<i>Atrichodryceps harposporifera</i>		OL
<i>Aulographum bromi</i>		
<i>Auxarthron californiense</i>		OL
<i>Bactridium novaezelandiae</i>		OL
<i>Bactrodesmiella novaezelandiae</i>		OL
<i>Bactrodesmium globosum</i>		OL
<i>Badhamia foliicola</i>		OL
<i>Badhamia utricularis</i>		
<i>Basidiodendron cremeum</i>		
<i>Basidiodendron minutisporum</i>		OL
<i>Basidiodendron nikau</i>		OL
<i>Bauerago abstrusa</i>		
<i>Beauveria tenella</i>		OL

<i>Beltrania rhombica</i>		<i>Capnodium uniseptatum</i>	OL
<i>Berggrenia aurantiaca</i>		<i>Capronia acutiseta</i>	OL
<i>Berggrenia cyclospora</i>		<i>Capronia coronata</i>	
<i>Beverwykella pulmonaria</i>		<i>Capronia pilosella</i>	SO, OL
<i>Bionectria byssicola</i>		<i>Capronia villosa</i>	OL
<i>Biscogniauxia zelandica</i>	OL	<i>Cashiella monticola</i>	
<i>Bispora novaezelandiae</i>		<i>Cashiella sticheri</i>	
<i>Boletellus ananas</i>	OL	<i>Catenularia longispora</i>	OL
<i>Boletus novaezelandiae</i>	OL	<i>Catenularia macrospora</i>	OL
<i>Botryobasidium conspersum</i>	SO, OL	<i>Cephaliophora longispora</i>	
<i>Botryohypothecatus isabellinus</i>	OL	<i>Cephaliophora muscicola</i>	
<i>Bourdotia petiolata</i>	OL	<i>Ceraceomyces serpens</i>	OL
<i>Bovista gunnii</i>	OL	<i>Ceratosporella stipitata</i>	
<i>Brachysporium bloxamii</i>	OL	<i>Ceratosporium rilstonii</i>	SO, OL
<i>Brachysporium dingleyae</i>		<i>Cercophora albicollis</i>	OL
<i>Brachysporium novaezelandiae</i>	OL	<i>Cercophora solaris</i>	
<i>Bryorella compressa</i>		<i>Cercospora uredinophila</i>	OL
<i>Bulbillomyces farinosus</i>	SO, OL	<i>Chaenothecopsis brevipes</i>	
<i>Bulgaria inquinans</i>	SO, OL	<i>Chaenothecopsis haematopus</i>	
<i>Bulgariella pulla</i>		<i>Chaenothecopsis nigra</i>	
<i>Byssonectria chrysocoma</i>	OL	<i>Chaenothecopsis nigropedata</i>	
<i>Byssosphaeria</i>	OL	<i>Chaenothecopsis sagenidii</i>	
<i>schiedermayeriana</i>		<i>Chaenothecopsis sanguinea</i>	
<i>Caeoma kaiku</i>		<i>Chaenothecopsis schefflerae</i>	OL
<i>Cadesiella ferruginosa</i>	OL	<i>Chaetocypha pteridophila</i>	
<i>Calicium martinii</i>		<i>Chaetosphaeria brevispora</i>	OL
<i>Calicium sphaerocephalum</i>	OL	<i>Chaetosphaeria coelestina</i>	OL
<i>Calocera glossooides</i>	SO	<i>Chaetosphaeria cupulifera</i>	OL
<i>Calocybe onychina</i>	OL	<i>Chaetosphaeria phaeostromoides</i>	OL
<i>Calocybe readiae</i>		<i>Chaetosphaeria talbotii</i>	
<i>Calonectria diploa</i>	OL	<i>Chaetothyrium guaraniticum</i>	OL
<i>Calonema luteolum</i>	OL	<i>Chaetothyrium strigosum</i>	OL
<i>Calycella brevispora</i>	OL	<i>Chalara acuaria</i>	OL
<i>Calycella ochracea</i>	OL	<i>Chalara affinis</i>	
<i>Calycella sulfurina</i>	OL	<i>Chalara africana</i>	
<i>Calycellina carolinensis</i>		<i>Chalara agathidis</i>	OL
<i>Calyculosphaeria collapsa</i>	OL	<i>Chalara angionacea</i>	
<i>Calypstella hebe</i>	OL	<i>Chalara aotearoa</i>	OL
<i>Camarophyllus canus</i>	OL	<i>Chalara aurea</i>	OL
<i>Camarophyllus delicatus</i>		<i>Chalara bicolor</i>	OL
<i>Camarophyllus griseorufescens</i>	OL	<i>Chalara brevipes</i>	
<i>Camarophyllus impurus</i>	OL	<i>Chalara brunnipes</i>	OL
<i>Camarophyllus muritaiensis</i>		<i>Chalara curvata</i>	OL
<i>Camarophyllus patinicolor</i>	OL	<i>Chalara dictyoseptata</i>	OL
<i>Camarops flava</i>	OL	<i>Chalara distans</i>	OL
<i>Campanella fimbriata</i>		<i>Chalara dracophylli</i>	OL
<i>Campanella olivaceonigra</i>		<i>Chalara fusidioides</i>	OL
<i>Camposporium antennatum</i>	SO, OL	<i>Chalara gracilis</i>	OL
<i>Camposporium cambrense</i>	SO, OL	<i>Chalara graminicola</i>	OL
<i>Camposporium laundonii</i>		<i>Chalara inaequalis</i>	OL
<i>Cantharellula alpina</i>	OL	<i>Chalara myrsines</i>	
<i>Cantharellula waiporiensis</i>		<i>Chalara nothofagi</i>	
<i>Capnobotrys atroolivacea</i>		<i>Chalara novaezelandiae</i>	
<i>Capnodium fibrosum</i>		<i>Chalara parvispora</i>	OL
<i>Capnodium fuliginoides</i>			

<i>Chalara pteridina</i>	OL	<i>Clavulina copiosacystidiata</i>
<i>Chalara pulchra</i>		<i>Clavulina geoglossoides</i>
<i>Chalara rhynchophialis</i>	OL	<i>Clavulina humilis</i>
<i>Chalara scabrida</i>	OL	<i>Clavulina purpurea</i>
<i>Chalara sessilis</i>	OL	<i>Clavulina samuelsii</i>
<i>Chalara tubifera</i>	OL	<i>Clavulina septocystidiata</i>
<i>Chalara unicolor</i>	OL	<i>Clavulina subrugosa</i>
<i>Chalara urceolata</i>		<i>Clavulina tasmanica</i>
<i>Cheilymenia vitellina</i>	OL	<i>Clavulina urnigerobasidiata</i>
<i>Cheimonophyllum candidissimum</i>		<i>Clavulinopsis corallinorosacea</i>
<i>Cheimonophyllum roseum</i>	OL	<i>Clavulinopsis miniata</i>
<i>Chionomyces meliolicola</i>	OL	<i>Clitocybe albida</i>
<i>Chlorencoelia torta</i>	OL	<i>Clitocybe dealbata</i>
<i>Chloridium virescens</i>	OL	<i>Clitocybe fragrans</i>
<i>Chlorociboria argentinensis</i>	OL	<i>Clitocybe nebularis</i>
<i>Chlorovibrissa phialophora</i>	OL	<i>Clitocybe wellingtonensis</i>
<i>Circinotrichum chathamense</i>	OL	<i>Clitocybula grisella</i>
<i>Circinotrichum maculiforme</i>	SO	<i>Clitopilus hobsonii</i>
<i>Circinotrichum olivaceum</i>		<i>Clypeum peltatum</i>
<i>Cirrosporium novaezelandiae</i>	OL	<i>Coccomyces libocedri</i>
<i>Cladobotryum apiculatum</i>	OL	<i>Collybia druceae</i>
<i>Cladobotryum multiseptatum</i>		<i>Collybia stevensoniae</i>
<i>Cladosporium sphaeroideum</i>		<i>Collybia vinacea</i>
<i>Clasterosporium flagellatum</i>	OL	<i>Colpoma agathidis</i>
<i>Clavaria acuta</i>		<i>Coltricia perennis</i>
<i>Clavaria alboglobospora</i>		<i>Comatricha alta</i>
<i>Clavaria arborescens</i>		<i>Comatricha laxa</i>
<i>Clavaria archeri</i>	OL	<i>Coniochaeta discospora</i>
<i>Clavaria ardosiaca</i>	OL	<i>Coniochaeta bansenii</i>
<i>Clavaria cupreicolor</i>	OL	<i>Coniochaeta leucoplaca</i>
<i>Clavaria echinobrevispora</i>	OL	<i>Coniochaeta pulveracea</i>
<i>Clavaria echinonivosa</i>	OL	<i>Coniochaeta velutina</i>
<i>Clavaria echinoolivacea</i>		<i>Coniophora minor</i>
<i>Clavaria flavopurpurea</i>		<i>Coniophora olivacea</i>
<i>Clavaria gibbsiae</i>		<i>Coniosporium culmigenum</i>
<i>Clavaria megaspinosa</i>		<i>Coniothyrium celmisiae</i>
<i>Clavaria mima</i>	OL	<i>Conocybe gracilenta</i>
<i>Clavaria musculospinosa</i>		<i>Conocybe horakii</i>
<i>Clavaria novozealandica</i>		<i>Conocybe novaezelandiae</i>
<i>Clavaria phoenicea</i>		<i>Conoplea fusca</i>
<i>Clavaria plumbeoargillacea</i>	OL	<i>Conoplea tortuosa</i>
<i>Clavaria redoleoalii</i>		<i>Coprinus colenoi</i>
<i>Clavaria roseoviolacea</i>		<i>Coprinus hemerobius</i>
<i>Clavaria subsordida</i>		<i>Cordana abramovii</i>
<i>Clavaria subviolacea</i>	OL	<i>Cordyceps gunnii</i>
<i>Clavaria tuberculospora</i>		<i>Cordyceps hauturu</i>
<i>Clavaria ypsilonnidia</i>		<i>Cordyceps kirkii</i>
<i>Clavaria zollingeri</i>		<i>Cordyceps michiganensis</i>
<i>Clavariadelphus junceus</i>		<i>Cordyceps militaris</i>
<i>Claviceps nigricans</i>	OL	<i>Coremium gracile</i>
<i>Clavogaster novozelandicus</i>	OL	<i>Corticium otagense</i>
<i>Clavulina alutaceosiccescens</i>		<i>Corticium perenne</i>
<i>Clavulina brunneocinerea</i>		<i>Corticium permodicum</i>
<i>Clavulina cavipes</i>		<i>Corticium pteridophilum</i>

<i>Cortinarius acutus</i>	OL	<i>Corynespora leptoderridicola</i>	OL
<i>Cortinarius aegrotus</i>	OL	<i>Corynespora smithii</i>	OL
<i>Cortinarius aerugineoconicus</i>	OL	<i>Corynetes atropurpureus</i>	OL
<i>Cortinarius alboserrulatus</i>		<i>Cosmospora chaetopsinae</i>	OL
<i>Cortinarius anauensis</i>	OL	<i>Cosmospora chaetopsinae-</i>	OL
<i>Cortinarius atrolazulinus</i>	OL	<i>penicillatae</i>	
<i>Cortinarius aurantioferreus</i>		<i>Cosmospora dingleyae</i>	
<i>Cortinarius austrocyanites</i>	OL	<i>Cosmospora nothepisphaeria</i>	OL
<i>Cortinarius bellus</i>	OL	<i>Cosmospora pseudoflavoviridis</i>	OL
<i>Cortinarius carbonellus</i>	OL	<i>Craterium aureum</i>	OL
<i>Cortinarius caryotis</i>		<i>Craterium obovatum</i>	OL
<i>Cortinarius castaneiceps</i>	OL	<i>Crepidotus improvisus</i>	OL
<i>Cortinarius chrysma</i>		<i>Crepidotus nanicus</i>	
<i>Cortinarius collybianus</i>		<i>Crepidotus novaezelandiae</i>	
<i>Cortinarius cremeolinus</i>	OL	<i>Crepidotus parietalis</i>	OL
<i>Cortinarius cucumeris</i>	OL	<i>Cibraria argillacea</i>	OL
<i>Cortinarius cupreonatus</i>		<i>Cibraria confusa</i>	OL
<i>Cortinarius cycneus</i>		<i>Cibraria intricata</i>	OL
<i>Cortinarius dysodes</i>		<i>Cibraria mirabilis</i>	OL
<i>Cortinarius exlavatus</i>		<i>Cibraria persoonii</i>	OL
<i>Cortinarius exlugubris</i>		<i>Crinipellis micropilus</i>	
<i>Cortinarius gemmeus</i>	OL	<i>Crinipellis roseola</i>	
<i>Cortinarius ignotus</i>	OL	<i>Crocicreas coronatum</i>	SO, OL
<i>Cortinarius indolicus</i>		<i>Crocicreas epitephrum</i>	
<i>Cortinarius lubricanescens</i>		<i>Crocicreas hieraciifolium</i>	OL
<i>Cortinarius marmoratus</i>	OL	<i>Crucellisporiopsis gelatinosa</i>	OL
<i>Cortinarius melimyxa</i>	OL	<i>Crucispora naucorioides</i>	OL
<i>Cortinarius minoscaurus</i>	OL	<i>Cryptocoryneum rilstonii</i>	SO
<i>Cortinarius naphthalinus</i>	OL	<i>Cryptodiscus pallidus</i>	
<i>Cortinarius olorinatus</i>	OL	<i>Cryptomycina pteridis</i>	OL
<i>Cortinarius papaver</i>		<i>Cryptophiale insularis</i>	
<i>Cortinarius peraureus</i>		<i>Cryptophiale orthospora</i>	
<i>Cortinarius perelegans</i>	OL	<i>Cryptophiale pusilla</i>	
<i>Cortinarius periclymenus</i>	OL	<i>Cryptophiale udagawae</i>	
<i>Cortinarius persicanus</i>	OL	<i>Cryptosporella hypodermia</i>	
<i>Cortinarius phaeochlorus</i>	OL	<i>Cucujomyces bilobatus</i>	
<i>Cortinarius pholiotellus</i>	OL	<i>Cucujomyces phycophilus</i>	
<i>Cortinarius picoides</i>		<i>Cudoniella acicularis</i>	OL
<i>Cortinarius porphyrophaeus</i>	OL	<i>Cuphocybe melliolens</i>	OL
<i>Cortinarius rattinus</i>		<i>Cyathus colensoi</i>	
<i>Cortinarius saturniorum</i>		<i>Cyathus hookeri</i>	OL
<i>Cortinarius sinapicolor</i>	OL	<i>Cylindrosporium nanum</i>	
<i>Cortinarius taylorianus</i>		<i>Cylindrotrichum oligospermum</i>	OL
<i>Cortinarius ursus</i>	OL	<i>Cyphella cookei</i>	
<i>Cortinarius veronicae</i>		<i>Cyphella pteridophila</i>	
<i>Cortinarius viscilaetus</i>		<i>Cyphellostereum laevis</i>	OL
<i>Cortinarius viscostriatus</i>	OL	<i>Cystidiodontia artocreas</i>	OL
<i>Cortinarius viscoviridis</i>	OL	<i>Cystoderma amianthinum</i>	
<i>Cortinarius vitreopileatus</i>		<i>Cytospora metrosideri</i>	
<i>Coryne rugipes</i>		<i>Cytosporella anisotomes</i>	
<i>Coryne tasmanica</i>		<i>Dacrymyces aucklandicus</i>	OL
<i>Coryne urnalis</i>	OL	<i>Dacrymyces cupularis</i>	
<i>Corynespora citricola</i>		<i>Dacrymyces lacrymalis</i>	OL
<i>Corynespora lanneicola</i>	OL	<i>Dacrymyces paraphysatus</i>	OL
		<i>Dacrymyces waipoua</i>	OL

<i>Dactylaria candidula</i>	OL	<i>Didymium clavus</i>	OL
<i>Dactylaria bigginsii</i>	OL	<i>Didymium difforme</i>	OL
<i>Daldinia grandis</i>		<i>Didymium dubium</i>	OL
<i>Dawsicola neglecta</i>		<i>Didymium xanthopus</i>	OL
<i>Dawsophila pygmaea</i>		<i>Didymosphaeria pteridina</i>	
<i>Deflexula fascicularis</i>	OL	<i>Didymosphaeria stictaria</i>	
<i>Dendrodochium ellipticum</i>		<i>Dimerosporium excelsum</i>	
<i>Dendrostilbella mycophila</i>	OL	<i>Dimorphotricha australis</i>	OL
<i>Dendrothele biapiculata</i>	OL	<i>Dingleya phymatodea</i>	
<i>Dendrothele pulvinata</i>	OL	<i>Dingleya turbinata</i>	OL
<i>Dendryphion comosum</i>		<i>Diplocladiella scalaroides</i>	OL
<i>Dermatea fumosa</i>		<i>Discella lignicola</i>	
<i>Dermocybe alienata</i>		<i>Discinella confusa</i>	OL
<i>Dermocybe aurantiella</i>	OL	<i>Disciseda candida</i>	
<i>Dermocybe aurantiocastanea</i>	OL	<i>Disciseda cervina</i>	
<i>Dermocybe aurata</i>		<i>Disciseda verrucosa</i>	
<i>Dermocybe cardinalis</i>	OL	<i>Discosia novae-zelandiae</i>	
<i>Dermocybe cinnabarinia</i>		<i>Discospora novaezelandiae</i>	OL
<i>Dermocybe cramesina</i>	OL	<i>Discostromopsis stoneae</i>	
<i>Dermocybe egmontiana</i>	OL	<i>Duportella sphaerospora</i>	OL
<i>Dermocybe icterinoides</i>	OL	<i>Dwayaangam heterospora</i>	
<i>Dermocybe indotata</i>	OL	<i>Eccilia baeusleriana</i>	
<i>Dermocybe largofulgens</i>	OL	<i>Eichleriella boheriae</i>	
<i>Dermocybe leptospermorum</i>	OL	<i>Eichleriella subleucophaea</i>	
<i>Dermocybe olivaceonigra</i>	OL	<i>Ellisembia brachypus</i>	
<i>Dermocybe purpurata</i>		<i>Ellisembia folliculata</i>	
<i>Dermocybe splendida</i>		<i>Elsinoe dracophylli</i>	
<i>Dermocybe vinicolor</i>	OL	<i>Encephalographa otagensis</i>	
<i>Dermocybe viscida</i>	OL	<i>Endococcus parietinarius</i>	
<i>Dermoloma hemisphaericum</i>	OL	<i>Endococcus ramalinarius</i>	
<i>Dermoloma murinum</i>	OL	<i>Endomeliola dingleyae</i>	
<i>Dianema harveyi</i>		<i>Endophragmiella bisectata</i>	OL
<i>Diatrype elliptica</i>		<i>Endophragmiella boeweii</i>	OL
<i>Dicephalospora rufocornea</i>	OL	<i>Endophragmiella boothii</i>	OL
<i>Dictydiaethalium plumbeum</i>	OL	<i>Endophragmiella dingleyae</i>	OL
<i>Dictyochaeta botulispora</i>	OL	<i>Endophragmiella novaezelandiae</i>	OL
<i>Dictyochaeta brevisetula</i>	OL	<i>Endophragmiella tripartita</i>	OL
<i>Dictyochaeta longispora</i>	OL	<i>Endoscypha perforans</i>	OL
<i>Dictyochaeta parva</i>		<i>Endothia fluens</i>	
<i>Dictyochaeta vulgaris</i>		<i>Engyodontium aranearium</i>	OL
<i>Dictyosporium elegans</i>	OL	<i>Entoloma aberrans</i>	
<i>Dictyosporium heptasporum</i>	OL	<i>Entoloma asprelloides</i>	
<i>Diderma alpinum</i>	OL	<i>Entoloma atrellum</i>	OL
<i>Diderma asterooides</i>	OL	<i>Entoloma brunneolilacinum</i>	OL
<i>Diderma effusum</i>	OL	<i>Entoloma caesiomarginatum</i>	
<i>Diderma globosum</i>	OL	<i>Entoloma canoconicum</i>	
<i>Diderma hemisphaericum</i>	OL	<i>Entoloma cavipes</i>	
<i>Diderma hookeri</i>		<i>Entoloma cephalocystis</i>	OL
<i>Diderma niveum</i>	OL	<i>Entoloma cerinum</i>	OL
<i>Diderma spumariooides</i>	OL	<i>Entoloma colensoi</i>	
<i>Diderma testaceum</i>	OL	<i>Entoloma congregatum</i>	
<i>Didymella carduicola</i>		<i>Entoloma corneum</i>	OL
<i>Didymella hierochloes</i>		<i>Entoloma crinitum</i>	OL
<i>Didymium australe</i>		<i>Entoloma croceum</i>	OL

<i>Entoloma cucurbita</i>		<i>Fayodia granulospora</i>	
<i>Entoloma deceptivum</i>		<i>Flabelliospora acuminata</i>	OL
<i>Entoloma decolorans</i>		<i>Flagelloscypha tongariro</i>	OL
<i>Entoloma farinolens</i>		<i>Flagellospora penicilliooides</i>	OL
<i>Entoloma gelatinosum</i>	OL	<i>Flammula croesus</i>	
<i>Entoloma gracile</i>		<i>Flammula schinziana</i>	
<i>Entoloma imbecille</i>	OL	<i>Flammulaster foliticola</i>	OL
<i>Entoloma latericolor</i>	OL	<i>Flammulaster pulveraceus</i>	OL
<i>Entoloma macnabbianum</i>	OL	<i>Flammulina stratosa</i>	
<i>Entoloma melleum</i>	OL	<i>Fomes baeuslerianus</i>	
<i>Entoloma minutoalbum</i>	OL	<i>Fracchiaea rasa</i>	
<i>Entoloma niveum</i>	OL	<i>Fusarium elongatum</i>	
<i>Entoloma nothofagi</i>		<i>Fusichalara dimorphospora</i>	OL
<i>Entoloma obrusseum</i>	OL	<i>Fusichalara dingleyae</i>	OL
<i>Entoloma parsoniae</i>		<i>Fusichalara novaezelandiae</i>	OL
<i>Entoloma perplexum</i>	OL	<i>Galerina excentrica</i>	OL
<i>Entoloma perzonatum</i>		<i>Galerina nothofaginea</i>	OL
<i>Entoloma phaeomarginatum</i>		<i>Geastrum affinis</i>	
<i>Entoloma pluteimorphum</i>		<i>Geastrum morganii</i>	OL
<i>Entoloma psittacinum</i>	OL	<i>Geastrum saccatum</i>	SO
<i>Entoloma pteridicola</i>	OL	<i>Gelasinospora adjuncta</i>	
<i>Entoloma rancidulum</i>	OL	<i>Geneosperma laevisporum</i>	OL
<i>Entoloma readiae</i>		<i>Geoglossum cookeanum</i>	SO, OL
<i>Entoloma rubescensipes</i>		<i>Geoglossum glabrum</i>	OL
<i>Entoloma rubromarginatum</i>	OL	<i>Geomycetes pannorum</i>	
<i>Entoloma sericellum</i>	OL	<i>Geopyxis cupularis</i>	OL
<i>Entoloma squamiferum</i>		<i>Gibbera selaginellae</i>	OL
<i>Entoloma sulphureum</i>	OL	<i>Gibellula pulchra</i>	SO, OL
<i>Entoloma uliginicola</i>	OL	<i>Gigasperma cryptica</i>	
<i>Entoloma vulsum</i>		<i>Gliomastix novaezelandiae</i>	
<i>Entorrhiza casparyana</i>	OL	<i>Gliophorus fumosogriseus</i>	OL
<i>Entorrhiza casparyanella</i>		<i>Gliophorus graminicolor</i>	
<i>Entorrhiza finerantii</i>	OL	<i>Gliophorus lilacipes</i>	OL
<i>Entyloma echinaceae</i>	OL	<i>Gliophorus luteoglutinosus</i>	
<i>Entyloma parietariae</i>		<i>Gliophorus ostrinus</i>	OL
<i>Entyloma ranunculi</i>	OL	<i>Gliophorus pallidus</i>	OL
<i>Ephelina gregaria</i>		<i>Gliophorus subheteromorphus</i>	OL
<i>Epibryon dawsoniae</i>		<i>Gliophorus viscaurantius</i>	
<i>Epibryon elegantissimum</i>		<i>Gloeodiscus nigrorufus</i>	
<i>Epicoccum pallescens</i>		<i>Gloeosporidium coprosmae</i>	OL
<i>Eriomyces meliolinae</i>		<i>Gloiocephala gracilis</i>	OL
<i>Erynia neoaphidis</i>	OL	<i>Gloiocephala nothofagi</i>	OL
<i>Erysiphe densa</i>	OL	<i>Gloiocephala phormiorum</i>	
<i>Erysiphe rubicola</i>		<i>Gloiocephala tibiicystis</i>	OL
<i>Eudimerolium podocarpi</i>		<i>Glonium abbreviatum</i>	
<i>Eutypella scoparia</i>	OL	<i>Glonium hysterinum</i>	
<i>Exidia albida</i>	OL	<i>Glonium parvulum</i>	
<i>Exidiopsis grisea</i>		<i>Gonytrichum macrocladum</i>	OL
<i>Exidiopsis tawa</i>	OL	<i>Graphium caliciooides</i>	
<i>Exobasidium fraseri</i>	OL	<i>Guedea novaezelandiae</i>	OL
<i>Exobasidium pentachondrae</i>		<i>Guepinopsis buccina</i>	
<i>Exserticlava vasiformis</i>	OL	<i>Guignardia cytisi</i>	
<i>Farynia nigra</i>		<i>Guignardia philoprina</i>	
<i>Fasciatispora nypae</i>	OL	<i>Gymnopilus hanmerensis</i>	

<i>Gymnopilus mesosporus</i>		<i>Hygrocybe fuliginata</i>	OL
<i>Gymnopilus rubrocastaneus</i>		<i>Hygrocybe fuscoaurantiaca</i>	OL
<i>Gyoerffyella rotula</i>	OL	<i>Hygrocybe julietae</i>	
<i>Gyrothrix microsperma</i>		<i>Hygrocybe miniata</i>	
<i>Gyrothrix podosperma</i>		<i>Hygrocybe miniatoaurantiaca</i>	
<i>Hadrosporium dingleyae</i>	OL	<i>Hygrocybe miniceps</i>	
<i>Hansfordia grisella</i>	OL	<i>Hygrocybe striatolutea</i>	OL
<i>Hapalopilus albocitrinus</i>	OL	<i>Hygrophoropsis umbriceps</i>	
<i>Haplographium bicolor</i>	OL	<i>Hygrophorus carcharias</i>	OL
<i>Haptoglossa elegans</i>		<i>Hygrophorus gloriae</i>	
<i>Haptospora appendiculata</i>		<i>Hygrophorus involutus</i>	OL
<i>Harknessia eucrypta</i>		<i>Hygrophorus segregatus</i>	OL
<i>Harposporium trigonosporum</i>		<i>Hygrophorus turundus</i>	OL
<i>Hebeloma mediorufum</i>		<i>Hygrophorus waikanaensis</i>	
<i>Heimiomyces atrofulvus</i>		<i>Hygrotrama roseolum</i>	OL
<i>Heimiomyces neovelutipes</i>	OL	<i>Hymenochaete cervina</i>	OL
<i>Helicodendron tubulosum</i>	OL	<i>Hymenochaete dictator</i>	OL
<i>Helicoma curtisia</i>	OL	<i>Hymenochaete dura</i>	
<i>Helicoma monilipes</i>	OL	<i>Hymenochaete fuliginosa</i>	
<i>Helicoma muellieri</i>	OL	<i>Hymenochaete innexa</i>	
<i>Helicoma perelegans</i>	OL	<i>Hymenochaete lictor</i>	
<i>Helicomycetes ambiguus</i>		<i>Hymenochaete lignosa</i>	
<i>Helicoön ellipticum</i>	OL	<i>Hymenochaete magnahypha</i>	OL
<i>Helicosporium griseum</i>	OL	<i>Hymenochaete semistupposa</i>	
<i>Helicosporium lumbricopsis</i>	OL	<i>Hymenochaete separata</i>	
<i>Helminthosporium dictyoseptatum</i>	OL	<i>Hymenochaete stratura</i>	
<i>Helminthosporium novaezelandiae</i>	OL	<i>Hymenochaete unicolor</i>	
<i>Helotium phormium</i>	OL	<i>Hymenochaete vaginata</i>	OL
<i>Helotium venezuelianum</i>	OL	<i>Hymenoscyphus atrosubiculatus</i>	OL
<i>Hemimycena birsuta</i>	OL	<i>Hymenoscyphus caudatus</i>	OL
<i>Hemimycena reducta</i>	OL	<i>Hymenoscyphus gregarius</i>	
<i>Heteropatella eriophila</i>	OL	<i>Hymenoscyphus lacteus</i>	
<i>Heterotextus luteus</i>		<i>Hymenoscyphus pezizoideus</i>	OL
<i>Hirsutella eleutheratorum</i>		<i>Hymenoscyphus pseudociliatus</i>	
<i>Hohenbuebelia brunnea</i>		<i>Hymenoscyphus quintiniae</i>	
<i>Hohenbuebelia luteobinnulea</i>	OL	<i>Hyphoderma flagellatum</i>	OL
<i>Hohenbuebelia luteola</i>		<i>Hyphoderma puberum</i>	OL
<i>Hohenbuebelia metuloidea</i>		<i>Hyphoderma sambuci</i>	
<i>Hohenbuebelia nothofaginea</i>	OL	<i>Hyphodontia verecunda</i>	OL
<i>Hohenbuebelia podocarpinea</i>		<i>Hypholoma stuppeum</i>	
<i>Humaria leucoleoma</i>	OL	<i>Hypochnicium analogum</i>	
<i>Humaria pachyderma</i>	OL	<i>Hypocrea ascoboloides</i>	
<i>Humidicutis conspicua</i>	OL	<i>Hypocrea farinosa</i>	
<i>Humidicutis luteovirens</i>		<i>Hypocrea macrospora</i>	OL
<i>Humidicutis multicolor</i>	OL	<i>Hypocrea nebulosa</i>	
<i>Humidicutis rosella</i>	OL	<i>Hypocrea orientalis</i>	OL
<i>Hyaloscypba carnosa</i>	SO, OL	<i>Hypocrea patella</i>	
<i>Hydnnum sordidum</i>		<i>Hypocrea pseudokoningii</i>	
<i>Hydropisphaera multiloculata</i>		<i>Hypocrea sulphurea</i>	
<i>Hydropus ardesiacus</i>		<i>Hypocrea vinoso</i>	
<i>Hygrocybe blanda</i>	OL	<i>Hypoderma bidwillii</i>	
<i>Hygrocybe cerinolutea</i>		<i>Hypoderma cookianum</i>	
<i>Hygrocybe elegans</i>		<i>Hypobelion parvum</i>	OL
		<i>Hypomyces boletiphagus</i>	OL

<i>Hypomyces chlorinigenus</i>	OL	<i>Lachnum juncinum</i>	OL
<i>Hypomyces lateritius</i>	OL	<i>Lachnum melanophthalmum</i>	
<i>Hypomyces leotiicola</i>		<i>Lachnum pinnicola</i>	
<i>Hypomyces microspermus</i>		<i>Lachnum pritzelianum</i>	OL
<i>Hypomyces novaezelandiae</i>	OL	<i>Lamproderma columbinum</i>	OL
<i>Hypomyces pallidus</i>	OL	<i>Lamproderma hookeri</i>	
<i>Hypomyces polyporinus</i>	OL	<i>Lamproderma sauteri</i>	OL
<i>Hypomyces sibirinae</i>	OL	<i>Lamproderma scintillans</i>	OL
<i>Hypomyces tremellicola</i>	OL	<i>Lanatonectria flocculenta</i>	OL
<i>Hypomyces violaceus</i>	OL	<i>Lanzia lanaripes</i>	OL
<i>Hypoxyylon caries</i>		<i>Lasiobelonium variegatum</i>	
<i>Hypoxyylon crocopeplum</i>		<i>Lasiosphaeria depilata</i>	OL
<i>Hypoxyylon subrutiloides</i>		<i>Lasiosphaeria glabrata</i>	OL
<i>Hysterangium neglectum</i>	OL	<i>Lasiosphaeria hispida</i>	OL
<i>Hysterangium rupticutis</i>		<i>Lemonniera aquatica</i>	OL
<i>Hysterium phormigenum</i>		<i>Lentinellus marginatus</i>	
<i>Hysterium sinuosum</i>		<i>Lentinellus pulvinulus</i>	
<i>Hysteropezizella diminuens</i>	OL	<i>Lentinus zelandicus</i>	
<i>Hysteropezizella phragmitina</i>	OL	<i>Lepidoderma crustaceum</i>	OL
<i>Idriella australiensis</i>		<i>Lepidoderma granuliferum</i>	OL
<i>Idriella vandaliensis</i>	OL	<i>Lepiota adusta</i>	OL
<i>Ijuhya corynespora</i>	OL	<i>Lepiota alopochroa</i>	OL
<i>Ijuhya dentifera</i>		<i>Lepiota calcarata</i>	OL
<i>Induratia apiospora</i>	OL	<i>Lepiota exstructa</i>	
<i>Infundibura adhaerens</i>		<i>Lepiota grangei</i>	
<i>Inocybe cerea</i>		<i>Lepiota purpurata</i>	
<i>Inocybe destruens</i>	OL	<i>Leptosphaeria caricicola</i>	OL
<i>Inocybe latericia</i>	OL	<i>Leptosphaeria doliolum</i>	OL
<i>Inocybe mendica</i>	OL	<i>Leptosphaeria praetermissa</i>	OL
<i>Inocybe phaeosquarrosa</i>	OL	<i>Leptosphaeria reidiana</i>	OL
<i>Inocybe renispora</i>	OL	<i>Leptosphaeria typhae</i>	
<i>Inocybe scabriuscula</i>	OL	<i>Leptothyrium coriariae</i>	
<i>Inocybe umbrosa</i>		<i>Leptothyrium panacis</i>	OL
<i>Inonotus lloydii</i>		<i>Leucoscypha virginea</i>	
<i>Insiticia flavovirens</i>		<i>Lichenoconium cargillianum</i>	
<i>Intextomyces contiguus</i>		<i>Lichenoconium plectocarpoides</i>	
<i>Iodosphaeria ripogoni</i>		<i>Limacella wheroparaonea</i>	OL
<i>Irpea ochrosimilis</i>		<i>Lisea nemorosa</i>	OL
<i>Isaria aggregata</i>		<i>Litschauerella hastata</i>	
<i>Janetia capnophila</i>	OL	<i>Lizonia fragilis</i>	
<i>Keissleriella taminensis</i>	OL	<i>Lopadium coralloideum</i>	OL
<i>Kendrickomyces indicus</i>	OL	<i>Lophiostoma appendiculatum</i>	OL
<i>Kretzschmaria clavus</i>	OL	<i>Lophodermium alpinum</i>	OL
<i>Kretzschmaria colensoi</i>		<i>Lophodermium croesicum</i>	
<i>Laboulbenia oopteri</i>		<i>Lophodermium irregulare</i>	
<i>Lachnella coprosmae</i>	OL	<i>Lophodermium rubrum</i>	OL
<i>Lachnella pyriformis</i>		<i>Lunulospora curvula</i>	OL
<i>Lachnella snarensis</i>		<i>Lycogala conicum</i>	OL
<i>Lachnella turbinata</i>	OL	<i>Lycogala flavofuscum</i>	
<i>Lachnum berggrenii</i>	OL	<i>Macrocytidia reducta</i>	OL
<i>Lachnum controversum</i>		<i>Macrohyporia dictyopora</i>	
<i>Lachnum correae</i>	OL	<i>Macrosporium obtusum</i>	
<i>Lachnum enzenspergerianum</i>	OL	<i>Macrotyphula rhizomorpha</i>	
<i>Lachnum gabiae</i>		<i>Malacaria meliolinae</i>	OL

<i>Malacosphaeria scabrosa</i>	OL	<i>Meliola panici</i>	OL
<i>Malajczukia novaezelandiae</i>		<i>Meliola peltata</i>	
<i>Marasmiellus bonii</i>	OL	<i>Meliola pomaderridis</i>	OL
<i>Marasmiellus omphaloides</i>	OL	<i>Meliola ripogoni</i>	OL
<i>Marasmiellus violaceogriseus</i>		<i>Meliolina metrosideri</i>	OL
<i>Marasmius aucklandicus</i>		<i>Memnoniella echinata</i>	
<i>Marasmius bellus</i>	OL	<i>Menispora ciliata</i>	SO, OL
<i>Marasmius croceus</i>		<i>Menispora uncinata</i>	
<i>Marasmius curraniae</i>		<i>Merulius debriscola</i>	
<i>Marasmius delicatus</i>		<i>Metasphearia lindsayana</i>	
<i>Marasmius exustoides</i>	OL	<i>Microbotryum nivale</i>	OL
<i>Marasmius fishii</i>		<i>Microglossum olivaceum</i>	OL
<i>Marasmius gelatinosipes</i>	OL	<i>Microglossum viride</i>	OL
<i>Marasmius kanukaneus</i>		<i>Microsphaeropsis onychiuri</i>	
<i>Marasmius masoniae</i>		<i>Microsphaeropsis pittospororum</i>	OL
<i>Marasmius meridionalis</i>	OL	<i>Microthyriella phaeospora</i>	OL
<i>Marasmius micraster</i>		<i>Mitrulinia ushuaiae</i>	OL
<i>Marasmius otagensis</i>		<i>Mniopetalum bisporum</i>	
<i>Marasmius pallenticeps</i>	OL	<i>Mniopetalum bryophilum</i>	OL
<i>Marasmius perpusillus</i>	OL	<i>Mollisia coprosmae</i>	OL
<i>Marasmius podocarpi</i>	OL	<i>Mollisia discolor</i>	OL
<i>Marasmius pusillissimus</i>		<i>Mollisiella ilicincola</i>	OL
<i>Marasmius pusio</i>		<i>Monacrosporium copepodii</i>	
<i>Marasmius rhombisporus</i>	OL	<i>Monilia carbonaria</i>	
<i>Marasmius rhopalostylidis</i>	OL	<i>Monostichella nothofagi</i>	OL
<i>Marasmius rimuphilus</i>		<i>Montagnula rhodophaea</i>	OL
<i>Marasmius rosulatus</i>		<i>Moreaua littoralis</i>	
<i>Marasmius unilamellatus</i>		<i>Moreaua schoeni</i>	
<i>Massarina contraria</i>		<i>Mucronella aggregata</i>	OL
<i>Massarina tetraploa</i>		<i>Mucronella ulmi</i>	
<i>Massarina waikanaensis</i>	OL	<i>Multiclavula mucida</i>	
<i>Massariosphaeria typhicola</i>	OL	<i>Multiclavula samuelsii</i>	OL
<i>Massospora cicadina</i>		<i>Mutinus curtus</i>	
<i>Megalocystidium afibulatum</i>	OL	<i>Mycena austroavenacea</i>	OL
<i>Melanocephala cupulifera</i>	OL	<i>Mycena conicola</i>	
<i>Melanographium citri</i>	OL	<i>Mycena galopus</i>	
<i>Melanoleuca vinosa</i>		<i>Mycena globuliformis</i>	
<i>Melanomma martinianum</i>		<i>Mycena hygrophora</i>	
<i>Melanomma pulvis-pyrius</i>	SO, OL	<i>Mycena leaiana</i>	
<i>Melanomma sparsum</i>	OL	<i>Mycena lividorubra</i>	OL
<i>Melanopsamma pomiformis</i>	SO, OL	<i>Mycena mamaku</i>	
<i>Melanopsammella vermicularioides</i>		<i>Mycena miriamae</i>	
<i>Melanospora caprina</i>	OL	<i>Mycena morris-jonesii</i>	
<i>Melanospora lagenaria</i>	OL	<i>Mycena ochracea</i>	
<i>Melanospora parasitica</i>	OL	<i>Mycena oratiensis</i>	OL
<i>Melanospora zamiae</i>		<i>Mycena pinicola</i>	
<i>Melanotus citrisporus</i>	OL	<i>Mycena podocarpi</i>	OL
<i>Melanotus vorax</i>	OL	<i>Mycena primulina</i>	
<i>Meliola beilschmiediae</i>	OL	<i>Mycena pura</i>	
<i>Meliola cookeana</i>	OL	<i>Mycena rubroglobulosa</i>	
<i>Meliola cyathodis</i>	OL	<i>Mycena sanguinolenta</i>	
<i>Meliola formosensis</i>	OL	<i>Mycena subfragillima</i>	
<i>Meliola leptospermi</i>	OL	<i>Mycena vinaceipora</i>	
<i>Meliola notelaeaee</i>	OL	<i>Mycena viscidocruenta</i>	

<i>Mycocentrospora varians</i>	OL	<i>Oligoporus bibernicus</i>	OL
<i>Mycophycias apophlaeae</i>		<i>Oligostroma zelandicum</i>	
<i>Mycosphaerella aristolochiae</i>		<i>Ombrophila microspora</i>	OL
<i>Mycosphaerella cunninghamii</i>		<i>Ombrophila violacea</i>	OL
<i>Mycosphaerella enteleae</i>	OL	<i>Omphalia colensoi</i>	
<i>Mycosphaerella panacis</i>		<i>Omphalina foetida</i>	
<i>Mycosphaerella pittospori</i>		<i>Omphalina wellingtonensis</i>	
<i>Mycosphaerella superflua</i>	OL	<i>Ophiobolus coffeatus</i>	
<i>Myriangium duriaeai</i>		<i>Orbilia auricolor</i>	SO
<i>Myrothecium leucotrichum</i>	OL	<i>Orbilia inflatula</i>	SO, OL
<i>Naucoria aurora</i>		<i>Orbilia juruensis</i>	
<i>Nectria byssophila</i>	OL	<i>Orbilia vinosa</i>	OL
<i>Nectria chaetostroma</i>	OL	<i>Orbiliopsis callistea</i>	
<i>Nectria fibropapillata</i>	OL	<i>Ovularia malorum</i>	
<i>Nectria flammeola</i>	OL	<i>Panellus crawfordiae</i>	
<i>Nectria flavolanata</i>	OL	<i>Panellus niger</i>	
<i>Nectria flavoviridis</i>		<i>Panus maculatus</i>	
<i>Nectria foliicola</i>	OL	<i>Panus purpuratus</i>	
<i>Nectria lichenicola</i>	OL	<i>Parodiella maculata</i>	OL
<i>Nectria lucida</i>	OL	<i>Parvobasidium lianicola</i>	
<i>Nectria novaezelandiae</i>		<i>Patellaria atrata</i>	
<i>Nectria opalina</i>	OL	<i>Pendulispora venezuelanica</i>	
<i>Nectria quisquiliaris</i>		<i>Penzigia arntzenii</i>	OL
<i>Nectria rishbethii</i>		<i>Penzigia placenta</i>	OL
<i>Nectria sanguinea</i>		<i>Penzigomyces cookei</i>	
<i>Nectria sinopica</i>	OL	<i>Periconia atra</i>	SO, OL
<i>Nectria sulcispora</i>		<i>Periconiella coprosmae</i>	
<i>Nectria veuillotiana</i>	OL	<i>Periconiella pomaderridis</i>	OL
<i>Nectria vulpina</i>	OL	<i>Peroneutypa heteracantha</i>	
<i>Nectriella bloxamii</i>	OL	<i>Perrotia alba</i>	OL
<i>Nectriopsis birsuta</i>	OL	<i>Perrotia lutea</i>	
<i>Nectriopsis hyperbiota</i>	OL	<i>Persicospora moreaui</i>	
<i>Nectriopsis lasiodermopsis</i>	OL	<i>Pezicula cinnamomea</i>	
<i>Nectriopsis perpusilla</i>	OL	<i>Pezicula sessilis</i>	OL
<i>Nectriopsis puiggarii</i>	OL	<i>Peziza ammophila</i>	
<i>Nectriopsis septofusidiae</i>		<i>Peziza austrogeaster</i>	OL
<i>Nectriopsis sibicola</i>	OL	<i>Peziza petersii</i>	OL
<i>Nectriopsis sororicola</i>	OL	<i>Peziza rifaii</i>	OL
<i>Nectriopsis squamulosa</i>		<i>Peziza saniosa</i>	OL
<i>Neobulgaria pura</i>	SO, OL	<i>Pezizella australis</i>	OL
<i>Neodasyscypha cerina</i>		<i>Pezizella crispa</i>	
<i>Neohygrocybe innata</i>	OL	<i>Phaeocollybia longipes</i>	OL
<i>Neohygrocybe squarrosa</i>	OL	<i>Phaeocollybia minuta</i>	
<i>Nidula niveotomentosa</i>		<i>Phaeohelotium luteum</i>	OL
<i>Nidularia deformis</i>		<i>Phaeomarasmius aureostimilis</i>	OL
<i>Niesslia artocarpi</i>	OL	<i>Phaeomarasmius hispidulus</i>	OL
<i>Niesslia exosporioides</i>	SO, OL	<i>Phaeomarasmius lanatulus</i>	OL
<i>Niesslia fuegiana</i>	OL	<i>Phaeomarasmius verrucipes</i>	OL
<i>Nivatogastrium baylisianum</i>	OL	<i>Phaeomyces fusca</i>	
<i>Nivatogastrium lignicola</i>	OL	<i>Phaeosphaeria kukutae</i>	OL
<i>Nivatogastrium sulcatum</i>	OL	<i>Phaeosphaeria typharum</i>	OL
<i>Odontia flexibilis</i>	OL	<i>Phaeostalagmus cyclosporus</i>	SO
<i>Odontia scopinella</i>		<i>Phaeostalagmus</i>	OL
<i>Odontia tessellata</i>	OL	<i>novaehollandiae</i>	
		<i>Phaeotrichosphaeria britannica</i>	OL

<i>Phaeotrichosphaeria</i>	OL	<i>Pluteus perroseus</i>	
<i>bymenochaeticola</i>		<i>Pluteus spegazzinianus</i>	OL
<i>Phanerochaete avellanea</i>	OL	<i>Poculum fuegianum</i>	
<i>Phanerochaete singularis</i>		<i>Podonectria coccorum</i>	OL
<i>Phellinus umbrinellus</i>		<i>Podonectria larvispora</i>	OL
<i>Phialomyces macrosporus</i>		<i>Podonectria novaezelandiae</i>	
<i>Plebia celtidis</i>		<i>Podoscypha venustula</i>	OL
<i>Plyctema dissepta</i>		<i>Polycephalomyces formosus</i>	OL
<i>Pholiota chrysoides</i>	OL	<i>Polyporus diffissus</i>	
<i>Pholiota glutinosa</i>		<i>Polystigma apophlaeae</i>	
<i>Pholiota multicingulata</i>	OL	<i>Porosphaerella cordanophora</i>	OL
<i>Pholiota squarrosoides</i>	OL	<i>Portheleum fimbriatum</i>	OL
<i>Phoma dubia</i>		<i>Porpoloma amyloideum</i>	
<i>Phoma fallax</i>		<i>Porpomyces mucidus</i>	OL
<i>Phoma phormicola</i>	OL	<i>Postia venata</i>	
<i>Phoma podocarpi</i>		<i>Pouzaramyces minutus</i>	OL
<i>Phoma viridispore</i>	OL	<i>Propolis dendrobii</i>	
<i>Phomopsis acmella</i>		<i>Propolomyces versicolor</i>	SO
<i>Phomopsis cunninghamii</i>	OL	<i>Protocreopsis freycinetiae</i>	
<i>Phomopsis sophorae</i>	OL	<i>Protocreopsis pertusoides</i>	
<i>Phragmocephala prolifera</i>		<i>Protoglossum violaceum</i>	
<i>Phyllachora cladii-globemerati</i>		<i>Pseudaegegerita viridis</i>	SO, OL
<i>Phyllachora colensoi</i>		<i>Pseudoarmillariella fistulosa</i>	
<i>Physalacria pseudotropica</i>		<i>Pseudobotrytis terrestris</i>	OL
<i>Physarum alpinum</i>	OL	<i>Pseudographis icerbae</i>	
<i>Physarum auriscalptum</i>	OL	<i>Pseudohansfordia mycophila</i>	OL
<i>Physarum bivalve</i>	OL	<i>Pseudobelotium haematoideum</i>	
<i>Physarum bogoriense</i>	OL	<i>Pseudopeziza colensoi</i>	
<i>Physarum carneum</i>	OL	<i>Pseudospirotes novaezelandiae</i>	OL
<i>Physarum globuliferum</i>	OL	<i>Pseudospirotes rousselianus</i>	OL
<i>Physarum hongkongense</i>	OL	<i>Pseudospirotes variabilis</i>	
<i>Physarum lateritium</i>	OL	<i>Pseudostypella translucens</i>	
<i>Physarum leucopus</i>	OL	<i>Psilocybe novaezelandiae</i>	
<i>Physarum obscurum</i>	OL	<i>Puccinia arnaudensis</i>	
<i>Physarum serpula</i>	OL	<i>Puccinia foyana</i>	
<i>Physarum virescens</i>	OL	<i>Puccinia gei</i>	
<i>Physisporinus rivulosus</i>	OL	<i>Puccinia gei-parviflori</i>	
<i>Piggotia nothofagi</i>	OL	<i>Puccinia keae</i>	
<i>Pirostoma viridisporum</i>	OL	<i>Puccinia moschata</i>	
<i>Pirottaea horoeka</i>		<i>Puccinia pouanamu</i>	
<i>Pirottaea mahinapua</i>	OL	<i>Puccinia reidii</i>	
<i>Platygloea australis</i>	OL	<i>Puccinia tekapo</i>	
<i>Plectania platensis</i>	OL	<i>Puccinia wahlenbergiae</i>	
<i>Pleosphaeria otagensis</i>		<i>Pulvinula globifera</i>	OL
<i>Pleospora scirpicola</i>	OL	<i>Punctillium hepaticarum</i>	
<i>Pleospora zelandica</i>		<i>Pyrenophora nuda</i>	
<i>Pleurocollybia cremea</i>		<i>Pyrenophora tetrarrhenae</i>	
<i>Pleuroflammula praestans</i>	OL	<i>Pyricularia zizaniicola</i>	OL
<i>Pleurophragmium maculosum</i>	OL	<i>Pyrrhoglossum viriditinctum</i>	OL
<i>Pleurotopsis roseola</i>		<i>Ramaria ambigua</i>	
<i>Pleurotopsis subgrisea</i>		<i>Ramaria anziana</i>	
<i>Pleurotus novaezelandiae</i>		<i>Ramaria pancaribbea</i>	
<i>Pleurotus velatus</i>	OL	<i>Ramaria perfluopunicea</i>	
<i>Plicaria badia</i>	OL	<i>Ramaria purpureopallida</i>	
<i>Pluteus minor</i>			

<i>Ramaria rotundispora</i>		<i>Septosperma irregularare</i>	
<i>Ramaria samuelsii</i>		<i>Setigeroclavula ascendens</i>	OL
<i>Ramariopsis agglutinata</i>		<i>Simocybe austrorubi</i>	OL
<i>Ramariopsis alutacea</i>		<i>Simocybe luteomellea</i>	OL
<i>Ramariopsis cremicolor</i>		<i>Simocybe phlebophora</i>	OL
<i>Ramariopsis crocea</i>		<i>Simocybe pruinata</i>	OL
<i>Ramariopsis junquillea</i>		<i>Simocybe tabacina</i>	OL
<i>Ramariopsis longipes</i>		<i>Simocybe unica</i>	OL
<i>Ramariopsis ovispora</i>		<i>Sistotrema otagense</i>	
<i>Ramariopsis ramarioides</i>		<i>Skeletocutis alutacea</i>	
<i>Ramicloridium anceps</i>	OL	<i>Spathulospora lanata</i>	
<i>Ramicloridium carlinae</i>	OL	<i>Sphaerella aristoteliae</i>	
<i>Ramicloridium cerophilum</i>	OL	<i>Sphaerella depressa</i>	
<i>Repetobasidium glaucocanum</i>	OL	<i>Sphaerella junciginea</i>	
<i>Rhinocladium dingleyae</i>	OL	<i>Sphaerella weinmanniae</i>	OL
<i>Rhinocladium pulchrum</i>	OL	<i>Sphaeria coffeata</i>	
<i>Rhodocybe albovelutina</i>		<i>Sphaeria zelandica</i>	
<i>Rhodocybe antipoda</i>		<i>Sphaerobasidioscypha citrispora</i>	OL
<i>Rhodocybe conchata</i>	OL	<i>Sphaerostilbella berkeleyana</i>	
<i>Rhodocybe dingleyae</i>	OL	<i>Sphaerulina todeae</i>	
<i>Rhodocybe fuliginea</i>	OL	<i>Spiropes capensis</i>	
<i>Rhodocybe iti</i>	OL	<i>Spiropes dictyosporus</i>	OL
<i>Rhodocybe maleolens</i>	OL	<i>Spiropes helleri</i>	
<i>Rhodocybe muritai</i>		<i>Spiropes palmetto</i>	OL
<i>Rhodocybe piperita</i>		<i>Spirosphaera floriformis</i>	SO
<i>Rigidoporus albostyggius</i>	OL	<i>Sporidesmium fragilissimum</i>	OL
<i>Rigidoporus longicystidius</i>		<i>Sporidesmium leptosporum</i>	
<i>Rosellinia aucklandica</i>		<i>Sporidesmium omabutaense</i>	
<i>Rosellinia colensoi</i>		<i>Sporidesmium paludosum</i>	OL
<i>Rosenscheldiella pullulans</i>		<i>Sporidesmium pedunculatum</i>	OL
<i>Rotiferophthora biconica</i>		<i>Sporoschisma nigroseptatum</i>	OL
<i>Rotiferophthora brevipes</i>		<i>Sporoschismopsis dingleyae</i>	OL
<i>Rotiferophthora denticulospora</i>		<i>Stachybotrys kampalensis</i>	OL
<i>Rotiferophthora globospora</i>		<i>Stachybotrys kapiti</i>	
<i>Rozella longicollis</i>		<i>Stachybotrys microspora</i>	OL
<i>Rozites fusipes</i>		<i>Stachybotrys nilagirica</i>	OL
<i>Rozites rugosiceps</i>		<i>Stachybotrys parvispora</i>	OL
<i>Russula multicystidiata</i>		<i>Stagonospora hyalospora</i>	
<i>Russula pleurogena</i>		<i>Stagonospora innumerosa</i>	OL
<i>Sacidium ixerbae</i>		<i>Stagonospora paludosa</i>	OL
<i>Sarcoscypha excelsa</i>	OL	<i>Stagonospora triodiae</i>	
<i>Schizochora calocarpa</i>		<i>Steccherinum rawakense</i>	
<i>Schizonella isolepidis</i>		<i>Stenella novaezelandiae</i>	
<i>Schizoxylon lividum</i>	OL	<i>Stenella palmicola</i>	
<i>Scopuloides hydnoides</i>		<i>Stereum latissimum</i>	
<i>Scotomyces subviolaceus</i>		<i>Stictis hawaiiensis</i>	OL
<i>Scutellinia subbadioberbis</i>		<i>Stictis inconstans</i>	OL
<i>Scutellinia totaranuiensis</i>	OL	<i>Stictis tortilis</i>	
<i>Scytinostroma duriusculum</i>	OL	<i>Stictis virginea</i>	
<i>Sebacina filicola</i>	OL	<i>Stigmatoplemma huia</i>	OL
<i>Sebacina pteridicola</i>	OL	<i>Stilbella albocitrina</i>	
<i>Sepedonium ampullosporum</i>	OL	<i>Stilbocrea gracilipes</i>	
<i>Septobasidium pedicellatum</i>		<i>Stilbum rigidum</i>	OL
<i>Septoria coprosmae</i>		<i>Stropharia lepiotiformis</i>	

<i>Stropharia semiglobata</i>	SO	<i>Tremelloendropsis pusio</i>
<i>Strossmayeria basitricha</i>		<i>Tremelloendropsis transpusio</i>
<i>Strossmayeria ochrospora</i>		<i>Triainomyces hollowayanus</i>
<i>Strumella griseola</i>	OL	<i>Trichia botrytis</i>
<i>Strumella hysterioidea</i>	OL	<i>Trichia erecta</i>
<i>Stypella dubia</i>	OL	<i>Trichia scabra</i>
<i>Subulicystidium nikau</i>	OL	<i>Trichocladium macrosporum</i>
<i>Sympodiella fasciculata</i>	OL	<i>Trichocladium novaezelandiae</i>
<i>Sympodiella fragilis</i>	OL	<i>Trichoglossum confusum</i>
<i>Sympodiella gracilispora</i>		<i>Tricholoma bubalinum</i>
<i>Sympodiella hyalina</i>	OL	<i>Tricholomopsis ornaticeps</i>
<i>Sympodiella lobata</i>	OL	<i>Trichonectria horrida</i>
<i>Sympodiella setosa</i>	OL	<i>Trichosphaerella tuberculata</i>
<i>Teratomyces petiolatus</i>		<i>Trichosphaeria pilosa</i>
<i>Teratomyces scuteinsignis</i>		<i>Trichothelium assurgens</i>
<i>Teratomyces zelandicus</i>		<i>Trichothyrium asterophorum</i>
<i>Teratosphaeria concentrica</i>	OL	<i>Trichothyrium reptans</i>
<i>Terriera asteliae</i>		<i>Triposporium elegans</i>
<i>Terriera nematoidea</i>	OL	<i>Triscelophorus acuminatus</i>
<i>Tetrachaetum elegans</i>	OL	<i>Troposporella monospora</i>
<i>Tetracladium marchalianum</i>	SO, OL	<i>Tuberculina persicina</i>
<i>Tetramyxa parasitica</i>	OL	<i>Tubeufia aurantiella</i>
<i>Thanatephorus fusisporus</i>		<i>Tubeufia cerea</i>
<i>Thaxterogaster anisodorus</i>		<i>Tubeufia paludosa</i>
<i>Thaxterogaster carneolus</i>		<i>Tubeufia pezizula</i>
<i>Thaxterogaster coneae</i>		<i>Tubeufia rugosa</i>
<i>Thaxterogaster epiphaeus</i>		<i>Tubulicum dussii</i>
<i>Thaxterogaster leoninus</i>		<i>Tubulicum filicicola</i>
<i>Thaxterogaster leucocephalus</i>		<i>Tubulicrinis callosus</i>
<i>Thaxterogaster luteolus</i>		<i>Tubulicrinis cincta</i>
<i>Thaxterogaster nivalis</i>		<i>Tubulicrinis thermometrus</i>
<i>Thaxterogaster obauensis</i>		<i>Tulostoma striatum</i>
<i>Thaxterogaster pisciodorus</i>		<i>Tumidapexus ravus</i>
<i>Thaxterogaster viola</i>		<i>Tyromyces spiculifer</i>
<i>Thaxterogaster viola</i>		<i>Unguiculariopsis triregia</i>
<i>Thaxterogaster violaceovolvatus</i>		<i>Uredo cheesemanii</i>
<i>Thelephora vaga</i>		<i>Uredo forsterae</i>
<i>Thuemenidium berteroii</i>	OL	<i>Uredo boropito</i>
<i>Tiarosporella madreeya</i>	OL	<i>Urocystis novaezelandiae</i>
<i>Tiarosporella paludosa</i>		<i>Uromyces azorellae</i>
<i>Tilletia inolens</i>		<i>Velutarina rufoolivacea</i>
<i>Timgrovea reticulata</i>	OL	<i>Volvaria primulina</i>
<i>Tolyptocladium extingueens</i>		<i>Wegelina saccardiana</i>
<i>Tolyptocladium inflatum</i>	OL	<i>Wentiomycetes melioides</i>
<i>Tomentella lateritia</i>	OL	<i>Willkomm langea reticulata</i>
<i>Tomentella pilosa</i>		<i>Wolfina aurantiopsis</i>
<i>Tomentella scobinella</i>	OL	<i>Wrightoporia micropora</i>
<i>Torrubiella luteorostrata</i>		<i>Wrightoporia novaezelandiae</i>
<i>Torrubiella sublintera</i>	OL	<i>Xenasma praeteritum</i>
<i>Trechispora coronifera</i>	OL	<i>Xenasma pulverulentum</i>
<i>Trechispora regularis</i>	OL	<i>Xenasma umbonatum</i>
<i>Trechispora verruculosa</i>		<i>Xenosporium thaxteri</i>
<i>Tremella muelleri</i>	OL	<i>Xerocomus lentistipitatus</i>
<i>Tremella tawa</i>	OL	<i>Xerocomus rufostipitatus</i>

<i>Xeromphalina leonina</i>		<i>Lachnum apalum</i> var. <i>apalum</i>	OL
<i>Xeromphalina podocarpi</i>	OL	<i>Lachnum apalum</i> var. <i>beatonii</i>	OL
<i>Xeromphalina testacea</i>	OL	<i>Lanzia prasina</i> var. <i>nigripes</i>	OL
<i>Xerulina asprata</i>	OL	<i>Macrotyphula defibulata</i> f. <i>defibulata</i>	
<i>Xylaria multiplex</i>		<i>Macrotyphula defibulata</i> f. <i>pallida</i>	
<i>Xylobotryum andinum</i>	OL	<i>Marasmius aurantiobasalis</i> var. <i>aurantiobasalis</i>	OL
<i>Xylohypha ferruginosa</i>		<i>Mariannaea elegans</i> var. <i>elegans</i>	OL
<i>Xylohypha novaezelandiae</i>	OL	<i>Metarhizium flavoviride</i> var. <i>novozealandicum</i>	
<i>Xylomyces aquaticus</i>	OL	<i>Microsporum canis</i> var. <i>distortum</i>	
<i>Zanclospora novaezelandiae</i>	OL	<i>Monotosporella setosa</i> var. <i>macrospora</i>	OL
<i>Zelandiocoela ambigua</i>	OL	<i>Mycena helminthobasis</i> var. <i>novaezelandiae</i>	OL
<i>Zignoëlla macrospora</i>	OL	<i>Oudemansiella japonica</i> var. <i>colensoi</i>	
<i>Zygosporium oscheoides</i>	OL	<i>Pbragmocephala atra</i> var. <i>stenophora</i>	OL
<b>Determinate subspecies, forms, and varieties</b>			
<i>Agaricus bambusae</i> var. <i>australis</i>	OL	<i>Polyporus plebeius</i> var. $\beta$	
<i>Calvatia candida</i> var. <i>fusca</i>	OL	<i>Ramaria gigantea</i> f. <i>tenuispora</i>	
<i>Clavaria phoenicea</i> var. <i>persicina</i>		<i>Ramaria zippelii</i> var. <i>aeruginosa</i>	OL
<i>Clavulina cristata</i> var. <i>zealandica</i>		<i>Ramaria zippelii</i> var. <i>zippelii</i>	
<i>Clavulina leveillei</i> var. <i>atricha</i>		<i>Ramariopsis depokensis</i> f. <i>persicina</i>	
<i>Coniophora arida</i> var. <i>arida</i>	OL	<i>Scytinopogon angulisperus</i> var. <i>gracilis</i>	OL
<i>Cortinarius rotundisporus</i> subsp. <i>Nothofagi</i>	OL	<i>Sporidesmiella hyalosperma</i> var. <i>hyalosperma</i>	SO, OL
<i>Dictyidium cancellatum</i> var. <i>fuscum</i>	OL	<i>Sporidesmiella hyalosperma</i> var. <i>novaezelandiae</i>	
<i>Diderma donkii</i> var. <i>echinosporum</i>	OL	<i>Trichoglossum hirsutum</i> var. <i>longisporum</i>	
<i>Diderma ochraceum</i> var. <i>izawae</i>		<i>Tricholoma saponaceum</i> var. <i>squamosum</i>	OL
<i>Dinemasporium graminum</i> var. <i>strigosulum</i>	OL	<b>Indeterminate species</b>	
<i>Entoloma aromaticum</i> f. <i>mintuum</i>	OL	<i>Lactarius notbogagi</i> - invalid name	
<i>Entoloma viridomarginatum</i> var. <i>milfordense</i>			
<i>Helotium citrinum</i> var. <i>pallidum</i>			
<i>Inocybe luteobulbosa</i> var. <i>luteobulbosa</i>			
<i>Inocybe luteobulbosa</i> var. <i>volvata</i>			

# Appendix 3

## QUESTIONNAIRE



**Please copy this form as many times as required to complete a questionnaire for every species or lower-level taxon in your taxonomic group that you consider to be threatened, or data deficient and potentially threatened.**

**Your name**

**Address**

**E-mail**

**Telephone numbers**

**Taxon:**

**Scientific name**

**Common name**

**General status:**

Does the taxon have a formally published name that is generally accepted by those working on the group? **Yes / No**

Is the taxon (please tick correct choices)

- Introduced and naturalised
- A vagrant visitor with no resident breeding population
- A regular migrant to New Zealand not breeding in New Zealand
- A colonist which has established without human assistance and begun breeding in the wild in the last 50 years
- Native but non-endemic, including natural colonists established for more than 50 years, and migrants which breed or spend the great majority of their lives in New Zealand but are also breeding or resident elsewhere
- Endemic, including migrants which breed or spend the great majority of their lives only in New Zealand
- Believed to be extinct after adequate search effort?

Is the taxon secure in other parts of its natural range outside New Zealand? **Yes / No**

**For non-endemic taxa, please consider only the New Zealand populations when answering the questions below (please also answer the questions for endemic taxa):**

Is the taxon extinct in the wild, but surviving in captivity or cultivation? **Yes / No**

Will the status of the taxon deteriorate if current management ceases? **Yes / No**

Is the taxon sufficiently well-known to meaningfully answer the questions below?  
**Yes / No (if no, then stop here)**

**Population:**

Is the total population size

- <250 mature individuals
- 250-1000 mature individuals
- 1000-5000 mature individuals
- >5000 mature individuals
- unknown?

Is the total area occupied

- <1 ha (0.01 km<sup>2</sup>)
- 1-10 ha (0.01-0.1 km<sup>2</sup>)
- 10-100 ha (0.1-1 km<sup>2</sup>)
- >100 ha (1 km<sup>2</sup>)
- unknown?

Is the taxon subject to extreme unnatural population fluctuations, or natural fluctuations overlaying human-induced declines, such that the fluctuation increases the threat of extinction? **Yes / No**

**Sub-populations:**

Do the data available for your assessment of the questions below allow

- Confident response for the taxon throughout its range
- Confident response for many but not all sub-populations
- Confident response for only a small subset of sub-populations
- Low confidence in all estimates?

Is the known number of sub-populations of the taxon

- ≤2
- 3-5
- 6-15
- >15?

Is the taxon found at only one location, so that a single event (e.g., a predator irruption) could soon affect all individuals of the taxon? **Yes / No**

Is the number of mature individuals in the largest known sub-population

- <200
- 200-300
- 300-500
- >500
- unknown?

**Decline:**

Regardless of whether or not the trend is the result of management, is the total population now

- showing a sustained recovery
- stable
- in decline?

If in decline, do existing threats mean the decline in the total population in the next 10 years is predicted to be

- >80%
- 60-80%
- 30-60%
- 5-30%
- Not applicable?

Is this decline predicted to continue beyond the next 10 years?

**Yes / No / Not Applicable**

Is recruitment failure likely to result in catastrophic declines in the future?

**Yes / No**

Is the total habitat area currently in decline?

**Yes / No**

Has there been a decline in either the total population or the habitat area in the last 100 years of

- >60%
- 30-60%?

Has the range of the species been greatly reduced by direct or indirect human impacts?

**Yes / No**

**Distribution:**

For terrestrial, freshwater, and coastal (<12 nautical miles offshore) marine species, please tick all DOC Conservancies in which you know the taxon **currently occurs**. For conservancy boundaries please refer to the map supplied with the covering letter. For oceanic species please indicate whether they are found north or south of the subtropical convergence. For colonial-nesting species which forage over large areas, include colony sites only.

- |   |   |
|---|---|
| <input type="checkbox"/> Northland                                  | <input type="checkbox"/> Wellington         |
| <input type="checkbox"/> Auckland                                   | <input type="checkbox"/> Nelson/Marlborough |
| <input type="checkbox"/> Waikato                                    | <input type="checkbox"/> West Coast         |
| <input type="checkbox"/> Bay of Plenty                              | <input type="checkbox"/> Canterbury         |
| <input type="checkbox"/> East Coast/Hawke's Bay                     | <input type="checkbox"/> Otago              |
| <input type="checkbox"/> Tongariro/Taupo                            | <input type="checkbox"/> Southland          |
| <input type="checkbox"/> Wanganui                                   |   |
| <br>  |   |
| <input type="checkbox"/> Oceanic – north of subtropical convergence |   |
| <input type="checkbox"/> Oceanic – south of subtropical convergence |   |

For terrestrial, freshwater, and coastal (<12 nautical miles offshore) marine species, please tick all DOC Conservancies in which you know the taxon **formerly occurred, but is now locally extinct**. For conservancy boundaries please refer to the map supplied with the covering letter. For oceanic species please indicate whether they were formerly found north or south of the subtropical convergence. For colonial-nesting species which forage over large areas, include colony sites only.

- |   |   |
|---|---|
| <input type="checkbox"/> Northland                                  | <input type="checkbox"/> Wellington         |
| <input type="checkbox"/> Auckland                                   | <input type="checkbox"/> Nelson/Marlborough |
| <input type="checkbox"/> Waikato                                    | <input type="checkbox"/> West Coast         |
| <input type="checkbox"/> Bay of Plenty                              | <input type="checkbox"/> Canterbury         |
| <input type="checkbox"/> East Coast/Hawke's Bay                     | <input type="checkbox"/> Otago              |
| <input type="checkbox"/> Tongariro/Taupo                            | <input type="checkbox"/> Southland          |
| <input type="checkbox"/> Wanganui                                   |   |
| <br>  |   |
| <input type="checkbox"/> Oceanic – north of subtropical convergence |   |
| <input type="checkbox"/> Oceanic – south of subtropical convergence |   |

# Appendix 4

## NEW ZEALAND THREAT CLASSIFICATION SYSTEM EXPERT PANEL MEMBERSHIP

Rod Hitchmough was present at all meetings

### **Algae**

Wendy Nelson

### **Fungi**

Peter Buchanan

### **Bats**

Bat recovery group

Ross Beever

Geoff Ridley

Eric McKenzie

Peter Johnston

Shaun Pennycook

### **Birds**

Hugh Robertson

### **Marine fish**

Ralph Powlesland

Chris Paulin

Colin Miskelly

Clinton Duffy

Graeme Taylor

Andrew Stewart

Graeme Elliott

Peter McMillan

Ian Flux

Malcolm Francis

Rod Hay

Alan Tennyson

### **Marine invertebrates**

Peter Moore

Steve O'Shea

### **Bryophytes**

Carl McGuinness

Jessica Beever

Bruce Marshall

Patrick Brownsey

Franz Smith

Allan Fife

Eduardo Villota

David Glennie - by email

### **Marine mammals**

John Braggins - by email

Allan Baker

### **Freshwater fish**

Clinton Duffy

Richard Allibone

Caren Schroder

Rhys Barrier

Rob Suisted

Bob McDowall

### **Reptiles**

Nick Ling

David Towns

### **Frogs**

Mandy Tocher

Ben Bell

Tony Whitaker

Phil Bishop

Keri Neilson

Don Newman

## **Terrestrial and freshwater invertebrates**

Fred Brook  
Kath Walker  
David Roscoe  
Gregor Yeates  
Carl McGuinness  
Lisa Sinclair  
Ian Millar  
George Gibbs  
Brian Patrick  
Andrea Booth  
Peter Johns

## **Vascular plants**

Peter de Lange  
Shannel Courtney  
Brian Molloy  
Brian Rance  
David Norton  
Peter Heenan  
Colin Ogle